**Erratum: Phase diagram of the Heisenberg-Kitaev model at $T = 0$
[Phys. Rev. B **92**, 020405(R) (2015)]**

J. Oitmaa

(Received 19 October 2016; published 3 November 2016)

DOI: [10.1103/PhysRevB.94.179901](https://doi.org/10.1103/PhysRevB.94.179901)

This paper contains an error, not in the calculations themselves, but in the interpretation of the results and in the conclusions drawn from these.

The divergence seen in the series, for $\alpha > 1/3$, shown in Table II, arises from a level crossing in H_0 and does not represent a real instability in the model. The choice of H_0 is not unique, and a modification $H_0 \rightarrow H_0 + t \sum_i S_i^z, V \rightarrow V - t \sum_i S_i^z$ is sufficient to remove the divergence.

We have analyzed a new series for $t = 0.5, 1.0$. From energy plots we conclude that the transition from Néel to stripe phase occurs at $\alpha = 0.398 \pm 0.002$ ($\phi = -33.5^\circ$). The transition between ferromagnetic and zigzag phases occurs at $\phi = 161.5^\circ$. These results are fully consistent with previous work using other methods [1].

[1] J. Chaloupka, G. Jackeli, and G. Khaliullin, [Phys. Rev. Lett. **110**, 097204 \(2013\)](#).