Erratum: Dissociative recombination of the CO^{2+} dication [Phys. Rev. A 60, R3361 (1999)]

C. P. Safvan, M. J. Jensen, H. B. Pedersen, and L. H. Andersen
(Published 9 June 2000)

PACS number(s): 34.50.Dy, 34.80.Ht, 34.80.Lx, 99.10.+g

Unfortunately, there was an error in the asymptotic limits of two molecular potential-energy curves of relevance to dissociative excitation corresponding to $\text{C}+\text{O}^{2+}$ and $\text{C}^{2+}+\text{O}$ final limits. The correct curves are shown in Fig. 1. The correct kinetic energies of fragments from dissociative excitation are given here:

$$\text{CO}^{2+} + e^- \rightarrow \text{C}^{2+} + \text{O} + e^- (-5.5 \text{ eV}),$$

$$\text{CO}^{2+} + e^- \rightarrow \text{C} + \text{O}^{2+} + e^- (-18.6 \text{ eV}).$$

Both channels are endothermic and open when the electron energy is larger than the indicated values. The changes have no effect on the conclusions of the previous paper.

FIG. 1. The $X^3\Pi$ potential-energy curve of CO^{2+} and the asymptotic atomic energy limits are shown. Some curves of CO^+ (dashed) and CO^{2+} (full) as well as some Rydberg states belonging to the dication ground state are drawn from an artist's point of view. The energy scale refers to the dissociation limit $\text{C}^+(^2P) + \text{O}^+(^4S)$.