

This is the accepted manuscript made available via CHORUS. The article has been published as:

Practical advantages of almost-balanced-weak-value metrological techniques

Julián Martínez-Rincón, Zekai Chen, and John C. Howell

Phys. Rev. A **95**, 063804 — Published 5 June 2017

DOI: [10.1103/PhysRevA.95.063804](https://doi.org/10.1103/PhysRevA.95.063804)

Practical Advantages of Almost-Balanced-Weak-Values Metrological Techniques

Julían Martínez-Rincón,^{1,2,*} Zekai Chen,^{1,2} and John C. Howell^{1,2,3,4}

¹*Department of Physics and Astronomy, University of Rochester, Rochester, New York 14627, USA*

²*Center for Coherence and Quantum Optics, University of Rochester, Rochester, New York 14627, USA*

³*Institute of Optics, University of Rochester, Rochester, New York 14627, USA*

⁴*Institute for Quantum Studies, Chapman University, Orange, California 92866, USA*

(Dated: April 21, 2017)

Precision measurements of ultra-small linear velocities of one of the mirrors in a Michelson interferometer are performed using two different weak-values techniques. We show that the technique of Almost-Balanced Weak Values (ABWV) offers practical advantages over the technique of Weak-Value Amplification (WVA), resulting in larger signal-to-noise ratios and the possibility of longer integration times due to robustness to slow drifts. As an example of the performance of the ABWV protocol we report a velocity sensitivity of 60 fm/s after 40 hours of integration time. The sensitivity of the Doppler shift due to the moving mirror is of 150 nHz.

I. INTRODUCTION

Post-selected weak measurements have proven to be useful for metrology of parameter estimation during the recent years [1, 2]. These techniques consist of weakly coupling a system to a meter and then measuring the meter only when a successful post-selection on the system occurs. Weak-Value Amplification (WVA) is one such technique, where strong discarding of data is part of the requirements to induce a large signal proportional to the parameter of interest. The technique was initially proposed almost thirty years ago [3], and has been extensively studied and applied after the first successful implementation twenty years later [4]. The technique has been used to measure shifts of a laser frequency [5], linear velocities [6], optical phases [7, 8], displacements due to the optical spin Hall effect [4, 9–12], temperature shifts [13, 14], angular rotations of a laser beam [15], tilts of a mirror [16–20], polarization rotations [21], angular rotations of chiral molecules [22, 23], and glucose concentration [24]. Advantages of WVA for metrology rely on practical aspects of anomalous amplification and low detected power. These aspects allow one to increase the signal-to-noise ratio in technical noise-limited scenarios. For a review on WVA and its advantages see Refs. [25–36].

Extensions or similar approaches to WVA have also been proposed. For example, it has been shown that the postselection probability distribution adds useful information to the parameter estimation task [37]. There is also a second weak-values technique, known as Inverse Weak Value, where the post-selection in the system induces a stronger back-action in the meter than the weak system-meter coupling [1, 38]. Precision measurements of phase [38] and tilts [39] in Sagnac interferometric configurations have been reported using such a protocol. Taking a different approach, Strübi and Bruder proposed the use of two detectors to collect all of the information under a

different post-selection procedure than WVA [40]. Experimental demonstration of the robustness “against not only misalignment errors but also the wavelength dependence of the optical components” of such a protocol was soon demonstrated [41]. It was also shown that a WVA-like response can be obtained in the difference signal of the two-detector protocol [42]. Simulating an anomalous amplification in a Homodyne detection procedure, the technique has been dubbed Almost-Balanced Weak Values (ABWV). The ABWV technique has been used to measure angular velocities of the linear polarization of laser pulses with a precision of 22 nrad/s after ~11 hours of integration time [42], and more recently, to measure angular velocities of a rotating mirror with a precision of ~4.9 nrad/s with one minute of collection time [43].

WVA has been successfully used to measure ultra-small linear velocities of a moving mirror in a Michelson interferometer on a table-top configuration [6]. The best reported result is of a velocity of 400 fm/s (or 1 μ Hz Doppler shift) after averaging for a little longer than two hours. Lack of robustness to long drifts did not allow for longer integration times. We evaluate here the performance of the ABWV technique to carry out the same metrological task, and find it superior to the WVA case. We report a sensitivity of 60 fm/s (or 150 nHz Doppler shift) after 40 hours of collection time.

The ABWV protocol has proven to offer larger amplification than the WVA approach [43], however it is still an open question if it offers noise-mitigation advantages or not. We perform the velocities measurements under equal conditions for both techniques (WVA and ABWV) and for six different frequencies on the driving mirror. We show that ABWV offers on average twice better signal-to-noise ratio than WVA for measurements of linear velocities.

In Section II we introduce the experiment used to measure the linear velocities, and how the comparison between both techniques is done. In Section III we reveal details and results of the experiments, to finally discuss them in Section IV.

* jmarti41@ur.rochester.edu

II. WEAK-VALUE VS ALMOST-BALANCED-WEAK-VALUES AMPLIFICATION

We are interested in estimating the linear velocity of one of the mirrors in a Michelson interferometer, as sketched in Fig. 1. The interferometer consists of one non-polarizing beam splitter and two mirrors, with one of them on a piezo-driven mount moving at a constant ultra-small speed. Phase noise in the interferometer is minimized by mounting the second mirror on a translation stage. This design allows for control of the arms' length difference. The input polarization of the laser pulses is set to horizontal. Using a quarter-wave-plate in each arm of the interferometer both vertically-polarized outputs can be collected using polarized beam splitters. The two optical outputs are sent to a balanced detector, where the difference and the sum electrical signals are recorded.




FIG. 1. Schematic of the experimental setup (not to scale) to measure linear velocities of a piezo-mounted mirror. Horizontally polarized laser pulses are sent to a Michelson interferometer. Quarter-wave-plates (QWP) and polarized beam splitters (PBS) are used to send the vertically-polarized output pulses to a balanced detector. A beam-block is used to allow collection of both or just one of the ports.

Pulses, with a power distribution given as $P_{in}(t) = P_0 e^{-t^2/2\tau^2}$, are sent to the interferometer. P_0 is the peak power and τ is the characteristic length of the pulse. The piezo-mounted mirror can be precisely controlled to set the optical outputs in a bright/dark or an almost balanced configuration. The WVA configuration is obtained by tracking only the dark port. This arrangement is done by setting one output beam as the bright port and then blocking it to avoid its detection. The piezo is used to control the dark port, which takes the following power

distribution,

$$P^{WVA}(t) = \frac{1}{4} |\beta_1 - e^{i(\epsilon+2kvt)}|^2 P_{in}(t) \\ = P_0 \left[\left(\frac{1-\beta_1}{2} \right)^2 + \beta_1 \sin^2(\epsilon/2 + kvt) \right] e^{-t^2/2\tau^2} \quad (1)$$

where ϵ is a tunable phase difference between paths, v is the velocity of the piezo-driven mirror, and $k = 2\pi/\lambda$ is the wave number. The parameter β_1 is the relative transmission amplitude between both arms of the interferometer at the given port. This parameter defines the visibility of the dark port as $2\beta_1/(1+\beta_1^2)$. A value of β_1 smaller than unity accounts for imperfections of the optical elements in the experiment [20].

The usual WVA approximation is obtained for weak interactions and small postselection angles, i.e. $kvt \ll \epsilon/2 \ll 1$. For such a limit, in a perfect interferometer ($\beta_1 = 1$), the power distribution at the dark port takes the form $\sim P_0 \sin^2(\epsilon/2) e^{-(t-\delta t)^2/2\tau^2}$ where $\delta t = 4kvt^2/\epsilon$ [6]. The stronger the discarding of data counts (smaller ϵ) the larger the induced time shift δt in the pulse. We consider here only the weak interaction approximation, i.e. $kvt \ll 1$, and evaluate the performance of the interferometer as a function of the phase ϵ . Eq. (1) is then approximated as a Gaussian distribution with amplitude

$$P_{peak}^{WVA} \approx P_0 \left[\left(\frac{1-\beta_1}{2} \right)^2 + \beta_1 \sin^2(\epsilon/2) \right], \quad (2)$$

and time shift

$$\delta t^{WVA} \approx \frac{4\beta_1 kvt^2 \sin(\epsilon)}{(1-\beta_1)^2 + 4\beta_1 \sin^2(\epsilon/2)}. \quad (3)$$

The ABWV technique requires the use of both output ports in the interferometer. For this case, the beam-block is removed and no discarding of data counts occurs (as it is explicitly shown in Fig. 1). The almost-balanced configuration is set by moving the piezo-driven mirror an extra distance $\lambda/8$. The power distributions of the two ports take the form

$$P_{1,2}^{ABWV}(t) = \frac{1}{4} |\beta_{1,2} \mp e^{i(\epsilon+2kvt+2k(\lambda/8))}|^2 P_{in}(t) \\ = \left[\frac{1+\beta_{1,2}^2}{4} \pm \frac{\beta_{1,2}}{2} \sin(\epsilon+2kvt) \right] P_{in}(t),$$

where we have assumed that both ports have different visibilities, i.e. $\beta_2 \neq \beta_1$.

The sum signal takes the form

$$P_{sum}^{ABWV} = P_1^{ABWV} + P_2^{ABWV} \quad (4) \\ = P_0 \left[\frac{2+\beta_1^2+\beta_2^2}{4} + \frac{\beta_1-\beta_2}{2} \sin(\epsilon+2kvt) \right] e^{-t^2/2\tau^2},$$

and the difference signal

$$P_{diff}^{ABWV} = P_1^{ABWV} - P_2^{ABWV} \quad (5) \\ = P_0 \left(\frac{\beta_1+\beta_2}{2} \right) \left[\frac{\beta_1-\beta_2}{2} + \sin(\epsilon+2kvt) \right] e^{-t^2/2\tau^2}.$$

These expressions reduce to the ones in Ref. [42] by assuming a perfect interferometer, $\beta_1 = \beta_2 = 1$. In addition, if the weak-value approximation is considered, $kv\tau \ll \epsilon/2 \ll 1$, the expressions take the simple form $P_{sum}^{ABWV} \approx P_{in}(t) = P_0 e^{-t^2/2\tau^2}$ and $P_{diff}^{ABWV} \approx P_0 \sin(\epsilon) e^{-[t-2kv\tau^2/\epsilon]^2/2\tau^2}$. In our experiment $\beta_1 \approx \beta_2 \approx 0.7$. We use equations (4) and (5) to evaluate the performance of the technique as a function of ϵ under the weak interaction approach, $kv\tau \ll 1$. The effective time shift between the sum and the difference signal is given by

$$\delta t^{ABWV} \approx \frac{8(1 + \beta_1\beta_2)kv\tau^2 \cos \epsilon}{[2\sin \epsilon + \beta_1 - \beta_2][2 + \beta_1^2 + \beta_2^2 + 2(\beta_1 - \beta_2)\sin \epsilon]}. \quad (6)$$

We are interested on comparing the performance of both techniques to induce time shifts (Eqs. 3 and 6), and the corresponding estimates of the velocity v .

III. EXPERIMENTAL RESULTS

A 795-nm continuous-wave laser beam (Vescent Photonics distributed Bragg reflector laser diode D2-100-DBR) was sent through an Acousto-Optic Modulator (AOM). The laser and the AOM are not shown in Fig. 1. The AOM was used to modulate a Gaussian profile in the field's distribution, i.e. $P_{in}(t) = P_0 \exp(-t^2/2\tau^2)$, in the first-order diffracted beam, which was later coupled to a single mode patch cable. The non-Fourier band-limited pulses with repetition rate f_r were launched and prepared with horizontal polarization before passing through a polarizing beam-splitter and sent to the interferometer.

A piezo-driven mirror mount (Thorlabs KC1-PZ) was used for one of the mirrors to control the phase ϵ in the interferometer and to induce the constant linear speed v . Each quarter-wave-plate in the arms of the interferometer was set to 45° with respect to the horizontal input light to make the outputs vertically polarized. The second mirror in the interferometer was mounted on a linear translation stage to make the arms' length difference no larger than tens of microns. This optimization, to reduce phase noise, was done by sweeping the laser frequency within a range of about 4 GHz and minimizing the phase readout of the interferometer by moving the stage. Each arm in the interferometer was about 4 cm long.

The two output pulses of the interferometer were directed to two of the four detectors of a quadrant cell photoreceiver (Newport 2921). The output electrical signals were proportional to the sum and difference laser-power distributions. By blocking or unblocking one of the two optical ports and controlling the phase ϵ the system resembled either the WVA or the ABWV technique respectively¹. The difference and sum electrical signals

were directly recorded using an oscilloscope and a computer. *No frequency filters nor lock-in amplifiers were used*, meaning that both techniques (WVA and ABWV) were compared under the same technical-limited conditions.

A 60% duty-cycle triangle ramp with peak-to-peak voltage $V_{pp} = 75$ mV and frequency f_r was applied to the piezo actuators on the mirror mount. The linear velocity of the mirror during the positive ramp was given by $v = 5\alpha V_{pp}f_r/3 \sim (6.66 \text{ nm}) \times f_r$, where $\alpha \approx 53.33$ nm/V is the manual-given mount response. Both techniques were compared for six different frequencies ($f_r = 0.5, 1, 2, 5, 10, 20$ Hz) and for different values of ϵ . For a given frequency f_r and a given phase ϵ , 118 pulses were used and recorded during the experiment. Each collected pulse consisted of 1250 data points and was numerically fitted to one of the distributions (1), (4), or (5). Such a fitting averages out fluctuations much faster than f_r in the time-dependent pulse intensity. In addition, the fitting-obtained time shifts of 118 pulses were averaged for each couple f_r and ϵ .

Fig. 2 shows the result of the estimated average time shifts for both techniques. In the case of WVA, each collected pulse was numerically fitted to distribution (1) setting β_1 , τ , ϵ , and v as free parameters. Correction to laser power drift was done to each pulse before doing the numerical fitting. The obtained values were then used to estimate the time shift δt^{WVA} in Eq. (3). These results are shown as the six curves on the right side of Fig. 2. For a given f_r each data point corresponds to the average of 118 time shifts for each value of ϵ , and the curve represents a (second) numerical fitting of these data points to Eq. (3). Such a curve is introduced for eye-guiding purposes. For the case of ABWV, two distributions (sum and difference) were recorded for each of the 118 pulses for a given frequency f_r and a given phase ϵ . Each couple was numerically fitted to equations (4) and (5), adding the extra free parameter β_2 . Power drift correction was not necessary in this case. The values obtained from the fitting for the five parameters were used to evaluate the time shift δt^{ABWV} using Eq. (6). These shifts are shown in the six curves on the left side of Fig. 2.

In Fig. 2, we notice the following: first, the ABWV technique offers larger amplification (i.e. larger time shifts) than WVA, and second, the amplification monotonically grows for small values of ϵ (WVA breaks down for $\epsilon \lesssim 0.2$ rad). The former was noted when the technique was originally proposed [42], and the latter was subsequently experimentally demonstrated [43]. For a given frequency f_r (and velocity v), the smaller the phase ϵ the larger the time shift. The maximum amplification in the ABWV case was on average 13 times larger than the optimal case in WVA. The lowest amplification ratio was 5.7 for $f_r = 500$ mHz and the largest was 21 for $f_r = 10$ Hz. These amplification gain differences are due to the experimentally-allowed minimum values for ϵ obtained in the ABWV case for each frequency f_r .

It is also shown in Fig. 2 that the ABWV technique

¹ In the case of ABWV, both sum and difference signals were used for data processing. In the case of WVA, only one optical port was measured, so $P_{sum}^{WVA} = P_{diff}^{WVA} = P_1^{WVA} = P^{WVA}$.




FIG. 2. Experimental estimates of the time shifts δt^{WVA} (right side curves) and δt^{ABWV} (left side curves). Both techniques are compared for six different frequencies f_r and for experimentally-allowed values of ϵ in each case. From top to bottom the curves correspond to frequencies $f_r = 0.5, 1, 2, 5, 10$, and 20 Hz.




FIG. 3. Signal-to-Noise Ratio (SNR) results obtained from Fig. 2. Values for the ABWV (WVA) case are represented as blue circles (red squares).

shows a relatively consistent precision (size of error bars) for all data points. This behaviour is not seen for the WVA technique, as it is explicitly shown in Fig. 3. The ABWV case (blue circles) offers in average ~ 1.8 larger signal-to-noise ratio (SNR) than the WVA case (red squares). The larger the frequency f_r the larger the SNR, however we compare in Fig. 3 the overall behaviour of both techniques. As an exception of few data points, the ABWV case offers much better SNR performance than the WVA case.

The consistency of the SNR results of the ABWV technique over the WVA technique relies on technical details that makes the implementation of the almost-balanced

case advantageous. These advantages are:

- The ABWV protocol is more robust to slow fluctuations of the input laser power than the WVA one. This is due to the fact that P_0 must be independently measured in the WVA case before setting the interferometer in the dark port. For the ABWV case, we approximated Eq. (4) as $P_{sum}^{ABWV} \approx P_0 e^{-t^2/2\tau^2}$ since $\beta_1 \approx \beta_2 \approx 0.7$, and obtained real-time values of P_0 and τ for each pulse. This fact alone allows for longer collection times in the ABWV case. In order to improve the estimates for the WVA case, we separately estimated the power drift of the 118 pulses collected for each data point in Fig. 2. We then corrected for the drift in Eq. (1) before running the numerical fittings. The drift-subtracted results for WVA are not better than the raw fittings for ABWV, as shown in Fig. 3.
- Due to the robustness to slow drifts in the input power of the ABWV technique, the estimation task is robust to slow drifts in the interferometer's alignment. After obtaining values of P_0 and τ for each pulse from fittings to $P_{sum}^{ABWV} \approx P_0 e^{-t^2/2\tau^2}$, a systematic error-free estimation of β_1 , β_2 , ϵ , and v were performed from numerical fittings to the difference signal in Eq. (5).
- The ABWV design offers better repeatability of the experimental results. This behaviour can be observed in the values obtained for the parameters

	f_r (Hz)	τ (ms)	β_1	β_2
WVA	0.5	299 ± 5	0.72 ± 0.01	-
	1	149.0 ± 0.2	0.72 ± 0.02	-
	2	74.6 ± 0.1	0.72 ± 0.02	-
	5	29.84 ± 0.05	0.71 ± 0.02	-
	10	14.90 ± 0.02	0.71 ± 0.02	-
	20	7.45 ± 0.02	0.72 ± 0.02	-
ABWV	0.5	298.2 ± 0.2	0.695 ± 0.002	0.686 ± 0.002
	1	149.08 ± 0.05	0.693 ± 0.003	0.689 ± 0.003
	2	74.56 ± 0.02	0.682 ± 0.003	0.700 ± 0.003
	5	29.831 ± 0.006	0.683 ± 0.003	0.699 ± 0.003
	10	14.910 ± 0.008	0.683 ± 0.003	0.699 ± 0.003
	20	7.45 ± 0.02	0.694 ± 0.003	0.688 ± 0.003

TABLE I. Results for parameters τ , β_1 , and β_2 from the numerical fittings. Each value is an average over allowed values of ϵ for each f_r .

τ , β_1 , and β_2 from the numerical fittings. Table I shows that the ABWV technique allows for lower deviation on the estimations of these parameters. Since the ABWV protocol removes background and common noise by differencing, estimates of β_1 and β_2 are more accurate than independently using the WVA protocol for each port.

We conclude that the technique of ABWV is more robust to slow drifts than WVA, and it also offers background subtraction. As a result, the technique gives one the possibility for longer collection times and larger signal-to-noise ratios.

We proceed now to improve the state-of-the-art WVA result for velocity measurements. By averaging 78 pulses in a similar configuration to Fig. 1, the best reported averaged velocity in Ref. [6] was of 400 ± 400 fm/s. Such a result gives a sensitivity of ~ 3.5 pm/s per averaged pulse when using WVA. In our case, using ABWV, we set a frequency of $f_r = 2.5$ mHz, a voltage on the piezo of $V_{pp} = 0.3$ mV, and a time constant of $\tau = 67$ s. We used an average value of $\epsilon = 110$ mrad for 358 collected pulses and obtained a estimated average velocity of 380 ± 60 fm/s. The obtained sensitivity was of ~ 1.1 pm/s per averaged pulse. Note that 358 pulses at a repetition rate of 2.5 mHz corresponds to a total acquisition time of about 40 hours². As a merit of comparison, our precision in velocity corresponds to a Doppler shift in the laser light of $2\Delta v/\lambda \sim 150$ nHz. Measuring such a shift in a standard

continuous-wave Homodyne configuration would produce a beat note of about 11 weeks!

IV. CONCLUSIONS

We have compared the recently-proposed technique of using two detectors to subtract the signals produced by two almost-equal weak values (ABWV) to the better known technique of amplification due to one large anomalous weak value (WVA). We performed precision measurements of linear velocities of one of the mirrors in a Michelson interferometer, and further expand the already-known advantages of the ABWV technique over WVA. We confirm that practical advantages of balancing signals make the ABWV technique more robust against slow drifts and systematic errors than the WVA protocol.

The technique of ABWV offers larger signal-to-noise ratios than WVA, however the well-behaved range for the parameter ϵ extends only up to ~ 0.2 rad. On the other hand, the technique of WVA breaks down for angles below ~ 0.2 rad, but it offers good performance for angles above it. Small values of ϵ are always desired in weak-values metrological techniques. However, we have found here that ABWV and WVA complement each other to allow precision measurements for almost any given value of ϵ in the range from 10 to 800 mrad (see Fig. 2).

We were able to measure a Doppler shift of ~ 950 nHz with a precision of 150 nHz after 40 hours of integration time. We note that the competitive technique of continuous-wave Homodyne detection would require at least 11 weeks to resolve the corresponding beating signal.

Experimental demonstrations of the ABWV technique have been done for measurements of time shifts in pulses [42, 43], as we do here. The technique of WVA has successfully been used in configurations that require split detection to track the field's transverse distribution of a continuous-wave laser beam. As a future work, it would be interesting to evaluate the performance of the ABWV technique for such cases, where two high-resolution beam-profile detectors would be required.

ACKNOWLEDGEMENTS

This work was funded by the Army Research Office (Grant No. W911NF-12-1-0263), Northrop Grumman Corporation, and the Department of Physics and Astronomy at the University of Rochester.

² These pulses were collected in 6-hour daily sets taken during one week. Each of the sets was taken during night time to avoid external high-frequency vibrations.

[1] Abraham G. Kofman, Sahel Ashhab, and Franco Nori, "Nonperturbative theory of weak pre- and post-selected measurements," *Physics Reports* **520**, 43 – 133 (2012), nonperturbative theory of weak pre- and post-selected measurements.

- [2] Bengt Svensson, “Pedagogical review of quantum measurement theory with an emphasis on weak measurements,” *Quanta* **2**, 18–49 (2013).
- [3] Yakir Aharonov, David Z. Albert, and Lev Vaidman, “How the result of a measurement of a component of the spin of a spin- $1/2$ particle can turn out to be 100,” *Phys. Rev. Lett.* **60**, 1351–1354 (1988).
- [4] Onur Hosten and Paul Kwiat, “Observation of the spin hall effect of light via weak measurements,” *Science* **319**, 787–790 (2008), <http://www.sciencemag.org/content/319/5864/787.full.pdf>.
- [5] David J. Starling, P. Ben Dixon, Andrew N. Jordan, and John C. Howell, “Precision frequency measurements with interferometric weak values,” *Phys. Rev. A* **82**, 063822 (2010).
- [6] Gerardo I. Viza, Julián Martínez-Rincón, Gregory A. Howland, Hadas Frostig, Itay Shomroni, Barak Dayan, and John C. Howell, “Weak-values technique for velocity measurements,” *Opt. Lett.* **38**, 2949–2952 (2013).
- [7] Luis José Salazar-Serrano, Alejandra Valencia, and Juan P. Torres, “Observation of spectral interference for any path difference in an interferometer,” *Opt. Lett.* **39**, 4478–4481 (2014).
- [8] Luis José Salazar-Serrano, Davide Janner, Nicolas Brunner, Valerio Pruneri, and Juan P. Torres, “Measurement of sub-pulse-width temporal delays via spectral interference induced by weak value amplification,” *Phys. Rev. A* **89**, 012126 (2014).
- [9] Shizhen Chen, Xinxing Zhou, Chengquan Mi, Hailu Luo, and Shuangchun Wen, “Modified weak measurements for the detection of the photonic spin hall effect,” *Phys. Rev. A* **91**, 062105 (2015).
- [10] Xinxing Zhou, Zhicheng Xiao, Hailu Luo, and Shuangchun Wen, “Experimental observation of the spin hall effect of light on a nanometal film via weak measurements,” *Phys. Rev. A* **85**, 043809 (2012).
- [11] G. Jayaswal, G. Mistura, and M. Merano, “Observation of the imbert–fedorov effect via weak value amplification,” *Opt. Lett.* **39**, 2266–2269 (2014).
- [12] Marcel Pfeifer and Peer Fischer, “Weak value amplified optical activity measurements,” *Opt. Express* **19**, 16508–16517 (2011).
- [13] L. J. Salazar-Serrano, D. Barrera, W. Amaya, S. Sales, V. Pruneri, J. Capmany, and J. P. Torres, “Enhancement of the sensitivity of a temperature sensor based on fiber bragg gratings via weak value amplification,” *Opt. Lett.* **40**, 3962–3965 (2015).
- [14] Patrick Egan and Jack A. Stone, “Weak-value thermostat with 0.2mk precision,” *Opt. Lett.* **37**, 4991–4993 (2012).
- [15] Omar S. Magaña Loaiza, Mohammad Mirhosseini, Brandon Rodenburg, and Robert W. Boyd, “Amplification of angular rotations using weak measurements,” *Phys. Rev. Lett.* **112**, 200401 (2014).
- [16] P. Ben Dixon, David J. Starling, Andrew N. Jordan, and John C. Howell, “Ultrasensitive beam deflection measurement via interferometric weak value amplification,” *Phys. Rev. Lett.* **102**, 173601 (2009).
- [17] David J. Starling, P. Ben Dixon, Andrew N. Jordan, and John C. Howell, “Optimizing the signal-to-noise ratio of a beam-deflection measurement with interferometric weak values,” *Phys. Rev. A* **80**, 041803 (2009).
- [18] J. M. Hogan, J. Hammer, S.-W. Chiow, S. Dickerson, D. M. S. Johnson, T. Kovachy, A. Sugarbaker, and M. A. Kasevich, “Precision angle sensor using an optical lever inside a sagnac interferometer,” *Opt. Lett.* **36**, 1698–1700 (2011).
- [19] Matthew D. Turner, Charles A. Hagedorn, Stephan Schlamminger, and Jens H. Gundlach, “Picoradian deflection measurement with an interferometric quasi-autocollimator using weak value amplification,” *Opt. Lett.* **36**, 1479–1481 (2011).
- [20] Gerardo I. Viza, Julián Martínez-Rincón, Wei-Tao Liu, and John C. Howell, “Complementary weak-value amplification with concatenated postselections,” *Phys. Rev. A* **94**, 043825 (2016).
- [21] N. W. M. Ritchie, J. G. Story, and Randall G. Hulet, “Realization of a measurement of a “weak value”,,” *Phys. Rev. Lett.* **66**, 1107–1110 (1991).
- [22] Hanju Rhee, Joseph S. Choi, David J. Starling, John C. Howell, and Minhaeng Cho, “Amplifications in chiroptical spectroscopy, optical enantioselectivity, and weak value measurement,” *Chem. Sci.* **4**, 4107–4114 (2013).
- [23] Xiaodong Qiu, Linguo Xie, Xiong Liu, Lan Luo, Zhiyou Zhang, and Jinglei Du, “Estimation of optical rotation of chiral molecules with weak measurements,” *Opt. Lett.* **41**, 4032–4035 (2016).
- [24] Dongmei Li, Zhiyuan Shen, Yonghong He, Yilong Zhang, Zhenling Chen, and Hui Ma, “Application of quantum weak measurement for glucose concentration detection,” *Appl. Opt.* **55**, 1697–1702 (2016).
- [25] Yutaka Shikano, *Theory of “Weak Value” and Quantum Mechanical Measurements, Measurements in Quantum Mechanics* (InTech, 2012) prof. Mohammad Reza Pahlavani (Ed.), DOI: 10.5772/32810.
- [26] Justin Dressel, Mehul Malik, Filippo M. Miatto, Andrew N. Jordan, and Robert W. Boyd, “Colloquium : Understanding quantum weak values: Basics and applications,” *Rev. Mod. Phys.* **86**, 307–316 (2014).
- [27] Juan P. Torres and Luis José Salazar-Serrano, “Weak value amplification: a view from quantum estimation theory that highlights what it is and what isn’t,” *Scientific Reports* **6** (2016).
- [28] Nicolas Brunner and Christoph Simon, “Measuring small longitudinal phase shifts: Weak measurements or standard interferometry?” *Phys. Rev. Lett.* **105**, 010405 (2010).
- [29] Yakir Aharonov and Alonso Botero, “Quantum averages of weak values,” *Phys. Rev. A* **72**, 052111 (2005).
- [30] J. Calsamiglia, B. Gendra, R. Muñoz-Tapia, and E. Bagan, “Probabilistic metrology defeats ultimate deterministic bound,” ArXiv e-prints (2014), [arXiv:1407.6910 \[quant-ph\]](https://arxiv.org/abs/1407.6910).
- [31] Shengshi Pang and Todd A. Brun, “Improving the precision of weak measurements by postselection measurement,” *Phys. Rev. Lett.* **115**, 120401 (2015).
- [32] G. Bié Alves, B. M. Escher, R. L. de Matos Filho, N. Zagury, and L. Davidovich, “Weak-value amplification as an optimal metrological protocol,” *Phys. Rev. A* **91**, 062107 (2015).
- [33] Andrew N. Jordan, Julián Martínez-Rincón, and John C. Howell, “Technical advantages for weak-value amplification: When less is more,” *Phys. Rev. X* **4**, 011031 (2014).
- [34] Gerardo I. Viza, Julián Martínez-Rincón, Gabriel B. Alves, Andrew N. Jordan, and John C. Howell, “Experimentally quantifying the advantages of weak-value-based metrology,” *Phys. Rev. A* **92**, 032127 (2015).
- [35] Shengshi Pang, Jose Raul Gonzalez Alonso, Todd A. Brun, and Andrew N. Jordan, “Protecting weak mea-

- surements against systematic errors,” *Phys. Rev. A* **94**, 012329 (2016).
- [36] Jérémie Harris, Robert W. Boyd, and Jeff S. Lundeen, “Weak value amplification can outperform conventional measurement in the presence of detector saturation,” *Phys. Rev. Lett.* **118**, 070802 (2017).
- [37] G. Bié Alves, A. Pimentel, M. Hor-Meyll, S. P. Walborn, L. Davidovich, and R. L. de Matos Filho, “Achieving metrological precision limits through postselection,” *Phys. Rev. A* **95**, 012104 (2017).
- [38] David J. Starling, P. Ben Dixon, Nathan S. Williams, Andrew N. Jordan, and John C. Howell, “Continuous phase amplification with a sagnac interferometer,” *Phys. Rev. A* **82**, 011802 (2010).
- [39] J. Martínez-Rincón, C. A. Mullarkey, and J. C. Howell, “Ultrasensitive Inverse-Weak-Value Tilt Meter,” ArXiv e-prints (2017), [arXiv:1701.05208 \[quant-ph\]](#).
- [40] Gregory Strübi and C. Bruder, “Measuring ultrasmall time delays of light by joint weak measurements,” *Phys. Rev. Lett.* **110**, 083605 (2013).
- [41] C. Fang, J.-Z. Huang, Y. Yu, Q.-Z. Li, and G. Zeng, “Ultra-small phase estimation via weak measurement with postselection: A comparison of joint weak measurement and weak value amplification,” ArXiv e-prints (2015), [arXiv:1509.04003 \[quant-ph\]](#).
- [42] Julián Martínez-Rincón, Wei-Tao Liu, Gerardo I. Viza, and John C. Howell, “Can anomalous amplification be attained without postselection?” *Phys. Rev. Lett.* **116**, 100803 (2016).
- [43] Wei-Tao Liu, Julián Martínez-Rincón, Gerardo I. Viza, and John C. Howell, “Anomalous amplification of a homodyne signal via almost-balanced weak values,” *Opt. Lett.* **42**, 903–906 (2017).