

This is the accepted manuscript made available via CHORUS. The article has been published as:

Analytical high-order post-Newtonian expansions for extreme mass ratio binaries

Chris Kavanagh, Adrian C. Ottewill, and Barry Wardell

Phys. Rev. D **92**, 084025 — Published 9 October 2015

DOI: [10.1103/PhysRevD.92.084025](https://doi.org/10.1103/PhysRevD.92.084025)

Analytical high-order post-Newtonian expansions for extreme mass ratio binaries

Chris Kavanagh,¹ Adrian C. Ottewill,¹ and Barry Wardell^{1,2}

¹*School of Mathematical Sciences and Complex & Adaptive Systems Laboratory,
University College Dublin, Belfield, Dublin 4, Ireland.*

²*Department of Astronomy, Cornell University, Ithaca, NY 14853, USA*

We present analytic computations of gauge invariant quantities for a point mass in a circular orbit around a Schwarzschild black hole, giving results up to 15.5 post-Newtonian order in this paper and up to 21.5 post-Newtonian order in an online repository. Our calculation is based on the functional series method of Mano, Suzuki and Takasugi (MST) and a recent series of results by Bini and Damour. We develop an optimised method for generating post-Newtonian expansions of the MST series, enabling significantly faster computations. We also clarify the structure of the expansions for large values of ℓ , and in doing so develop an efficient new method for generating the MST renormalised angular momentum, ν .

I. INTRODUCTION

The equations of motion of an extreme mass ratio binary system — for example, a solar mass black hole or neutron star in orbit around a massive black hole — are well approximated by a perturbative expansion of Einstein’s equations. With $q = m/M$ (the ratio of the smaller mass to the larger one) as an expansion parameter, at zero-th order in q one obtains geodesic motion in the spacetime of the larger mass. The order q corrections are commonly referred to as the first order self-force and are obtained by solving the linearized Einstein equations around the background spacetime of the larger mass, M .

An alternative approach to the two-body problem — valid when the constituents are far apart — is the post-Newtonian approximation, which expands the Einstein equations in v^2/c^2 , where v is a representative velocity and c is the speed of light. In the context of binary systems, the post-Newtonian expansion maps onto an expansion in $1/r$, where r is the separation of the two objects.

Recent years have seen synergistic development of the post-Newtonian and perturbative approaches to the extreme mass ratio binary problem. Comparisons of gauge invariant quantities computed in the two approaches have gone beyond simple (but valuable) crosschecks [1]. They have enabled impressive developments which would have been difficult, if not impossible, to achieve in each theory on its own. For example, on the post-Newtonian end self-force results have produced predictions of previously unknown terms in the post-Newtonian expansion [2–8]. On the self-force end, comparisons with post-Newtonian calculations and with Numerical Relativity simulations have given insight into the higher-order perturbative corrections not included in the self-force approximation [9, 10].

Traditional approaches to the perturbative treatment of Einstein’s equations have relied on numerical solutions of differential equations as a means to obtaining the linearized metric perturbation. More recently, alternative, *functional methods* have emerged as a compelling approach to obtaining the linearized metric perturbation.

In particular, there has been a surge of interest in approaches pioneered by the work of Mano, Suzuki and Takasugi (MST) [11], in which one writes solutions of the linearized Einstein equations in terms of a rapidly convergent series of hypergeometric functions.

Functional methods have the distinct advantage of giving a representation in terms of exact quantities, rather than a truncated numerical value. Since modern computer algebra systems can efficiently evaluate hypergeometric functions to an essentially arbitrary number of digits, a numerical approach built on top of functional methods is a powerful tool. Indeed, a parallel pair of works by Shah and Pound [12], and by Johnson-McDaniel, Shah and Whiting [13] has used numerical functional methods to simultaneously obtain many of the same results as we present here. Reassuringly, a direct comparison of our results with those of [12, 13] has shown the two to be in perfect agreement [14], providing a strong independent check to both calculations.

In this work, we compute post-Newtonian expansions of the linearized metric perturbation for a circular-orbit binary system, ignoring spin terms, up to order $y^{21.5}$, where $1/y = (M\Omega)^{-2/3}$ is an invariant measure of the radius defined through the orbital frequency, Ω . From this, we compute very high order post-Newtonian approximations of all known gauge invariant quantities up to quadrupole order. Our approach works in the Regge-Wheeler gauge (with a transformation to an asymptotically flat gauge compatible with that used by post-Newtonian theory) and is fundamentally based on functional methods, but avoids any numerical evaluation (and the associated numerical truncation). Instead, our method builds on a series of developments by Bini and Damour [15–18]. Much of the calculation described here relies heavily on the methods they developed, combined with some modifications which allow the calculation to be efficiently taken to much higher post-Newtonian order.

The layout of the paper is as follows. In Sec. II we give details of our method, including an MST-based expansion for low ℓ -multipole modes and an exact large- ℓ approach for the higher multipole modes. In Sec. III we give explicit expressions for the metric perturbation in

Regge-Wheeler gauge in terms of homogeneous solutions of the Regge-Wheeler equation. In Sec. V we summarise our results and we conclude with a discussion in Sec. VI. Finally, in Appendix A we give equations for the gauge invariant quantities we compute (written in terms of this metric perturbation) and in Appendices B, C, D, E, F and G we give our high-order post-Newtonian expansion of the gauge invariant quantities. As the results become increasingly unwieldy with increasing post-Newtonian order, we restrict our printed results to order $y^{15.5}$ and opt instead to provide the higher-order terms electronically [19].

This paper follows the conventions of Misner, Thorne and Wheeler [20]; a “mostly positive” metric signature, $(-, +, +, +)$, is used for the spacetime metric, the connection coefficients are defined by $\Gamma_{\mu\nu}^\lambda = \frac{1}{2}g^{\lambda\sigma}(g_{\sigma\mu,\nu} + g_{\sigma\nu,\mu} - g_{\mu\nu,\sigma})$, the Riemann tensor is $R^\alpha_{\lambda\mu\nu} = \Gamma_{\lambda\nu,\mu}^\alpha - \Gamma_{\lambda\mu,\nu}^\alpha + \Gamma_{\sigma\mu}^\alpha\Gamma_{\lambda\nu}^\sigma - \Gamma_{\sigma\nu}^\alpha\Gamma_{\lambda\mu}^\sigma$, the Ricci tensor and scalar are $R_{\alpha\beta} = R^\mu_{\alpha\mu\beta}$ and $R = R_\alpha^\alpha$, and the Einstein equations are $G_{\alpha\beta} = R_{\alpha\beta} - \frac{1}{2}g_{\alpha\beta}R = 8\pi T_{\alpha\beta}$. Standard geometrized units are used, with $c = G = 1$, but we include the explicit dependence on G and c in our post-Newtonian expansions in cases where they are convenient for post-Newtonian order counting. We use the spherical coordinates $\{t, r, \theta, \phi\}$ for the background Schwarzschild spacetime and write tensors in terms of these coordinate components.

II. HOMOGENEOUS SOLUTIONS OF THE REGGE-WHEELER EQUATION

We seek solutions to the homogeneous Regge-Wheeler equation,

$$\left(\frac{d^2}{dr_*^2} + \omega^2 - V(r) \right) X_{\ell\omega}(r) = 0$$

where $V(r) = (1 - \frac{2M}{r}) \left(\frac{\ell(\ell+1)}{r^2} - \frac{6M}{r^3} \right)$ and $d/dr_* = (1 - \frac{2M}{r}) d/dr$. We assume much the same strategy as [16] in approaching the various ℓ mode regimes. Namely we use the analytical results of Zerilli [21] with asymptotically flat gauge correction for $\ell = 0, 1$, generate the analytical MST series solutions for ‘low’ ℓ modes, and use a variation of Bini & Damour’s post-Newtonian ansatz valid for large- ℓ values to tackle the rest.

A. Low ℓ solutions

A collection of exact homogeneous solutions of the Regge-Wheeler equation are given in [11]. These are constructed via the introduction of a parameter ν , the generalisation of the angular number ℓ to non-integer values. This is used to build a formal perturbation of the Regge-Wheeler equation. The exact solutions are then written as series of hypergeometric ${}_2F_1$ functions and

irregular confluent hypergeometric U functions, whose convergence is assured by the choice of ν .

The MST expansion of $X_{\ell\omega}^{\text{in}}(r)$

Following a similar notation to [16], the horizon solution may be written as

$$X_{\ell\omega}^{\text{in}}(r) = C_{(\text{in})}^\nu(x) \sum_{n=-\infty}^{\infty} a_n^\nu \times \overline{F}(n + \nu - 1 - i\epsilon, -n - \nu - 2 - i\epsilon, 1 - 2i\epsilon, x), \quad (2.1)$$

$$X_{\ell\omega}^{\text{in}}(r \rightarrow r_h) \rightarrow B_{\ell\omega}^{\text{trans}} e^{-i\omega r_*},$$

where $B_{\ell\omega}^{\text{trans}}$ can be determined analytically by the behaviour of $X_{\ell\omega}^{\text{in}}$ as $r \rightarrow r_h$, and

$$\begin{aligned} C_{(\text{in})}^\nu(x) &= e^{i\epsilon(x-1)}(-x)^{-i\epsilon}(1-x)^{-1}, \\ \overline{F}(a, b, c, \zeta) &= \frac{\Gamma(a)\Gamma(b)}{\Gamma(c)} {}_2F_1(a, b, c; \zeta), \\ x &= 1 - \frac{c^2 r}{2GM}, \quad \epsilon = \frac{2GM\omega}{c^3}. \end{aligned}$$

However, we find it more useful to instead work with the following decomposition:

$$\begin{aligned} {}_2F_1(a, b, c; \zeta) &= \\ &\frac{\Gamma(c)\Gamma(b-a)}{\Gamma(b)\Gamma(c-a)}(1-\zeta)^{-a} {}_2F_1(a, c-b, a-b+1, \frac{1}{1-\zeta}) \\ &+ \frac{\Gamma(c)\Gamma(a-b)}{\Gamma(a)\Gamma(c-b)}(1-\zeta)^{-b} {}_2F_1(c-a, b, b-a+1, \frac{1}{1-\zeta}) \end{aligned} \quad (2.2)$$

Thus $\overline{F}(a, b, c, \zeta) = \overline{F}_1(a, b, c, \zeta) + \overline{F}_2(a, b, c, \zeta)$ with

$$\begin{aligned} \overline{F}_1(a, b, c, \zeta) &= \\ &\frac{\Gamma(a)\Gamma(b-a)}{\Gamma(c-a)}(1-\zeta)^{-a} {}_2F_1(a, c-b, a-b+1, \frac{1}{1-\zeta}) \end{aligned} \quad (2.3)$$

$$\begin{aligned} \overline{F}_2(a, b, c, \zeta) &= \\ &\frac{\Gamma(b)\Gamma(a-b)}{\Gamma(c-b)}(1-\zeta)^{-b} {}_2F_1(c-a, b, b-a+1, \frac{1}{1-\zeta}). \end{aligned} \quad (2.4)$$

As a note, this leads to the $X_{\ell\omega}^{\text{in}} = X_0^\nu + X_0^{-\nu-1}$ representation of Eq (2.15) in [11] if we let $n \rightarrow -n$ in the \overline{F}_1 sum. Once again following [16] we will keep track of the large- r , small- ω coupled expansions by using the small parameter $\eta = 1/c$, and the Bini & Damour variables $X_1 = GM/r$, $X_2^{1/2} = wr$. In this way, each instance of X_1 and X_2 must each come with an η^2 .

At this point we can do an examination of the leading powers of η against n for the various terms in the sum. The structure of the MST series coefficients a_n

is described in Sec. 6 of [11], but we present it again in terms of powers of η and in a form (Table I) that makes it straightforward to combine with other elements of the expansions. We note that the corresponding behaviour is also discussed in the Living Review by Sasaki and Tagoshi [22] for the MST series coefficients for the Teukolsky function, which simply differ from those of the spin-2 Regge-Wheeler equation by a complex conjugation [23].

The structure of the series coefficients is not the only irregular behaviour we need to account for; the dependence on η of both the parameters and argument of the ${}_2F_1$ also go through order jumps, which are tabulated in Table II. In constructing this and subsequent Tables the key elements are that

$$\epsilon \sim \eta^3, \quad \Delta\nu \equiv \nu - \ell \sim \epsilon^2 \sim \eta^6, \quad \frac{1}{1-x} \sim \eta^2.$$

The scaling of ϵ and x with η come from their definitions, whereas the scaling of ν can be seen from its low-frequency expansion.

One subtlety here is that while we tend to think of ${}_2F_1$ as being regular in its argument, this is only true if the parameters are held fixed. It is easy to see, for example, that the expansion of the hypergeometric function in Eq. (2.3) is given by

$$1 + \frac{(n+\ell-1-i\epsilon+\Delta\nu)(n+\ell+3-i\epsilon+\Delta\nu)}{2(n+\ell+1-\Delta\nu)} X_1 \eta^2 + \dots,$$

and the denominator is manifestly η^6 when $n+\ell+1=0$, leading to a divergent limit as $\eta \rightarrow 0$. This divergence is more than compensated for by the behaviour of the prefactor, but leads to larger term than a casual analysis would suggest. This term corresponds to the daggered entries in Table II.

Combining the behaviour of the various elements gives a master table, Table III, for the orders of each term in the series. This turns out to be the most useful table for optimising our calculations of the inner solution since they allow us to say with certainty what we do and do not need to calculate to correctly give a desired order. For example, one can see immediately from looking at these that for $n > 0$ our contribution from \bar{F}_1 will die out quickly and can be largely ignored.

The MST expansion of $X_{\ell\omega}^{\text{up}}(r)$

The solution satisfying the boundary condition at infinity is

$$X_{\ell\omega}^{\text{up}}(r) = C_{(\text{up})}^\nu(z) \sum_{n=-\infty}^{+\infty} a_n^\nu (-2iz)^n \times \overline{U}(n+\nu+1-i\epsilon, 2n+2\nu+2, -2iz), \quad (2.5)$$

$$X_{\ell\omega}^{\text{up}}(r \rightarrow \infty) \rightarrow C_{\ell\omega}^{\text{trans}} e^{i\omega r_*},$$

where $C_{\ell\omega}^{\text{trans}}$ can be determined analytically by the behaviour of $X_{\ell\omega}^{\text{up}}$ as $r \rightarrow \infty$, and

$$C_{(\text{up})}^\nu(z) = e^{iz} z^{\nu+1} (1 - \frac{\epsilon}{z})^{-i\epsilon} 2^\nu e^{-\pi\epsilon} e^{-i\pi(\nu+1)} \quad (2.6)$$

$$\overline{U}(a, b, \zeta) = \frac{\Gamma(a-2)\Gamma(a)}{\Gamma(a^*+2)\Gamma(a^*)} U(a, b, \zeta) \quad (2.7)$$

and $z = \frac{\omega r}{c}$. In a similar vein to the inner case we split this solution by making use of the identity

$$U(a, b, z) = \frac{\Gamma(1-b)}{\Gamma(a-b+1)} M(a, b, z) + \frac{\Gamma(b-1)}{\Gamma(a)} z^{1-b} M(a-b+1, 2-b, z). \quad (2.8)$$

Thus $\overline{U}(a, b, \zeta) = \overline{U}_1(a, b, \zeta) + \overline{U}_2(a, b, \zeta)$

$$\overline{U}_1(a, b, \zeta) = \frac{\Gamma(a-2)\Gamma(a)\Gamma(1-b)}{\Gamma(a^*+2)\Gamma(a^*)\Gamma(a-b+1)} M(a, b, \zeta) \quad (2.9)$$

$$\overline{U}_2(a, b, \zeta) = \frac{\Gamma(a-2)\Gamma(b-1)}{\Gamma(a^*+2)\Gamma(a^*)} z^{1-b} \times M(a-b+1, 2-b, \zeta). \quad (2.10)$$

Analysis of the behaviour of the M functions for small η produces Table IV. Again we must take due care that parameters as well as the argument depends on η . For example, when considering $\overline{U}_1(n+\ell+1+\Delta\nu-i\epsilon, 2(n+\ell+1)+2\Delta\nu, -2iz)$ the Taylor coefficients in the expansion of M are regular if $n+\ell \geq 0$ but if $n+\ell = -k$ ($k \in \mathbb{N}$) the Taylor coefficients of order $(-2iz)^{2k-1}$ and beyond are order η^{-3} . This means that for $k=1$ the function behaves as η^{-2} , while for $k \geq 2$ the behaviour is regular but we need to include 3 more terms than one might have expected to get to the appropriate η order. Correspondingly when considering $\overline{U}_2(n+\ell+1+\Delta\nu-i\epsilon, 2(n+\ell+1)+2\Delta\nu, -2iz)$ the Taylor coefficients in the expansion of M are regular if $n+\ell < 0$ but if $n+\ell = k$ ($k \in \mathbb{N} \cup \{0\}$) the Taylor coefficients of order $(-2iz)^{2k+1}$ and beyond are order η^{-3} . This means that for $k=0$ the function behaves as η^{-2} , while for $k \geq 1$ the behaviour is regular but we need to include 3 more terms than one might have expected to get to the appropriate η order.

Combining the behaviour of the various elements gives a master table, Table V, for the orders of each term in the series for X_{up} .

B. Large ℓ solutions

As described in [16], one can generate ‘large- ℓ ’ homogeneous solutions using the template

$$X_{\ell m}^{\text{in(PN)}} = r^{\ell+1} [1 + \eta^2 A_2^{PN,\ell} + \eta^4 A_4^{PN,\ell} + \eta^6 A_6^{PN,\ell} + \dots]$$

	$n \leq -2\ell - 1$	$-2\ell \leq n \leq -\ell - 1$	$n = -\ell$	$n = -\ell + 1$	$n \geq -\ell + 2$
a_n	$3(n - 1)$	$3(n + 1)$	$3\ell + 6$	$3(\ell - 1) + 6$	$3 n $

TABLE I. The leading behaviour of the MST coefficients for the spin-2 Regge-Wheeler equation in terms of powers of η . For example, $a_n = O(\eta^{3|n|})$ for $n \geq -\ell + 2$.

	$n \leq -\ell - 3$	$n = -\ell - 2$	$n = -\ell - 1$	$n = -\ell$	$n = -\ell + 1$	$n \geq -\ell + 2$
\bar{F}_1	$2n + 2\ell - 5$	-9	-19^\dagger	-11	-9	$2n + 2\ell - 5$
\bar{F}_2	$-2n - 2\ell - 7$	-9	-11	-11^\dagger	-9	$-2n - 2\ell - 7$

TABLE II. The leading behaviour of the hypergeometric functions appearing in Eqs. (2.3) and (2.4). The terms marked with a \dagger highlight the interplay between parameters and argument; see the text for a full discussion.

$$X_{\ell m}^{\text{up(PN)}} = r^{-\ell} [1 + \eta^2 A_2^{PN, -\ell - 1} + \eta^4 A_4^{PN, -\ell - 1} + \eta^6 A_6^{PN, -\ell - 1} + \dots] \quad (2.11)$$

where the A_i are for the most part polynomials in X_1 and $X_2^{1/2}$, but one finds extra r dependent log terms appearing after the sixth order, \log^2 terms appearing after the twelfth order, etc. However, the precise details appear opaque.

In generating the MST expansions for high values of ℓ and for general ℓ above the given order the full structure of this expansion becomes clear:

(1) In the PN expansion of the MST series using the Bini-Damour variables X_1, X_2 the combination

$$\epsilon = 2X_1 X_2^{1/2} \eta^3$$

is r -independent. A phase of the form

$$\psi^{\text{in/up}} = \sum_{i=0}^{\infty} \psi_i^{\text{in/up}} \epsilon^i = \sum_{i=0}^{\infty} \psi_i^{\text{in/up}} (2X_1 X_2^{1/2} \eta^3)^i$$

is therefore irrelevant as it amounts to a normalisation constant, which can be seen to cancel upon division by the Wronskian in Sec. III.

(2) Having factored out an r -independent phase of the type described in (1), we find the MST expansions for X^{in} may be further expressed in the form

$$X_{\ell m}^{\text{in(MST)}} = e^{i\psi^{\text{in}}} X_1^{-\ell - 1 - \sum_{j=1}^{\infty} a_{(6j,2j)} (2X_1 X_2^{1/2} \eta^3)^{2j}} \times [1 + \eta^2 A_2^\ell + \eta^4 A_4^\ell + \eta^6 A_6^\ell + \dots] \quad (2.12)$$

where the A_i are now *strictly* polynomials in X_1, X_2 which we may express as

$$\begin{aligned} A_{2n}^\ell &= \sum_{i=0}^n a_{(2n,i)} X_1^i (X_2^{1/2})^{2(n-i)} \\ &= \sum_{i=0}^n a_{(2n,i)} X_1^i X_2^{n-i}, \end{aligned}$$

where the prime indicates that we omit terms where the combination is a power of $X_1 X_2^{1/2}$ as these are already included in the phase term. This occurs if $i = 2(n - i)$ which is only possible if $2n = 6j$ and $i = 2j$ for some $j \in \mathbb{N}$, explaining our notation for the phase expansion.

In our calculations in the previous subsection we calculated X_{in} from the hypergeometric series to order η^{40} up to $\ell = 20$ explicitly, and then rewrote it in the form of Eq. (2.12) prior to calculating the metric perturbation, as it offered immense simplifications of the algebra (see Fig. 1).

However, for large- ℓ we may take an alternative approach. Acting on a function $f(X_1, X_2^{1/2})$, we have

$$r \frac{df}{dr} = -X_1 \frac{df}{dX_1} + X_2^{1/2} \frac{df}{dX_2^{1/2}},$$

and use this substitution in the spin- s Regge-Wheeler operator, which is given by

$$(1 - 2X_1 \eta^2)^2 r \frac{d}{dr} \left[r \frac{d}{dr} \right] + (1 - 2X_1 \eta^2)(4X_1 \eta^2 - 1)r \frac{d}{dr} + \eta^2 X_2 - (1 - 2X_1 \eta^2)(\ell(\ell + 1) + (1 - s^2)2X_1 \eta^2)$$

Requiring that the ansatz of (2.12) satisfy the spin-2 Regge-Wheeler equation immediately determines all coefficients at orders up to $n = 2\ell$. This means that we may determine at any given order the necessary expansion without solving the full MST expansions, as Bini & Damour did in the context of 2.11. (As a check we have solved the MST expansion for large ℓ explicitly to order η^{21} and found full agreement with the much simpler method described here.)

An additional bonus of this method is that one may identify the coefficients $a_{(6j,2j)}$ as being precisely the coefficients of the renormalised angular momentum ν_- corresponding to $-l - 1$, that is

$$\nu_-(\epsilon) = -\ell - 1 - \sum_{j=1}^{\infty} a_{(6j,2j)} \epsilon^{2j} \quad (2.13)$$

or, in other words, we have

$$X_{\ell m}^{\text{in(MST)}} = e^{i\psi^{\text{in}}} X_1^{\nu_- - (2X_1 X_2^{1/2} \eta^3)} \times [1 + \eta^2 A_2^\ell + \eta^4 A_4^\ell + \eta^6 A_6^\ell + \dots]. \quad (2.14)$$

	$n \leq -2\ell - 1$	$-2\ell \leq n \leq -\ell - 3$	$n = -\ell - 2$	$n = -\ell - 1$	$n = -\ell$	$n = -\ell + 1$	$n \geq -\ell + 2$
$\eta^{2\ell+7} a_n F_1$	$ n + 4l - 1$	$ n + 4\ell + 5$	$6\ell + 7$	$5\ell - 6^\dagger$	$5\ell + 2$	$5\ell + 1$	$3 n + 2n + 4l + 2$
$\eta^{2\ell+7} a_n F_2$	$5 n - 3$	$5 n + 3$	$6\ell + 7$	$5\ell + 2$	$5\ell + 2^\dagger$	$5\ell + 1$	$3 n - 2n$

TABLE III. The combined behaviour following from Tables I and II. We take out a factor of η^{2l+7} for normalisation fixing the largest term as $O(1)$, everything higher can be read as relative.

	$n \leq -\ell - 3$	$n = -\ell - 2$	$n = -\ell - 1$	$n = -\ell$	$n = -\ell + 1$	$n \geq -\ell + 2$
\bar{U}_1	0	-3	-5^\dagger	-6	-6	-3
\bar{U}_2	$-2n - 2\ell - 4$	-3	-5	-6^\dagger	-6	$-2n - 2\ell - 1$

TABLE IV. The leading behaviour of the hypergeometric functions appearing in Eqs. (2.9) and (2.10). The terms marked with a \dagger highlight the interplay between parameters and argument in this case.




FIG. 1. A demonstration of the algebraic simplification obtained by rewriting the MST series for $X_{\ell\omega}^{\text{up}}$ as phase \times log \times PN series for $\ell = 5$. Plots use the Mathematica LeafCount function to measure the expression complexity with increasing η -order. The first figure shows the full MST expansion along with the remaining ‘PN series’ on a log scale, and the second shows the phase plus log terms. Note that we can mostly ignore the phase and log terms as they will drop out when dividing by the Wronskian.

While we discovered this behaviour by an explicit perturbative expansion, in hindsight, the appearance of ν in this equation might have been expected on monodromy grounds [24].

(3) The full MST expansions for X^{up} are in general much more complicated, involving, for example, high powers of $\log X_2$. Nonetheless, the leading terms are again easy; with the ansatz

$$X_{\ell m}^{\text{up(MST)}} = e^{i\psi^{\text{up}}}(X_2^{1/2})^{-l-\sum_{j=1}^{\infty} b_{(6j,2j)}(2X_1X_2^{1/2}\eta^3)^{2j}} \times [1 + \eta^2 B_2^\ell + \eta^4 B_4^\ell + \dots + \eta^{2\ell} B_{2\ell}^\ell + O(\eta^{2\ell+2})], \quad (2.15)$$

the Regge-Wheeler equation again determines all the given coefficients (that is, orders up to $n = 2l$) and

$$\nu_+(\epsilon) = \ell + \sum_{j=1}^{\infty} b_{(6j,2j)}\epsilon^{2j}. \quad (2.16)$$

In both cases it is easy to see why we can determine to this order and no higher since the r independent factor $(2X_1X_2^{1/2}\eta^3)^{\pm(2l+1)}$ will serve to mix them at that order. To obtain the correct solutions we must supplement the Regge-Wheeler equation with the boundary condition; our simple ansatz cannot implement these while the MST expansion does.

III. RECONSTRUCTED METRIC PERTURBATION IN REGGE-WHEELER GAUGE

In Regge-Wheeler gauge, the components of the metric perturbation may be written in terms of the homogeneous solutions, $X_{\ell\omega}^{\text{in}}$ and $X_{\ell\omega}^{\text{up}}$. For the case of a point mass on a circular orbit of radius r_0 , the metric perturbation components are given explicitly below for the case $r < r_0$ (we ignore terms involving $\delta(r - r_0)$ and its derivatives since they are not relevant to our calculations). Here, $W = X_{\ell\omega}^{\text{in}}(r_0)X_{\ell\omega}^{\text{up}}(r_0) - X_{\ell\omega}^{\text{up}}(r_0)X_{\ell\omega}^{\text{in}}(r_0)$ is the Wronskian, $\lambda \equiv (\ell - 1)(\ell + 2)/2$ and $\Lambda \equiv \lambda + 3M/r$. To obtain the components for $r > r_0$, simply interchange $X_{\ell\omega}^{\text{in}}$ and $X_{\ell\omega}^{\text{up}}$ in these expressions.

The (t, t) component of the metric perturbation is given by

	$n \leq -2\ell - 1$	$-2\ell \leq n \leq -\ell - 3$	$n = -\ell - 2$	$n = -\ell - 1$	$n = -\ell$	$n = -\ell + 1$	$n \geq -\ell + 2$
$\eta^{2\ell+1} a_n(-2iz)^n \bar{U}_1$	$2 n + 2\ell - 2$	$2 n + 2\ell + 4$	$4\ell + 5$	$4\ell + 1^\dagger$	$4\ell + 1$	$4\ell - 1$	$3 n + n + 2\ell - 2$
$\eta^{2\ell+1} a_n(-2iz)^n \bar{U}_2$	$4 n - 6$	$4 n $	$4\ell + 5$	$4\ell + 1$	$4\ell + 1^\dagger$	$4\ell - 1$	$3 n - n$

TABLE V. The combined behaviour following from Tables I and IV.

$$h_{tt}^{\text{RW}} = \frac{\pi Y_{\ell m}^*(\theta_0, \phi_0) Y_{\ell m}(\theta, \phi) (h_{tt}^{\text{in}} X_{\ell \omega}^{\text{in}}(r) + h_{tt}^{\text{in}'} X_{\ell \omega}^{\text{in}'}(r)) (h_{tt}^{\text{up}} X_{\ell \omega}^{\text{up}}(r_0) + h_{tt}^{\text{up}'} X_{\ell \omega}^{\text{up}'}(r_0))}{8\lambda(\lambda+1)r^3 r_0^{5/2} W(r_0 - 2M)(r_0 - 3M)^{1/2}(9m^2 M^3 + \lambda^2(\lambda+1)^2 r_0^3)}, \quad (3.1)$$

where

$$\begin{aligned} h_{tt}^{\text{in}} &= (6M - 2(\lambda+1)r)(4\Lambda m^2 Mr^3 + 4\lambda(\lambda+1)r_0^3(2M-r)), \\ h_{tt}^{\text{in}'} &= 2r(2M-r)(12m^2 M^2 r^2 + 4\lambda(\lambda+1)r_0^3(3M-r)), \\ h_{tt}^{\text{up}} &= -8(6M^3(-\lambda+m^2-1) + 3M^2 r_0(2\lambda^2+3\lambda-m^2+1) - \lambda(\lambda+1)Mr_0^2(\lambda+m^2+4) + \lambda(\lambda+1)^2 r_0^3), \\ h_{tt}^{\text{up}'} &= 8r_0(2M-r_0)((\lambda+1)(3M^2+\lambda r_0(r_0-2M))-3m^2 M^2). \end{aligned} \quad (3.2)$$

The (t, r) component of the metric perturbation is given by

$$h_{tr}^{\text{RW}} = -\sqrt{\frac{M}{r_0 - 3M}} \frac{i\pi m Y_{\ell m}^*(\theta_0, \phi_0) Y_{\ell m}(\theta, \phi) (h_{tr}^{\text{in}} X_{\ell \omega}^{\text{in}}(r) + h_{tr}^{\text{in}'} X_{\ell \omega}^{\text{in}'}(r)) (h_{tr}^{\text{up}} X_{\ell \omega}^{\text{up}}(r_0) + h_{tr}^{\text{up}'} X_{\ell \omega}^{\text{up}'}(r_0))}{4\lambda(\lambda+1)r^2 r_0^4 W(2M-r)(2M-r_0)(9m^2 M^3 + \lambda^2(\lambda+1)^2 r_0^3)}, \quad (3.3)$$

where

$$\begin{aligned} h_{tr}^{\text{in}} &= 12m^2 M^2 r^4 - 4r_0^3(18M^3 - 3(2\lambda+5)M^2 r - 3(\lambda^2-1)Mr^2 + \lambda(\lambda+1)r^3), \\ h_{tr}^{\text{in}'} &= -4\Lambda r^2 r_0^3(r-2M)(-3M+\lambda r+r), \\ h_{tr}^{\text{up}} &= 8(6M^3(-\lambda+m^2-1) + 3M^2 r_0(2\lambda^2+3\lambda-m^2+1) - \lambda(\lambda+1)Mr_0^2(\lambda+m^2+4) + \lambda(\lambda+1)^2 r_0^3), \\ h_{tr}^{\text{up}'} &= -8r_0(2M-r_0)((\lambda+1)(3M^2+\lambda r_0(r_0-2M))-3m^2 M^2). \end{aligned} \quad (3.4)$$

The (r, r) component of the metric perturbation is given by

$$h_{rr}^{\text{RW}} = -\frac{\pi Y_{\ell m}^*(\theta_0, \phi_0) Y_{\ell m}(\theta, \phi) (h_{rr}^{\text{in}} X_{\ell \omega}^{\text{in}}(r) + h_{rr}^{\text{in}'} X_{\ell \omega}^{\text{in}'}(r)) (h_{rr}^{\text{up}} X_{\ell \omega}^{\text{up}}(r_0) + h_{rr}^{\text{up}'} X_{\ell \omega}^{\text{up}'}(r_0))}{8\lambda(\lambda+1)r r_0^{5/2} W(r-2M)^2(2M-r_0)\sqrt{r_0-3M}(9m^2 M^3 + \lambda^2(\lambda+1)^2 r_0^3)}, \quad (3.5)$$

where

$$\begin{aligned} h_{rr}^{\text{in}} &= (6M - 2(\lambda+1)r)(4\Lambda m^2 Mr^3 + 4\lambda(\lambda+1)r_0^3(2M-r)), \\ h_{rr}^{\text{in}'} &= 2r(2M-r)(12m^2 M^2 r^2 + 4\lambda(\lambda+1)r_0^3(3M-r)), \\ h_{rr}^{\text{up}} &= -8(6M^3(-\lambda+m^2-1) + 3M^2 r_0(2\lambda^2+3\lambda-m^2+1) - \lambda(\lambda+1)Mr_0^2(\lambda+m^2+4) + \lambda(\lambda+1)^2 r_0^3), \\ h_{rr}^{\text{up}'} &= 8r_0(2M-r_0)((\lambda+1)(3M^2+\lambda r_0(r_0-2M))-3m^2 M^2). \end{aligned} \quad (3.6)$$

The (t, θ) and (t, ϕ) components of the metric perturbation are given by

$$h_{t\theta}^{\text{RW}} = -im H_t \csc \theta Y_{\ell m}(\theta, \phi), \quad h_{t\phi}^{\text{RW}} = H_t \sin \theta Y_{\ell m, \theta}(\theta, \phi), \quad (3.7)$$

where

$$H_t = \sqrt{\frac{M}{r_0 - 3M}} \frac{4\pi Y_{\ell m, \theta}^*(\theta_0, \phi_0) (2M-r)(rX_{\ell \omega}^{\text{in}'}(r) + X_{\ell \omega}^{\text{in}}(r))(r_0 X_{\ell \omega}^{\text{up}'}(r_0) + X_{\ell \omega}^{\text{up}}(r_0))}{\lambda(\lambda+1)r r_0 W}. \quad (3.8)$$

The (r, θ) and (r, ϕ) components of the metric perturbation are given by

$$h_{r\theta}^{\text{RW}} = -im H_r \csc \theta Y_{\ell m}(\theta, \phi), \quad h_{r\phi}^{\text{RW}} = H_r \sin \theta Y_{\ell m, \theta}(\theta, \phi), \quad (3.9)$$

where

$$H_r = -\frac{4i\pi Y_{\ell m,\theta}^*(\theta_0, \phi_0) m M r^2 X_{\ell\omega}^{\text{in}}(r)(r_0 X_{\ell\omega}^{\text{up}'}(r_0) + X_{\ell\omega}^{\text{up}}(r_0))}{\lambda(\lambda+1)r_0^{5/2} W(2M-r)(r_0-3M)^{1/2}}. \quad (3.10)$$

The (θ, θ) and (ϕ, ϕ) components of the metric perturbation are given by

$$h_{\theta\theta}^{\text{RW}} = K, \quad h_{\phi\phi}^{\text{RW}} = \sin^2 \theta K, \quad (3.11)$$

where

$$K = \frac{\pi Y_{\ell m}^*(\theta_0, \phi_0) Y_{\ell m}(\theta, \phi) (K^{\text{in}} X_{\ell\omega}^{\text{in}}(r) + K^{\text{in}'} X_{\ell\omega}^{\text{in}'}(r))(K^{\text{up}} X_{\ell\omega}^{\text{up}}(r_0) + K^{\text{up}'} X_{\ell\omega}^{\text{up}'}(r_0))}{8\lambda(\lambda+1)r r_0^{5/2} W(r_0-2M)(r_0-3M)^{1/2}(9m^2 M^3 + \lambda^2(\lambda+1)^2 r_0^3)}, \quad (3.12)$$

with

$$\begin{aligned} K^{\text{in}} &= 24m^2 M^2 r^3 - 8(\lambda+1)r_0^3(-6M^2 + 3Mr + \lambda(\lambda+1)r^2), \\ K^{\text{in}'} &= -8(\lambda+1)rr_0^3(r-2M)(3M+\lambda r), \\ K^{\text{up}} &= 8(6M^3(-\lambda+m^2-1) + 3M^2r_0(2\lambda^2+3\lambda-m^2+1) - \lambda(\lambda+1)Mr_0^2(\lambda+m^2+4) + \lambda(\lambda+1)^2r_0^3), \\ K^{\text{up}'} &= -8r_0(2M-r_0)((\lambda+1)(3M^2+\lambda r_0(r_0-2M))-3m^2M^2). \end{aligned} \quad (3.13)$$

The (θ, ϕ) component is exactly zero, as required by the Regge-Wheeler gauge conditions.

The above expressions may only be used for the multipole modes $\ell \geq 2$. For completeness, we also give the metric perturbation components for $\ell = 0, 1$, which were derived analytically by Zerilli [21]. As in Ref. [16], a correction term is added to Zerilli's solutions to account for the change to an asymptotically flat gauge compatible with the one used in post-Newtonian theory:

$$\begin{aligned} h_{tt}^{\ell=0} &= \frac{2\tilde{E}_1}{r_0} \frac{1-\frac{2M}{r}}{1-\frac{2M}{r_0}} H(r_0-r) + \frac{2\tilde{E}_1}{r} H(r-r_0), \\ h_{rr}^{\ell=0} &= \frac{2\tilde{E}_1}{r(1-\frac{2M}{r})^2} H(r-r_0), \end{aligned} \quad (3.14)$$

with $\tilde{E}_1 = \frac{1-2M/r_0}{\sqrt{1-3M/r_0}}$. For $\ell = 1$ we have a contribution from the odd sector,

$$h_{t\phi}^{\ell=1} = -2\tilde{L}_1 \sin^2 \theta \left[\frac{r^2}{r_0^3} H(r_0-r) + \frac{1}{r} H(r-r_0) \right], \quad (3.15)$$

and a contribution from the even sector,

$$\begin{aligned} h_{tt}^{\ell=1} &= -2\tilde{E} \frac{r_0-2M}{r(r-2M)} \left[1 - \frac{r^3 \Omega}{M} \right] \sin \theta \cos \bar{\phi} H(r_0-r), \\ h_{tr}^{\ell=1} &= 6\tilde{E} \Omega \frac{r(r_0-2M)}{(r-2M)^2} \sin \theta \sin \bar{\phi} H(r_0-r), \\ h_{rr}^{\ell=1} &= -6\tilde{E} \frac{r(r_0-2M)}{(r-2M)^3} \sin \theta \cos \bar{\phi} H(r_0-r), \end{aligned} \quad (3.16)$$

where H is the Heaviside function and $\tilde{L}_1 = \sqrt{\frac{r_0^2}{M(r_0-3M)}}$.

IV. REGULARIZED CALCULATION OF GAUGE-INVARIANT QUANTITIES

With the spherical-harmonic modes of the Regge-Wheeler metric perturbation at hand, the final stage in our calculation is to compute the known gauge invariant quantities. To do so, we use the expressions given in Appendix A for the gauge invariants in terms of the metric perturbation, and then sum over m (which is straightforward) and over ℓ (which deserve further attention and will be addressed in detail next).

We have so far only discussed the computation of the retarded metric perturbation, yet the retarded perturbation diverges on the worldline - this divergence manifests itself through the failure of the sum over ℓ to converge. Essentially, we address the issue of regularization of this divergence using the standard mode-sum regularization approach [25]. More explicitly, we compute PN expansions of the (tensor) spherical harmonic modes of each invariant using the retarded Regge-Wheeler metric perturbation, and then subtract a sufficient number of PN-expanded regularization parameters such that the sum over modes yields a finite, convergent result. This produces invariants of the perturbed spacetime defined by the Detweiler-Whiting regular field [26], not of the full retarded-field metric.

It turns out that no new subtleties appear for our circular-orbit case in the Regge-Wheeler gauge, as compared to the standard Lorenz gauge approach. A full analysis is beyond the scope of this paper and will instead be addressed through a more detailed analysis in a future work. We do note, however, that it is perhaps not surprising given that all of the quantities we are comput-

ing are explicitly invariant under gauge transformations represented by a gauge vector which respects the helical symmetry of the problem, i.e. $\xi^\phi = \Omega \xi^t$. Furthermore, in Ref. [8] we computed with others highly accurate numerical values for the invariants in both Lorenz and Regge-Wheeler gauges and found that the individual retarded field (tensor) spherical harmonic modes are in perfect agreement between the two gauges, to within the highly-constrained error bars of our numerical results. We also used the standard (and robust) procedure of projecting the Lorenz-gauge modes onto scalar spherical harmonics, combined with analytically derived regularization parameters (which were obtained using the Detweiler-Whiting singular metric perturbation) as a validation of our results.

In practice, we found it convenient to take some shortcuts in our calculation, which are well-justified by our validation and consistency checks. Specifically, the approach we take is as follows:

1. For each invariant, we compute the retarded field tensor harmonic ℓ -modes (summed over m) using the retarded metric perturbation on both (radial) sides of the worldline, i.e. by interchanging X_{in} and X_{up} in the expressions for the metric perturbation.
2. We eliminate odd divergent powers of ℓ (i.e. the parts proportional to $2\ell+1$ and $\ell(\ell+1)(2\ell+1)$) by averaging the results on either side of the worldline.
3. We make use of the post-Newtonian expansion of the first two Lorenz-gauge scalar-harmonic regularization parameters to eliminate the leading-order even divergent powers of ℓ (e.g. $(2\ell+1)^2$ or 1 depending on the case). These are the same as the tensor-harmonic parameters since the projection onto scalar harmonics only introduces a change in the regularization parameters at third-from-leading order and beyond.
4. For the tidal invariants, we are still left with the constant-in- ℓ piece of the divergent metric perturbation. We identify this piece by taking an $\ell \rightarrow \infty$ limit of our PN expansions, and then subtract it to leave a convergent mode-sum.
5. Finally, we analytically sum over all ℓ modes (up to $\ell = \infty$) to obtain the regularized result.

V. RESULTS

Our main result is the high-order post-Newtonian expansion of gauge invariant quantities for a circular orbit extreme mass ratio binary system, ignoring contributions from the spin of the constituent bodies. Similar post-Newtonian expansions have been given to lower orders in other works [7, 8, 12, 13, 15–18, 27–31]; we have verified that our results are in perfect agreement with these.

Our post-Newtonian expressions for the invariants take a standard form in all cases, and is given as a series in powers of y and $\log y$. For example, the spin-precession invariant is given by

$$\begin{aligned} \Delta\psi = & c_2 y^2 + c_3 y^3 + c_4 y^4 + (c_5 + c_5^{\ln} \log y) y^5 + \\ & + (c_6 + c_6^{\ln} \log y) y^6 + c_{6.5} y^{6.5} + (c_7 + c_7^{\ln} \log y) y^7 \\ & + c_{7.5} y^{7.5} + (c_8 + c_8^{\ln} \log y + c_8^{\ln^2} \log^2 y) y^8 \dots , \end{aligned} \quad (5.1)$$

where we use the notation that c_n corresponds to the coefficient of y^n , and $c_n^{\ln^k}$ is the coefficient of $y^n \log(y)^k$. The coefficients are exact numerical quantities involving rational numbers, logs of integers, π , Euler's constant (γ), and the Riemann zeta function (ζ) with integer argument (these various numerical quantities can be seen to come about from the infinite sums over ℓ and m spherical-harmonic modes). We give the explicit values for many of the coefficients in the appendices, with higher-order coefficients being available electronically [19].

In addition to gauge invariant quantities, our expressions may also be used to compute a high-order post-Newtonian expansion of the linear-in-mass-ratio piece of the effective one body radial interaction potential. As was shown in Refs. [32–34], this has a straightforward expression in terms of the redshift invariant,

$$a(y) = -(1 - 3y)^{3/2} \Delta U - \frac{y(1 - 4y)}{\sqrt{1 - 3y}}, \quad (5.2)$$

so substituting our post-Newtonian expansion for ΔU in to this expression yields and expansion for $a(y)$.

VI. DISCUSSION

Although we have given post-Newtonian expansions for all currently known invariants for circular orbits in Schwarzschild spacetime, there remain further quantities one could compute. For example, a forthcoming work [35] will present numerical and post-Newtonian approximations for octupolar invariants for circular orbits in Schwarzschild spacetime. Similarly our homogeneous solutions could be used to calculate high order energy and angular momentum fluxes, as was done previously in for example [36, 37]. It is interesting to note that in an analysis of the form of the PN expansion of the energy flux at infinity [38], Johnson-McDaniel identified the origin of many logarithmic and transcendental terms in the flux, allowing significant simplification of the final expressions. It would be interesting to understand how these relate to our approach, and if any more efficiency could be added to our calculations by their observations.

From an astrophysical perspective a particularly compelling direction for future study is the extension to the Kerr background corresponding to a rotating black hole. The derivation of the various gauge invariants for circular orbits in Kerr spacetime has already been worked out in

[8] and the MST method in general applies equally well to the Kerr case. The outstanding issue is therefore the development of efficient post-Newtonian expansion techniques for the Kerr case. Fortunately, we anticipate that many of the tricks employed in this work will carry over to the Kerr case; we will explore this in more detail in a future work.

ACKNOWLEDGMENTS

We thank Bernard Whiting and Marc Casals for many fruitful discussions. We also thank Donato Bini and

Thibault Damour for helpful conversations, and Seth Hopper and Patrick Nolan for some suggestions during the development of this work. We are also grateful to Abhay Shah for providing his numerically-computed expansion coefficients as a cross-check against the ones computed here.

This material is based upon work supported by the National Science Foundation under Grant Number 1417132. B.W. was supported by the Irish Research Council, which is funded under the National Development Plan for Ireland. C.K. is funded under the Programme for Research in Third Level Institutions (PRTLI) Cycle 5 and co-funded under the European Regional Development Fund.

Appendix A: Gauge invariants

In this work we evaluate the redshift, spin-precession and tidal-tensor invariants by writing them in terms of the components of h_{ab} in Schwarzschild coordinates. In particular, for our particular choice of off-worldline extension the invariants are given by

$$\Delta U = \frac{r_0}{r_0 - 3M} (h_{tt} + \Omega h_{t\phi} + \Omega^2 h_{\phi\phi}), \quad (\text{A1})$$

$$\begin{aligned} \Delta\psi = & \frac{1}{2r_0\Omega} \sqrt{\frac{r_0 - 3M}{r_0}} \left[h_{tr,\phi} - h_{t\phi,r} + \Omega(h_{r\phi,\phi} - h_{\phi\phi,r} + fr_0 h_{rr}) \right] \\ & + \frac{1}{2Mr_0f} \sqrt{\frac{M}{r_0 - 3M}} \left[\Omega(Mr_0^2 h_{tt} + r_0 f^2 h_{\phi\phi}) + 2Mf h_{t\phi} \right], \end{aligned} \quad (\text{A2})$$

$$\begin{aligned} \Delta\lambda_1^E = & \frac{\Omega^2 f(2r_0 - 3M)}{r_0 - 3M} h_{rr} - \frac{\Omega^2(2r_0^2 - 6Mr_0 + 3M^2)}{f(r_0 - 3M)^2} h_{tt} - \frac{6M\Omega f h_{t\phi}}{r_0(r_0 - 3M)^2} - \frac{\Omega^2(r_0^2 - 3Mr_0 + 3M^2)h_{\phi\phi}}{r_0^2(r_0 - 3M)^2} \\ & - \frac{r_0 - 2M}{2(r_0 - 3M)} \left[h_{tt,rr} + 2\Omega h_{t\phi,rr} + \Omega^2 h_{\phi\phi,rr} \right] - \frac{\Omega^2 h_{r\phi,\phi} + \Omega[h_{tr,\phi} + h_{t\phi,r}] + h_{tt,r}}{r_0}, \end{aligned} \quad (\text{A3})$$

$$\Delta\lambda_2^E = \frac{2M[h_{tt} + 2\Omega h_{t\phi} + \Omega^2 h_{\phi\phi}] - [r_0 - 3M][h_{tt,\theta\theta} + 2\Omega h_{t\phi,\theta\theta} + \Omega^2(h_{\phi\phi,\theta\theta} + 2h_{\theta\theta})]}{2r_0(r_0 - 3M)^2}, \quad (\text{A4})$$

$$\Delta\lambda_3^E = \frac{\Omega^2}{f} h_{tt} - \Omega^2 f h_{rr} - \frac{\Omega^2}{r_0^2} h_{\phi\phi} + \frac{\Omega(h_{t\phi,r} - h_{tr,\phi}) + \Omega^2(h_{\phi\phi,r} - h_{r\phi,\phi})}{r_0} - \frac{h_{tt,\phi\phi} + 2\Omega h_{t\phi,\phi\phi} + \Omega^2 h_{\phi\phi,\phi\phi}}{2r_0^2 f}, \quad (\text{A5})$$

$$\begin{aligned} \Delta\lambda^B = & \frac{3\Omega^3 f^{1/2}}{(r_0 - 3M)} h_{\theta\theta} + \frac{\Omega^3 f^{1/2}(r_0 - 9M)}{2(r_0 - 3M)^2} h_{\phi\phi} - \frac{\Omega^2(r_0 - M)h_{t\phi}}{\sqrt{f}(r_0 - 3M)^2} - \frac{\Omega M(5r_0 - 9M)h_{tt}}{2\sqrt{f}r_0(r_0 - 3M)^2} - \frac{\Omega f^{3/2}}{r_0} h_{rr} \\ & + \frac{\sqrt{f}}{2r_0^2} \left[\Omega[(h_{\theta\theta,r} - 2h_{r\theta,\theta}) - h_{r\phi,\phi}] - h_{tr,\phi} \right] + \frac{1}{2\sqrt{f}r_0^3} \left[(r_0 - 4M)h_{t\phi,r} + \Omega(r_0 - 3M)h_{\phi\phi,r} \right] - \frac{\Omega h_{tt,r}}{2\sqrt{f}} \\ & + \frac{\Omega}{2\sqrt{f}r_0^2(r_0 - 3M)} \left[fh_{\phi\phi,\theta\theta} + r_0^2 h_{tt,\theta\theta} \right] - \frac{1}{2\sqrt{f}r_0^3} \left[\Omega h_{\theta\phi,\phi\theta} + h_{t\theta,\phi\theta} \right] + \frac{(r_0 - M)}{2\sqrt{f}r_0^3(r_0 - 3M)} h_{t\phi,\theta\theta}. \end{aligned} \quad (\text{A6})$$

In the above we evaluate all of the metric perturbation components using the expressions given in Sec. III, with $(\theta, \phi) = (\frac{\pi}{2}, 0)$.

Note that other choices of off-worldline extension are possible. For example, our expressions could have incorporated arbitrary extra dependence on θ and ϕ , provided they smoothly approach the above expressions in the limit to the worldline (see Refs. [8, 25, 39] for further discussion of this issue). However, we found the above to be the most convenient to work with.

Appendix B: Post-Newtonian expansion coefficients for ΔU

In this Appendix, we give the analytic post-Newtonian expansion coefficients for Detweiler's redshift invariant [27], ΔU , up to order $y^{15.5}$. We have also computed higher order coefficients up to order $y^{21.5}$, but they are too long to give here; instead, we make them available electronically [19].

$$\begin{aligned}
c_1 &= -1, \quad c_2 = -2, \quad c_3 = -5, \quad c_4 = \frac{41}{32}\pi^2 - \frac{121}{3}, \\
c_5 &= -\frac{1157}{15} - \frac{128}{5}\gamma + \frac{677}{512}\pi^2 - \frac{256}{5}\log(2), \quad c_5^{\ln} = -\frac{64}{5}, \\
c_6 &= \frac{1606877}{3150} + \frac{1912}{105}\gamma - \frac{60343}{768}\pi^2 + \frac{7544}{105}\log(2) - \frac{243}{7}\log(3), \quad c_6^{\ln} = \frac{956}{105}, \quad c_{6.5} = -\frac{13696}{525}\pi, \\
c_7 &= \frac{17083661}{4050} + \frac{102512}{567}\gamma - \frac{1246056911}{1769472}\pi^2 + \frac{2800873}{262144}\pi^4 + \frac{372784}{2835}\log(2) + \frac{1215}{7}\log(3), \quad c_7^{\ln} = \frac{51256}{567}, \quad c_{7.5} = \frac{81077}{3675}\pi, \\
c_8 &= -\frac{2048}{5}\zeta(3) + \frac{12624956532163}{382016250} - \frac{10327445038}{5457375}\gamma + \frac{109568}{525}\gamma^2 - \frac{9041721471697}{2477260800}\pi^2 - \frac{23851025}{16777216}\pi^4 + \frac{438272}{525}\log^2(2) \\
&\quad - \frac{16983588526}{5457375}\log(2) + \frac{438272}{525}\gamma\log(2) - \frac{2873961}{24640}\log(3) - \frac{1953125}{19008}\log(5), \\
c_8^{\ln} &= -\frac{5163722519}{5457375} + \frac{109568}{525}\gamma + \frac{219136}{525}\log(2), \\
c_8^{\ln^2} &= \frac{27392}{525}, \\
c_{8.5} &= \frac{82561159}{467775}\pi, \\
c_9 &= -\frac{41408}{105}\zeta(3) - \frac{7516581717416867}{34763478750} - \frac{1526970297506}{496621125}\gamma - \frac{108064}{2205}\gamma^2 - \frac{246847155756529}{18496880640}\pi^2 + \frac{22759807747673}{6442450944}\pi^4 \\
&\quad - \frac{2143328}{1575}\log^2(2) + \frac{18954}{49}\log^2(3) - \frac{1363551923554}{496621125}\log(2) - \frac{3574208}{3675}\gamma\log(2) - \frac{2201898578589}{392392000}\log(3) \\
&\quad + \frac{37908}{49}\gamma\log(3) + \frac{37908}{49}\log(2)\log(3) + \frac{798828125}{741312}\log(5), \\
c_9^{\ln} &= -\frac{769841899153}{496621125} - \frac{108064}{2205}\gamma - \frac{1787104}{3675}\log(2) + \frac{18954}{49}\log(3), \\
c_9^{\ln^2} &= -\frac{27016}{2205}, \\
c_{9.5} &= -\frac{2207224641326123}{1048863816000}\pi + \frac{23447552}{55125}\gamma\pi - \frac{219136}{1575}\pi^3 + \frac{46895104}{55125}\pi\log(2), \\
c_{9.5}^{\ln} &= \frac{11723776}{55125}\pi, \\
c_{10} &= \frac{10221088}{2835}\zeta(3) - \frac{10480362137370508214933}{2044301131372500} + \frac{5921855038061194}{442489422375}\gamma - \frac{16110330832}{9823275}\gamma^2 - \frac{11665762236240841}{226072985600}\pi^2 \\
&\quad + \frac{32962327798317273}{549755813888}\pi^4 - \frac{27101981341}{100663296}\pi^6 + \frac{33662546992}{9823275}\log^2(2) - \frac{94770}{49}\log^2(3) - \frac{2076498568312502}{442489422375}\log(2) \\
&\quad - \frac{10020829088}{9823275}\gamma\log(2) + \frac{9647042994387}{392392000}\log(3) - \frac{189540}{49}\gamma\log(3) - \frac{189540}{49}\log(2)\log(3) - \frac{58533203125}{15567552}\log(5) \\
&\quad - \frac{96889010407}{277992000}\log(7), \\
c_{10}^{\ln} &= \frac{2921280466785797}{442489422375} - \frac{16110330832}{9823275}\gamma - \frac{5010414544}{9823275}\log(2) - \frac{94770}{49}\log(3), \\
c_{10}^{\ln^2} &= -\frac{4027582708}{9823275}, \\
c_{10.5} &= -\frac{30185191523470507}{12236744520000}\pi - \frac{198373004}{1157625}\gamma\pi - \frac{1055996}{11025}\pi^3 - \frac{410021764}{385875}\pi\log(2) + \frac{246402}{343}\pi\log(3), \\
c_{10.5}^{\ln} &= -\frac{99186502}{1157625}\pi, \\
c_{11} &= -\frac{128695611256}{5457375}\zeta(3) + \frac{3506176}{525}\gamma\zeta(3) + \frac{32768}{5}\zeta(5) + \frac{7012352}{525}\zeta(3)\log(2) - \frac{238946786344653264799175280203}{4522423405833558225000} \\
&\quad - \frac{8982774011612318193194}{188246062513884375}\gamma + \frac{742653529820948}{49165491375}\gamma^2 - \frac{187580416}{165375}\gamma^3 - \frac{1070208441923650860489683}{58656715985387520000}\pi^2 + \frac{46895104}{33075}\gamma\pi^2 \\
&\quad + \frac{832229033014028790267991}{1662461581197312000}\pi^4 + \frac{54067065388369}{12884901888}\pi^6 - \frac{1500643328}{165375}\log^3(2) + \frac{902678188274452}{49165491375}\log^2(2) \\
&\quad - \frac{750321664}{55125}\gamma\log^2(2) + \frac{79338802833}{61661600}\log^2(3) + \frac{7548828125}{4077216}\log^2(5) + \frac{5597334601144521152662}{188246062513884375}\log(2) \\
&\quad + \frac{2019720449766952}{49165491375}\gamma\log(2) - \frac{375160832}{55125}\gamma^2\log(2) + \frac{93790208}{33075}\pi^2\log(2) - \frac{177654834337542021}{10492954472000}\log(3) \\
&\quad + \frac{79338802833}{30830800}\gamma\log(3) + \frac{79338802833}{30830800}\log(2)\log(3) - \frac{263296063591796875}{8742130068672}\log(5) + \frac{7548828125}{2038608}\gamma\log(5) \\
&\quad + \frac{7548828125}{2038608}\log(2)\log(5) + \frac{6491563697269}{1181466000}\log(7), \\
c_{11}^{\ln} &= \frac{1753088}{525}\zeta(3) - \frac{4601193623299972336597}{188246062513884375} + \frac{742653529820948}{49165491375}\gamma - \frac{93790208}{55125}\gamma^2 + \frac{23447552}{33075}\pi^2 - \frac{375160832}{55125}\log^2(2) \\
&\quad + \frac{1009860224883476}{49165491375}\log(2) - \frac{375160832}{55125}\gamma\log(2) + \frac{79338802833}{61661600}\log(3) + \frac{7548828125}{4077216}\log(5), \\
c_{11}^{\ln^2} &= \frac{185663382455237}{49165491375} - \frac{46895104}{55125}\gamma - \frac{93790208}{55125}\log(2), \\
c_{11}^{\ln^3} &= -\frac{23447552}{165375},
\end{aligned}$$

$$\begin{aligned}
c_{11.5} &= \frac{54441085537326639211}{3824681905044000} \pi - \frac{574786456396}{180093375} \gamma \pi + \frac{78847804}{66825} \pi^3 - \frac{562878169484}{442047375} \pi \log(2) - \frac{1232010}{343} \pi \log(3), \\
c_{11.5}^{\ln} &= -\frac{287393228198}{180093375} \pi, \\
c_{12} &= -\frac{2759468242424}{19864845} \zeta(3) + \frac{152911232}{11025} \gamma \zeta(3) + \frac{3283328}{105} \zeta(5) - \frac{151168}{1225} \zeta(3) \log(2) + \frac{1364688}{49} \zeta(3) \log(3) \\
&\quad + \frac{3814229145040080910470246242071097}{13798711885916862654750000} - \frac{104920962055679570667468467}{325477442086506084375} \gamma + \frac{859475918013064948}{22370298575625} \gamma^2 - \frac{577530944}{1157625} \gamma^3 \\
&\quad - \frac{49750896166915487823810257447}{36601790774881812480000} \pi^2 + \frac{144382736}{231525} \gamma \pi^2 + \frac{1213451006696869077146724173}{2234348365129187328000} \pi^4 - \frac{5276940898567193189}{25975962206208} \pi^6 \\
&\quad + \frac{56042175296}{3472875} \log^3(2) - \frac{985608}{343} \log^3(3) + \frac{100314129215858212}{1065252313125} \log^2(2) + \frac{73104832}{3675} \gamma \log^2(2) - \frac{2956824}{343} \log^2(2) \log(3) \\
&\quad + \frac{13032078197827041}{196392196000} \log^2(3) - \frac{2956824}{343} \gamma \log^2(3) - \frac{2956824}{343} \log(2) \log^2(3) - \frac{3087470703125}{159011424} \log^2(5) \\
&\quad - \frac{208386366496262268773149363}{325477442086506084375} \log(2) + \frac{2136046972307846632}{22370298575625} \gamma \log(2) + \frac{6520945472}{1157625} \gamma^2 \log(2) - \frac{1630236368}{694575} \pi^2 \log(2) \\
&\quad - \frac{85031228234940447355370199}{162555171807508480000} \log(3) + \frac{13032078197827041}{98196098000} \gamma \log(3) - \frac{2956824}{343} \gamma^2 \log(3) + \frac{1232010}{343} \pi^2 \log(3) \\
&\quad + \frac{125721592704419}{8926918000} \log(2) \log(3) - \frac{5913648}{343} \gamma \log(2) \log(3) + \frac{282725878023723294921875}{829173552753401856} \log(5) \\
&\quad - \frac{3087470703125}{79505712} \gamma \log(5) - \frac{3087470703125}{79505712} \log(2) \log(5) - \frac{60335405593501190803}{1792954994688000} \log(7), \\
c_{12}^{\ln} &= \frac{76455616}{11025} \zeta(3) - \frac{106987555782913089530047667}{650954884173012168750} + \frac{859475918013064948}{22370298575625} \gamma - \frac{288765472}{385875} \gamma^2 + \frac{72191368}{231525} \pi^2 + \frac{36552416}{3675} \log^2(2) \\
&\quad - \frac{1478412}{343} \log^2(3) + \frac{1072692188771702516}{22370298575625} \log(2) + \frac{6520945472}{1157625} \gamma \log(2) + \frac{13032078197827041}{196392196000} \log(3) - \frac{2956824}{343} \gamma \log(3) \\
&\quad - \frac{2956824}{343} \log(2) \log(3) - \frac{3087470703125}{159011424} \log(5), \\
c_{12}^{\ln^2} &= \frac{217203330812155837}{22370298575625} - \frac{144382736}{385875} \gamma + \frac{1630236368}{1157625} \log(2) - \frac{739206}{343} \log(3), \\
c_{12}^{\ln^3} &= -\frac{72191368}{1157625}, \\
c_{12.5} &= \frac{375160832}{55125} \pi \zeta(3) - \frac{45399846479271440442297518687}{663973981856472412125000} \pi + \frac{182604093267737890741}{5368871658150000} \gamma \pi - \frac{20071104512}{5788125} \gamma^2 \pi \\
&\quad - \frac{10107325522351333}{1311079770000} \pi^3 + \frac{375160832}{165375} \gamma \pi^3 + \frac{3506176}{23625} \pi^5 - \frac{80284418048}{5788125} \pi \log^2(2) + \frac{8942695592491561207381}{17712764718950000} \pi \log(2) \\
&\quad - \frac{80284418048}{5788125} \gamma \pi \log(2) + \frac{750321664}{165375} \pi^3 \log(2) + \frac{732046976712531}{308616308000} \pi \log(3) + \frac{5835244140625}{1749125664} \pi \log(5), \\
c_{12.5}^{\ln} &= \frac{182604093267737890741}{10737743316300000} \pi - \frac{20071104512}{5788125} \gamma \pi + \frac{187580416}{165375} \pi^3 - \frac{40142209024}{5788125} \pi \log(2), \\
c_{12.5}^{\ln^2} &= -\frac{501776128}{5788125} \pi, \\
c_{13} &= -\frac{26932694032319216}{1327468267125} \zeta(3) - \frac{485389021184}{9823275} \gamma \zeta(3) - \frac{2937344}{567} \zeta(5) + \frac{1451228680192}{9823275} \zeta(3) \log(2) - \frac{6823440}{49} \zeta(3) \log(3) \\
&\quad + \frac{17653824526096039025674251863176559931511}{1208072534049980113690059850000} - \frac{353478174503118856022673671993}{4930006815284307660028125} \gamma - \frac{6052071496369669007576}{67768582504998375} \gamma^2 \\
&\quad + \frac{94440122241792}{102112943625} \gamma^3 - \frac{998157908898471375601753954999678561}{2419231963056588277678080000} \pi^2 - \frac{236100380560448}{20422588725} \gamma \pi^2 \\
&\quad - \frac{8121232603174167086849684497356893}{16988174897502370922496000} \pi^4 - \frac{167517791710253563186933}{26599385299156992} \pi^6 + \frac{44336492264184971}{2473901162496} \pi^8 \\
&\quad - \frac{18446613307903744}{102112943625} \log^3(2) + \frac{4928040}{343} \log^3(3) + \frac{398556230811507715727944}{338842912524991875} \log^2(2) - \frac{4763316682149632}{34037647875} \gamma \log^2(2) \\
&\quad + \frac{14784120}{343} \log^2(2) \log(3) - \frac{99158529284947683}{321025705000} \log^2(3) + \frac{14784120}{343} \gamma \log^2(3) + \frac{14784120}{343} \log(2) \log^2(3) \\
&\quad + \frac{21556503906250}{318405087} \log^2(5) + \frac{2025852318599963}{230385870000} \log^2(7) - \frac{2391680197355875250442263604613}{986001363056861532005625} \log(2) \\
&\quad + \frac{135256002913741398837136}{338842912524991875} \gamma \log(2) - \frac{406079786503936}{34037647875} \gamma^2 \log(2) + \frac{101519946625984}{20422588725} \pi^2 \log(2) \\
&\quad + \frac{2816384787604142030112015537}{1062860738741401600000} \log(3) - \frac{99158529284947683}{160512852500} \gamma \log(3) + \frac{14784120}{343} \gamma^2 \log(3) - \frac{6160050}{343} \pi^2 \log(3) \\
&\quad - \frac{1511734542752657799}{208667082500} \log(2) \log(3) + \frac{29568240}{343} \gamma \log(2) \log(3) - \frac{223117956124399651298828125}{204933432692052320256} \log(5) \\
&\quad + \frac{43113007812500}{318405087} \gamma \log(5) + \frac{43113007812500}{318405087} \log(2) \log(5) - \frac{61039066859570427561777851}{588420934931681280000} \log(7) \\
&\quad + \frac{2025852318599963}{115192935000} \gamma \log(7) + \frac{2025852318599963}{115192935000} \log(2) \log(7), \\
c_{13}^{\ln} &= -\frac{242694510592}{9823275} \zeta(3) - \frac{50344928768571481063859223993}{9860013630568615320056250} - \frac{5992854405395701360856}{67768582504998375} \gamma + \frac{472200761120896}{34037647875} \gamma^2 \\
&\quad - \frac{118050190280224}{20422588725} \pi^2 - \frac{2381658341074816}{34037647875} \log^2(2) + \frac{7392060}{343} \log^2(3) + \frac{68662152607557260525768}{338842912524991875} \log(2) \\
&\quad - \frac{406079786503936}{34037647875} \gamma \log(2) - \frac{99158529284947683}{321025705000} \log(3) + \frac{14784120}{343} \gamma \log(3) + \frac{14784120}{343} \log(2) \log(3) \\
&\quad + \frac{21556503906250}{318405087} \log(5) + \frac{2025852318599963}{230385870000} \log(7), \\
c_{13}^{\ln^2} &= -\frac{1439211304510744964534}{67768582504998375} + \frac{236100380560448}{34037647875} \gamma - \frac{101519946625984}{34037647875} \log(2) + \frac{3696030}{343} \log(3), \\
c_{13}^{\ln^3} &= \frac{118050190280224}{102112943625}, \\
c_{13.5} &= \frac{274237072}{23625} \pi \zeta(3) - \frac{6767039769820711612044942739662347459}{2216776468935518876152166400000} \pi + \frac{30294039845477593179773}{460649188269270000} \gamma \pi - \frac{12888220664}{17364375} \gamma^2 \pi \\
&\quad - \frac{101098342493915479}{2434862430000} \pi^3 + \frac{274237072}{70875} \gamma \pi^3 + \frac{4863088}{7875} \pi^5 + \frac{2559168250936}{121550625} \pi \log^2(2) - \frac{19219356}{2401} \pi \log^2(3)
\end{aligned}$$

$$\begin{aligned}
& + \frac{1167092414966262325576471}{16122721589424450000} \pi \log(2) + \frac{317164421552}{24310125} \gamma \pi \log(2) - \frac{68210224}{77175} \pi^3 \log(2) + \frac{869092303187689101}{6873726860000} \pi \log(3) \\
& - \frac{38438712}{2401} \gamma \pi \log(3) + \frac{2956824}{343} \pi^3 \log(3) - \frac{38438712}{2401} \pi \log(2) \log(3) - \frac{2386614853515625}{68215900896} \pi \log(5), \\
c_{13.5}^{\ln} & = \frac{30294039845477593179773}{921298376538540000} \pi - \frac{12888220664}{17364375} \gamma \pi + \frac{137118536}{70875} \pi^3 + \frac{158582210776}{24310125} \pi \log(2) - \frac{19219356}{2401} \pi \log(3), \\
c_{13.5}^{\ln^2} & = - \frac{3222055166}{17364375} \pi, \\
c_{14} & = \frac{34056963766059859222016}{112947637508330625} \zeta(3) + \frac{69826396001355584}{245827456875} \gamma \zeta(3) - \frac{3001286656}{55125} \gamma^2 \zeta(3) + \frac{750321664}{33075} \pi^2 \zeta(3) + \frac{28049408}{525} \zeta(3)^2 \\
& - \frac{136653797888}{779625} \zeta(5) - \frac{56098816}{525} \gamma \zeta(5) - \frac{524288}{5} \zeta(7) - \frac{12005146624}{55125} \zeta(3) \log^2(2) - \frac{179474126532720832}{245827456875} \zeta(3) \log(2) \\
& - \frac{12005146624}{55125} \gamma \zeta(3) \log(2) + \frac{714049225497}{7707700} \zeta(3) \log(3) + \frac{188720703125}{509652} \zeta(3) \log(5) - \frac{112197632}{525} \zeta(5) \log(2) \\
& + \frac{76470981405307424492447872959081744246992668594488563}{3879344702271418903874843374328696250000} + \frac{15947830750497868622646711246968991748}{83321921934949701654443839921875} \gamma \\
& + \frac{6535669471153627499011068136}{24890243196177154546875} \gamma^2 - \frac{228430537735225191424}{301990307709375} \gamma^3 + \frac{80284418048}{17364375} \gamma^4 \\
& - \frac{628177633244283000363935991507522675247044751}{1368833379848542604814922547200000} \pi^2 + \frac{57107634433806297856}{603998061541875} \gamma \pi^2 - \frac{40142209024}{3472875} \gamma^2 \pi^2 \\
& - \frac{607889049701144390059040525838664585118987}{870665507186687351262302699520000} \pi^4 + \frac{750321664}{826875} \gamma \pi^4 - \frac{23889668545896287484054525241}{297913115350558310400} \pi^6 \\
& - \frac{11236059848959912265}{15832967439974} \pi^8 + \frac{1284550688768}{17364375} \log^4(2) + \frac{27112644620193737202688}{33219893384803125} \log^3(2) + \frac{2569101377536}{17364375} \gamma \log^3(2) \\
& - \frac{732046976712531}{77154077000} \log^3(3) - \frac{29176220703125}{1311844248} \log^3(5) - \frac{1181557843633631681968479098248}{161111333832820511765625} \log^2(2) \\
& + \frac{3594766033080299346944}{11073297794934375} \gamma \log^2(2) + \frac{642275344384}{5788125} \gamma^2 \log^2(2) - \frac{160568836096}{3472875} \pi^2 \log^2(2) \\
& - \frac{2196140930137593}{77154077000} \log^2(2) \log(3) + \frac{12012974466324415368831}{37863990164625625} \log^2(3) - \frac{2196140930137593}{77154077000} \gamma \log^2(3) \\
& - \frac{2196140930137593}{77154077000} \log(2) \log^2(3) - \frac{29176220703125}{437281416} \log^2(2) \log(5) + \frac{7689324236627626953125}{13946702566742946} \log^2(5) \\
& - \frac{29176220703125}{437281416} \gamma \log^2(5) - \frac{29176220703125}{437281416} \log(2) \log^2(5) - \frac{135732105346197521}{979139947500} \log^2(7) \\
& + \frac{11875418467029022579146973635501311748956}{91654114128446718198882239140625} \log(2) - \frac{7391549862100913316822984064016}{2738892675157948700015625} \gamma \log(2) \\
& - \frac{1874587628385163977728}{11073297794934375} \gamma^2 \log(2) + \frac{642275344384}{17364375} \gamma^3 \log(2) + \frac{468646907096290994432}{664397867960625} \pi^2 \log(2) \\
& - \frac{160568836096}{3472875} \gamma \pi^2 \log(2) + \frac{1500643328}{826875} \pi^4 \log(2) - \frac{17686402140908942938597112548594497}{351011938313451779221600000} \log(3) \\
& + \frac{24025948932648830737662}{37863990164625625} \gamma \log(3) - \frac{2196140930137593}{77154077000} \gamma^2 \log(3) + \frac{732046976712531}{61723261600} \pi^2 \log(3) \\
& + \frac{8696522397053744385894}{7572798032925125} \log(2) \log(3) - \frac{2196140930137593}{38577038500} \gamma \log(2) \log(3) \\
& - \frac{220953001673441942899621539162109375}{45879605860531328415424806912} \log(5) + \frac{6789324236627626953125}{6973351283371473} \gamma \log(5) - \frac{29176220703125}{437281416} \gamma^2 \log(5) \\
& + \frac{145881103515625}{5247376992} \pi^2 \log(5) + \frac{7689324236627626953125}{6973351283371473} \log(2) \log(5) - \frac{29176220703125}{218640708} \gamma \log(2) \log(5) \\
& + \frac{3398415392329089282183401836097}{1150362927791436902400000} \log(7) - \frac{135732105346197521}{489569973750} \gamma \log(7) - \frac{135732105346197521}{489569973750} \log(2) \log(7) \\
& - \frac{7400249944258160101211}{1711963388620800000} \log(11), \\
c_{14}^{\ln} & = \frac{34913198000677792}{245827456875} \zeta(3) - \frac{3001286656}{55125} \gamma \zeta(3) - \frac{28049408}{525} \zeta(5) - \frac{6002573312}{55125} \zeta(3) \log(2) \\
& + \frac{2282083167939407334486427160861545874}{83321921934949701654443839921875} + \frac{65779211571836694743663868136}{248990243196177154546875} \gamma - \frac{114215268867612595712}{1006663435903125} \gamma^2 \\
& + \frac{160568836096}{17364375} \gamma^3 + \frac{28553817216903148928}{603998061541875} \pi^2 - \frac{4012209024}{3472875} \gamma \pi^2 + \frac{375160832}{826875} \pi^4 + \frac{1284550688768}{17364375} \log^3(2) \\
& + \frac{1797383016540149673472}{11073297794934375} \log^2(2) + \frac{642275344384}{5788125} \gamma \log^2(2) - \frac{2196140930137593}{154308154000} \log^2(3) - \frac{29176220703125}{874562832} \log^2(5) \\
& - \frac{366390659384415611091184832008}{2738892675157948700015625} \log(2) - \frac{1874587628385163977728}{11073297794934375} \gamma \log(2) + \frac{321137672192}{5788125} \gamma^2 \log(2) \\
& - \frac{80284418048}{3472875} \pi^2 \log(2) + \frac{12012974466324415368831}{37863990164625625} \log(3) - \frac{2196140930137593}{77154077000} \gamma \log(3) \\
& - \frac{2196140930137593}{77154077000} \log(2) \log(3) + \frac{7689324236627626953125}{13946702566742946} \log(5) - \frac{29176220703125}{437281416} \gamma \log(5) \\
& - \frac{29176220703125}{437281416} \log(2) \log(5) - \frac{135732105346197521}{979139947500} \log(7), \\
c_{14}^{\ln^2} & = - \frac{750321664}{55125} \zeta(3) + \frac{17574250279095461569220607034}{248990243196177154546875} - \frac{57107634433806297856}{1006663435903125} \gamma + \frac{40142209024}{5788125} \gamma^2 - \frac{10035552256}{3472875} \pi^2 \\
& + \frac{160568836096}{5788125} \log^2(2) - \frac{468646907096290994432}{11073297794934375} \log(2) + \frac{160568836096}{5788125} \gamma \log(2) - \frac{2196140930137593}{308616308000} \log(3) \\
& - \frac{29176220703125}{1749125664} \log(5), \\
c_{14}^{\ln^3} & = - \frac{28553817216903148928}{301990307709375} + \frac{40142209024}{17364375} \gamma + \frac{80284418048}{17364375} \log(2), \\
c_{14}^{\ln^4} & = \frac{5017776128}{17364375}, \\
c_{14.5} & = - \frac{566663688949648}{11345882625} \pi \zeta(3) + \frac{1336294903090725255003617465326866661585909}{18019932070565250037164583927296000000} \pi - \frac{46391509015783244898900222307}{230643593697511469475000} \gamma \pi \\
& + \frac{106742676875158344}{39313483295625} \gamma^2 \pi - \frac{189507100082091827663}{100397900007405000} \pi^3 - \frac{566663688949648}{34037647875} \gamma \pi^3 - \frac{38391555728}{147349125} \pi^5
\end{aligned}$$

$$\begin{aligned}
& - \frac{14360235090106424872}{117940449886875} \pi \log^2(2) + \frac{96096780}{2401} \pi \log^2(3) + \frac{2445399253693130508171504437}{7603634957060817675000} \pi \log(2) \\
& - \frac{262062918751890736}{16848635698125} \gamma \pi \log(2) + \frac{616217158135856}{14587563375} \pi^3 \log(2) - \frac{417200038147614582893187}{710176274858050000} \pi \log(3) \\
& + \frac{192193560}{2401} \gamma \pi \log(3) - \frac{14784120}{343} \pi^3 \log(3) + \frac{192193560}{2401} \pi \log(2) \log(3) + \frac{1236624772381767578125}{10143056412176688} \pi \log(5) \\
& + \frac{6051220875658089481}{381864579525000} \pi \log(7), \\
c_{14.5}^{\ln} = & - \frac{45159239251553201509950923107}{461287187395022938950000} \pi + \frac{1067426776875158344}{39313483295625} \gamma \pi - \frac{283331844474824}{34037647875} \pi^3 - \frac{131031459375945368}{16848635698125} \pi \log(2) \\
& + \frac{96096780}{2401} \pi \log(3), \\
c_{14.5}^{\ln^2} = & \frac{266856694218789586}{39313483295625} \pi, \\
c_{15} = & - \frac{2069543450583769619340376724}{325477442086506084375} \zeta(3) + \frac{65195026298245007936}{22370298575625} \gamma \zeta(3) - \frac{5049442304}{25725} \gamma^2 \zeta(3) + \frac{1262360576}{15435} \pi^2 \zeta(3) \\
& + \frac{171722752}{441} \zeta(3)^2 + \frac{1613866959570176}{496621125} \zeta(5) - \frac{343445504}{441} \gamma \zeta(5) - \frac{146997248}{105} \zeta(7) + \frac{56314978304}{385875} \zeta(3) \log^2(2) \\
& - \frac{106445664}{343} \zeta(3) \log^2(3) + \frac{151670998244849797696}{22370298575625} \zeta(3) \log(2) - \frac{190336581632}{1157625} \gamma \zeta(3) \log(2) \\
& + \frac{28863591064624341}{4909804900} \zeta(3) \log(3) - \frac{212891328}{343} \gamma \zeta(3) \log(3) - \frac{212891328}{343} \zeta(3) \log(2) \log(3) - \frac{77186767578125}{19876428} \zeta(3) \log(5) \\
& - \frac{2039263232}{3675} \zeta(5) \log(2) - \frac{49128768}{49} \zeta(5) \log(3) + \frac{298267427515018397019736592175289419501391539444290849}{6587612222544653226142468405031917319531250} \\
& - \frac{6807661768453637768313286948060329087501419}{704310948124803722562607729544062500} \gamma + \frac{1598346944412603247831006289829388}{526171715038677033591890625} \gamma^2 - \frac{100764714621597102764416}{335890033113009375} \gamma^3 \\
& + \frac{461219496448}{72930375} \gamma^4 - \frac{28338275082077591587855063450276303790065762907243197}{999703155845143418115744045792755712000000} \pi^2 + \frac{25191178655399275691104}{67178006622601875} \gamma \pi^2 \\
& - \frac{230609748224}{14586075} \gamma^2 \pi^2 + \frac{10548032357757226894713787760391180776248036241}{304245354831316028025099055320268800000} \pi^4 + \frac{1262360576}{385875} \gamma \pi^4 \\
& - \frac{6208472839612966972691457131143}{266930151354100246118400} \pi^6 + \frac{35731781920929118281329}{151996487423754240} \pi^8 - \frac{10136323685888}{72930375} \log^4(2) + \frac{38438712}{2401} \log^4(3) \\
& - \frac{177896086126482679647872}{54963823600310625} \log^3(2) - \frac{89686013106176}{364651875} \gamma \log^3(2) + \frac{153754848}{2401} \log^3(2) \log(3) \\
& - \frac{131463845322790269123}{245735735245000} \log^3(3) + \frac{153754848}{2401} \gamma \log^3(3) + \frac{153754848}{2401} \log(2) \log^3(3) + \frac{11933074267578125}{51161925672} \log^3(5) \\
& + \frac{387825874166628974595420635200204}{189421817413923732093080625} \log^2(2) - \frac{3440856379914601692151168}{1007670099339028125} \gamma \log^2(2) - \frac{16582891400192}{121550625} \gamma^2 \log^2(2) \\
& + \frac{4145722850048}{72930375} \pi^2 \log^2(2) - \frac{523697163373483905609}{245735735245000} \log^2(2) \log(3) + \frac{461264544}{2401} \gamma \log^2(2) \log(3) \\
& + \frac{45454535766189065888302299261759}{6569728226789883034880000} \log^2(3) - \frac{394391535968370807369}{245735735245000} \gamma \log^2(3) + \frac{230632272}{2401} \gamma^2 \log^2(3) \\
& - \frac{96096780}{2401} \pi^2 \log^2(3) - \frac{437493411770075173449}{245735735245000} \log(2) \log^2(3) + \frac{461264544}{2401} \gamma \log(2) \log^2(3) \\
& + \frac{230632272}{2401} \log^2(2) \log^2(3) + \frac{11933074267578125}{17053975224} \log^2(2) \log(5) - \frac{2505842696993145943705498046875}{402136320895332222431232} \log^2(5) \\
& + \frac{11933074267578125}{17053975224} \gamma \log^2(5) + \frac{11933074267578125}{17053975224} \log(2) \log^2(5) + \frac{47929508316470415142010251}{56464635170211840000} \log^2(7) \\
& - \frac{181636067216895220421537747685253699734494659}{63387985331232335030634695689562500} \log(2) + \frac{74203662155219108543799531653010136}{473554543534809330237015625} \gamma \log(2) \\
& - \frac{1482169326522492515499392}{1007670099339028125} \gamma^2 \log(2) - \frac{4905667647488}{364651875} \gamma^3 \log(2) + \frac{371228115490667668451168}{604602059603416875} \pi^2 \log(2) \\
& + \frac{1226416911872}{72930375} \gamma \pi^2 \log(2) + \frac{23792072704}{17364375} \pi^4 \log(2) - \frac{41411583759718032387095124935855747727}{108266631596274488880198656000000} \log(3) \\
& + \frac{9459358001131575454332055276239}{691550339662092951040000} \gamma \log(3) - \frac{394391535968370807369}{245735735245000} \gamma^2 \log(3) + \frac{153754848}{2401} \gamma^3 \log(3) \\
& + \frac{131463845322790269123}{196588196000} \pi^2 \log(3) - \frac{192193560}{2401} \gamma \pi^2 \log(3) + \frac{8870472}{1715} \pi^4 \log(3) \\
& + \frac{214411501060211389845962927148381}{13139456453579766069760000} \log(2) \log(3) - \frac{437493411770075173449}{122867867622500} \gamma \log(2) \log(3) \\
& + \frac{461264544}{2401} \gamma^2 \log(2) \log(3) - \frac{192193560}{2401} \pi^2 \log(2) \log(3) + \frac{978612948501709853277095576118865234375}{17942749191956127021132384903168} \log(5) \\
& - \frac{2505842696993145943705498046875}{201068160447666111215616} \gamma \log(5) + \frac{11933074267578125}{17053975224} \gamma^2 \log(5) - \frac{59665371337890625}{204647702688} \pi^2 \log(5) \\
& - \frac{2505842696993145943705498046875}{201068160447666111215616} \log(2) \log(5) + \frac{11933074267578125}{8526987612} \gamma \log(2) \log(5) \\
& - \frac{5858006173792308915665113013914648081}{323919193207512802977792000000} \log(7) + \frac{47929508316470415142010251}{282323175851059200000} \gamma \log(7) \\
& + \frac{47929508316470415142010251}{282323175851059200000} \log(2) \log(7) + \frac{7400249944258160101211}{6567344832000000} \log(11), \\
c_{15}^{\ln} = & \frac{32746911632891438368}{22370298575625} \zeta(3) - \frac{5049442304}{25725} \gamma \zeta(3) - \frac{171722752}{441} \zeta(5) - \frac{95168290816}{1157625} \zeta(3) \log(2) - \frac{106445664}{343} \zeta(3) \log(3) \\
& - \frac{7193792790228353567412766021999401477645419}{140862189624960744512521545908812500} + \frac{1602437584989114515632329710949388}{526171715038677033591890625} \gamma - \frac{50382357310798551382208}{111963344371003125} \gamma^2 \\
& + \frac{922438992896}{72930375} \gamma^3 + \frac{12671787534371253354032}{67178006622601875} \pi^2 - \frac{230609748224}{14586075} \gamma \pi^2 + \frac{631180288}{385875} \pi^4 - \frac{44843006553088}{364651875} \log^3(2) \\
& + \frac{76877424}{2401} \log^3(3) - \frac{1722142649607412195016384}{1007670099339028125} \log^2(2) - \frac{16582891400192}{121550625} \gamma \log^2(2) + \frac{230632272}{2401} \log^2(2) \log(3) \\
& - \frac{394391535968370807369}{491471470490000} \log^2(3) + \frac{230632272}{2401} \gamma \log^2(3) + \frac{230632272}{2401} \log(2) \log^2(3) + \frac{11933074267578125}{34107950448} \log^2(5) \\
& + \frac{37392531323800069473348412612252268}{473554535348093302327015625} \log(2) - \frac{1482169326522492515499392}{1007670099339028125} \gamma \log(2) - \frac{2452833823744}{121550625} \gamma^2 \log(2)
\end{aligned}$$

$$\begin{aligned}
& + \frac{613208455936}{72930375} \pi^2 \log(2) + \frac{9459358001131575454332055276239}{1383100679324185902080000} \log(3) - \frac{394391535968370807369}{245735735245000} \gamma \log(3) \\
& + \frac{230632272}{2401} \gamma^2 \log(3) - \frac{96096780}{2401} \pi^2 \log(3) - \frac{437493411770075173449}{245735735245000} \log(2) \log(3) + \frac{461264544}{2401} \gamma \log(2) \log(3) \\
& - \frac{2505842696993145943705498046875}{402136320895332222431232} \log(5) + \frac{11933074267578125}{17053975224} \gamma \log(5) + \frac{11933074267578125}{17053975224} \log(2) \log(5) \\
& + \frac{47929508316470415142010251}{56464635170211840000} \log(7), \\
c_{15}^{\ln^2} & = - \frac{1262360576}{25725} \zeta(3) + \frac{413679313622813491775399911327747}{526171715038677033591890625} - \frac{25191178655399275691104}{111963344371003125} \gamma + \frac{230609748224}{24310125} \gamma^2 - \frac{57652437056}{14586075} \pi^2 \\
& - \frac{4145722850048}{121550625} \log^2(2) + \frac{57658068}{2401} \log^2(3) - \frac{372256791280734477815648}{1007670099339028125} \log(2) - \frac{1226416911872}{121550625} \gamma \log(2) \\
& - \frac{394391535968370807369}{982942940980000} \log(3) + \frac{115316136}{2401} \gamma \log(3) + \frac{115316136}{2401} \log(2) \log(3) + \frac{11933074267578125}{68215900896} \log(5), \\
c_{15}^{\ln^3} & = - \frac{12786084844378676616752}{335890033113009375} + \frac{230609748224}{72930375} \gamma - \frac{613208455936}{364651875} \log(2) + \frac{19219356}{2401} \log(3), \\
c_{15}^{\ln^4} & = \frac{28826218528}{72930375}, \\
c_{15.5} & = \frac{363927916093995533873}{984293137327500} \pi \zeta(3) - \frac{642275344384}{5788125} \gamma \pi \zeta(3) + \frac{6002573312}{165375} \pi^3 \zeta(3) - \frac{6002573312}{55125} \pi \zeta(5) \\
& - \frac{1284550688768}{5788125} \pi \zeta(3) \log(2) - \frac{28082379858149977072772656039107850104607185447}{329604352192988665310462882944406400000000} \pi \\
& + \frac{21637737461497182192039018259868262713}{23614586570935825267604051250000} \gamma \pi - \frac{116106125514835430463890813}{443374843709172375000} \gamma^2 \pi + \frac{34361730924544}{1823259375} \gamma^3 \pi \\
& + \frac{825559268676609263901220886589}{9738285067228262044500000} \pi^3 + \frac{203635088207963075107}{2109199579987500} \gamma \pi^3 - \frac{321137672192}{17364375} \gamma^2 \pi^3 + \frac{4534046533492481}{2107092487500} \pi^5 \\
& - \frac{6002573312}{2480625} \gamma \pi^5 - \frac{112197632}{496125} \pi^7 + \frac{274893847396352}{1823259375} \pi \log^3(2) + \frac{25461071612459307620373937}{362761235762050125000} \pi \log^2(2) \\
& + \frac{137446923698176}{607753125} \gamma \pi \log^2(2) - \frac{1284550688768}{17364375} \pi^3 \log^2(2) - \frac{20303507641082448267}{77231231077000} \pi \log^2(3) \\
& - \frac{22553218603515625}{375187454928} \pi \log^2(5) - \frac{1076701859759111021701344326257357717}{65799157627994559569175375000} \pi \log(2) \\
& - \frac{1059998450027149657274519909}{1995186796691275687500} \gamma \pi \log(2) + \frac{68723461849088}{607753125} \gamma^2 \pi \log(2) - \frac{3778100743684406295749}{18982796219887500} \pi^3 \log(2) \\
& - \frac{1284550688768}{17364375} \gamma \pi^3 \log(2) - \frac{12005146624}{2480625} \pi^5 \log(2) + \frac{7995187339602237315893123293653}{13711374759036921066100000} \pi \log(3) \\
& - \frac{20303507641082448267}{386156155385000} \gamma \pi \log(3) + \frac{2196140930137593}{77154077000} \pi^3 \log(3) - \frac{20303507641082448267}{386156155385000} \pi \log(2) \log(3) \\
& + \frac{11492894684909498596923828125}{11391889803756706179936} \pi \log(5) - \frac{22553218603515625}{187593727464} \gamma \pi \log(5) + \frac{145881103515625}{1311844248} \pi^3 \log(5) \\
& - \frac{22553218603515625}{187593727464} \pi \log(2) \log(5) - \frac{405431798669091995227}{1622924462981250} \pi \log(7), \\
c_{15.5}^{\ln} & = - \frac{321137672192}{5788125} \pi \zeta(3) + \frac{21971447364531347929250539430730342713}{472917314187165053520810250000} \pi - \frac{116106125514835430463890813}{443374843709172375000} \gamma \pi \\
& + \frac{17180865462272}{607753125} \gamma^2 \pi + \frac{203635088207963075107}{4218399159975000} \pi^3 - \frac{321137672192}{17364375} \gamma \pi^3 - \frac{3001286656}{2480625} \pi^5 + \frac{68723461849088}{607753125} \pi \log^2(2) \\
& - \frac{1059998450027149657274519909}{3990373593382551375000} \pi \log(2) + \frac{68723461849088}{607753125} \gamma \pi \log(2) - \frac{642275344384}{17364375} \pi^3 \log(2) \\
& - \frac{20303507641082448267}{77231231077000} \pi \log(3) - \frac{22553218603515625}{375187454928} \pi \log(5), \\
c_{15.5}^{\ln^2} & = - \frac{116106125514835430463890813}{1773499374836689500000} \pi + \frac{8590432731136}{607753125} \gamma \pi - \frac{80284418048}{17364375} \pi^3 + \frac{17180865462272}{607753125} \pi \log(2), \\
c_{15.5}^{\ln^3} & = \frac{4295216365568}{1823259375} \pi.
\end{aligned} \tag{B1}$$

Appendix C: Post-Newtonian expansion coefficients for $\Delta\psi$

In this Appendix, we give the analytic post-Newtonian expansion coefficients for the spin-precession invariant [7], $\Delta\psi$, up to order $y^{15.5}$. We have also computed higher order coefficients up to order $y^{21.5}$, but they are too long to give here; instead, we make them available electronically [19].

$$\begin{aligned}
c_2 & = 1, \quad c_3 = -3, \quad c_4 = -\frac{15}{2}, \quad c_5 = -\frac{6277}{30} - 16\gamma + \frac{20471}{1024}\pi^2 - \frac{496}{15}\log(2), \quad c_5^{\ln} = -8, \\
c_6 & = -\frac{87055}{28} - \frac{52}{5}\gamma + \frac{653629}{2048}\pi^2 - \frac{729}{14}\log(3) + \frac{3772}{105}\log(2), \quad c_6^{\ln} = -\frac{26}{5}, \quad c_{6.5} = -\frac{26536}{1575}\pi, \\
c_7 & = -\frac{149628163}{18900} + \frac{7628}{21}\gamma + \frac{297761947}{393216}\pi^2 - \frac{1407987}{524288}\pi^4 + \frac{4556}{21}\log(2) + \frac{12879}{35}\log(3), \\
c_7^{\ln} & = \frac{3814}{21}, \quad c_{7.5} = -\frac{113411}{22050}\pi,
\end{aligned}$$

$$\begin{aligned}
c_8 & = \frac{403109158099}{9922500} - \frac{1344}{5}\zeta(3) - \frac{74909462}{70875}\gamma + \frac{3424}{25}\gamma^2 + \frac{164673979457}{353894400}\pi^2 - \frac{160934764317}{335544320}\pi^4 + \frac{58208}{105}\log^2(2) \\
& + \frac{340681718}{1819125}\log(2) + \frac{869696}{1575}\gamma \log(2) - \frac{199989}{352}\log(3) - \frac{9765625}{28512}\log(5), \\
c_8^{\ln} & = -\frac{37454731}{70875} + \frac{3424}{25}\gamma + \frac{434848}{1575}\log(2),
\end{aligned}$$

$$\begin{aligned}
c_8^{\ln^2} &= \frac{856}{25}, \\
c_{8.5} &= \frac{1179591206}{3274425} \pi, \\
c_9 &= \frac{3985926908910281}{1146048750} - 1152\zeta(3) - \frac{4454779894}{606375} \gamma + \frac{3376}{15} \gamma^2 - \frac{22832200546571}{8808038400} \pi^2 - \frac{758053590944149}{21474836480} \pi^4 \\
&\quad - \frac{1064368}{1225} \log^2(2) + \frac{28431}{49} \log^2(3) - \frac{138895624334}{9029475} \log(2) - \frac{3077728}{11025} \gamma \log(2) \\
&\quad - \frac{71602663581}{7847840} \log(3) + \frac{56862}{49} \gamma \log(3) + \frac{56862}{49} \log(2) \log(3) + \frac{11576171875}{2594592} \log(5), \\
c_9^{\ln} &= -\frac{2227389947}{606375} + \frac{3376}{15} \gamma - \frac{1538864}{11025} \log(2) + \frac{28431}{49} \log(3), \\
c_9^{\ln^2} &= \frac{844}{15}, \\
c_{9.5} &= -\frac{660044682996077}{524431908000} \pi + \frac{46528736}{165375} \gamma \pi - \frac{434848}{4725} \pi^3 + \frac{6228256}{11025} \pi \log(2), \\
c_{9.5}^{\ln} &= \frac{23264368}{165375} \pi, \\
c_{10} &= \frac{552424223705497767347}{20649506377500} + \frac{680336}{105} \zeta(3) + \frac{11467229058074}{496621125} \gamma - \frac{35570296}{11025} \gamma^2 - \frac{152033994681460553}{13317754060800} \pi^2 \\
&\quad - \frac{755954175166870909}{2748779069440} \pi^4 + \frac{21138410295}{134217728} \pi^6 + \frac{30719079112}{3274425} \log^2(2) - \frac{54832464}{13475} \log^2(3) \\
&\quad - \frac{1306135539288758}{147496474125} \log(2) - \frac{478423984}{654885} \gamma \log(2) + \frac{214411899501351}{3453049600} \log(3) - \frac{109664928}{13475} \gamma \log(3) \\
&\quad - \frac{109664928}{13475} \log(2) \log(3) - \frac{437134765625}{20756736} \log(5) - \frac{678223072849}{370656000} \log(7), \\
c_{10}^{\ln} &= \frac{5724079403437}{496621125} - \frac{35570296}{11025} \gamma - \frac{239211992}{654885} \log(2) - \frac{54832464}{13475} \log(3), \\
c_{10}^{\ln^2} &= \frac{8892574}{11025}, \\
c_{10.5} &= -\frac{178279193702345741}{26512946460000} \pi + \frac{46324078}{128625} \gamma \pi - \frac{11255086}{33075} \pi^3 - \frac{2889622}{7875} \pi \log(2) + \frac{369603}{343} \pi \log(3), \\
c_{10.5}^{\ln} &= \frac{23162039}{128625} \pi, \\
c_{11} &= \frac{895515122403034654417281293}{57979787254276387500} + \frac{785903336}{99225} \zeta(3) + \frac{465664}{105} \gamma \zeta(3) + 4352\zeta(5) + \frac{1999616}{225} \zeta(3) \log(2) \\
&\quad + \frac{10978785947716000429}{170358427614375} \gamma + \frac{4239200554828}{756392175} \gamma^2 - \frac{24913024}{33075} \gamma^3 + \frac{4777175128704881185520851}{324867965457530800} \pi^2 \\
&\quad + \frac{6228256}{6615} \gamma \pi^2 - \frac{130304003970548330013011}{221661544159641600} \pi^4 + \frac{15222492411703235}{541165879296} \pi^6 - \frac{2999821184}{496125} \log^3(2) \\
&\quad - \frac{5715206419501492}{49165491375} \log^2(2) - \frac{499725952}{55125} \gamma \log^2(2) + \frac{26505921681}{4404400} \log^2(3) + \frac{37744140625}{6115824} \log^2(5) \\
&\quad + \frac{1567851231140667795523}{2988032738315625} \log(2) - \frac{100103864571848}{2341213875} \gamma \log(2) - \frac{106979456}{23625} \gamma^2 \log(2) + \frac{26744864}{14175} \pi^2 \log(2) \\
&\quad - \frac{540319210797865833}{4197181788800} \log(3) + \frac{26505921681}{2202200} \gamma \log(3) + \frac{26505921681}{2202200} \log(2) \log(3) \\
&\quad - \frac{3879267191919921875}{52452780412032} \log(5) + \frac{37744140625}{3057912} \gamma \log(5) + \frac{37744140625}{3057912} \log(2) \log(5) + \frac{73344980878099}{2181168000} \log(7), \\
c_{11}^{\ln} &= \frac{10974424771969072429}{340716855228750} + \frac{232832}{105} \zeta(3) + \frac{4239200554828}{756392175} \gamma - \frac{12456512}{11025} \gamma^2 + \frac{3114128}{6615} \pi^2 - \frac{249862976}{55125} \log^2(2) \\
&\quad - \frac{50051932285924}{2341213875} \log(2) - \frac{106979456}{23625} \gamma \log(2) + \frac{26505921681}{4404400} \log(3) + \frac{37744140625}{6115824} \log(5), \\
c_{11}^{\ln^2} &= \frac{1059800138707}{756392175} - \frac{6228256}{11025} \gamma - \frac{26744864}{23625} \log(2), \\
c_{11}^{\ln^3} &= -\frac{3114128}{33075}, \\
c_{11.5} &= \frac{14296113483697229886509}{55604990773332000} \pi - \frac{14432596462076}{2269176525} \gamma \pi + \frac{4251077176}{1964655} \pi^3 \\
&\quad - \frac{3517727033852}{2269176525} \pi \log(2) - \frac{38986085538}{5187875} \pi \log(3), \\
c_{11.5}^{\ln} &= -\frac{7216298231038}{2269176525} \pi, \\
c_{12} &= -\frac{184094931804678325226775991271424917}{1954817517151555427562500} - \frac{3072077997656}{12733875} \zeta(3) + \frac{36974656}{1225} \gamma \zeta(3) + \frac{1949504}{35} \zeta(5) \\
&\quad + \frac{204124736}{11025} \zeta(3) \log(2) + \frac{2047032}{49} \zeta(3) \log(3) - \frac{2952288875906151726533207}{5710130562921159375} \gamma + \frac{122783649257283464}{1491353238375} \gamma^2 \\
&\quad - \frac{2760061088}{1157625} \gamma^3 + \frac{545527990615828112141035072669}{2196107446492908748800} \pi^2 + \frac{690015272}{231525} \gamma \pi^2 + \frac{193680816717860631571035475549}{5958262307011166208000} \pi^4 \\
&\quad + \frac{34219753111034060833}{8658654068736} \pi^6 + \frac{4317168928}{385875} \log^3(2) - \frac{1478412}{343} \log^3(3) + \frac{13665524948787068536}{22370298575625} \log^2(2) \\
&\quad + \frac{31787744}{3087} \gamma \log^2(2) - \frac{4435236}{343} \log^2(2) \log(3) + \frac{11183492917042569}{98196098000} \log^2(3) - \frac{4435236}{343} \gamma \log^2(3) \\
&\quad - \frac{4435236}{343} \log(2) \log^2(3) - \frac{34733720703125}{432864432} \log^2(5) - \frac{704874292405040363661641471}{325477442086506084375} \log(2) \\
&\quad + \frac{9593270828254026224}{22370298575625} \gamma \log(2) - \frac{57283488}{42875} \gamma^2 \log(2) + \frac{4773624}{8575} \pi^2 \log(2) - \frac{1466250817532019618099843}{1625551718075084800} \log(3) \\
&\quad + \frac{11183492917042569}{49098049000} \gamma \log(3) - \frac{4435236}{343} \gamma^2 \log(3) + \frac{1848015}{343} \pi^2 \log(3) + \frac{12891986487745929}{49098049000} \log(2) \log(3) \\
&\quad - \frac{8870472}{343} \gamma \log(2) \log(3) + \frac{13311167755409892578125}{9484011224303616} \log(5) - \frac{34733720703125}{216432216} \gamma \log(5) \\
&\quad - \frac{34733720703125}{216432216} \log(2) \log(5) - \frac{11167316430606071071}{448238748672000} \log(7),
\end{aligned}$$

$$\begin{aligned}
c_{12}^{\ln} &= -\frac{2950513264271989525498007}{11420261125842318750} + \frac{18487328}{1225}\zeta(3) + \frac{122783649257283464}{1491353238375}\gamma - \frac{1380030544}{385875}\gamma^2 + \frac{345007636}{231525}\pi^2 \\
&\quad + \frac{15893872}{3087}\log^2(2) - \frac{2217618}{343}\log^2(3) + \frac{4793133887163678712}{22370298575625}\log(2) - \frac{57283488}{42875}\gamma\log(2) \\
&\quad + \frac{11183492917042569}{98196098000}\log(3) - \frac{4435236}{343}\gamma\log(3) - \frac{4435236}{343}\log(2)\log(3) - \frac{34733720703125}{432864432}\log(5), \\
c_{12}^{\ln^2} &= \frac{30579194748876386}{1491353238375} - \frac{690015272}{385875}\gamma - \frac{14320872}{42875}\log(2) - \frac{1108809}{343}\log(3), \\
c_{12}^{\ln^3} &= -\frac{345007636}{1157625}, \\
c_{12.5} &= \frac{106979456}{23625}\pi\zeta(3) + \frac{2084022912123714512565994459849}{50082608917173919086000000}\pi + \frac{190712970681326946869}{12655197479925000}\gamma\pi - \frac{5723400896}{2480625}\gamma^2\pi \\
&\quad + \frac{177395403334811}{93648555000}\pi^3 + \frac{106979456}{70875}\gamma\pi^3 + \frac{999808}{10125}\pi^5 - \frac{160490433344}{17364375}\pi\log^2(2) - \frac{2538986352360389949581}{88586382359475000}\pi\log(2) \\
&\quad - \frac{53470676864}{5788125}\gamma\pi\log(2) + \frac{499725952}{165375}\pi^3\log(2) + \frac{33855365577141}{3149146000}\pi\log(3) + \frac{29176220703125}{2623688496}\pi\log(5), \\
c_{12.5}^{\ln} &= \frac{190712970681326946869}{25310394959850000}\pi - \frac{5723400896}{2480625}\gamma\pi + \frac{53489728}{70875}\pi^3 - \frac{26735338432}{5788125}\pi\log(2), \\
c_{12.5}^{\ln^2} &= -\frac{1430850224}{2480625}\pi, \\
c_{13} &= -\frac{62650400736283736}{147496474125}\zeta(3) - \frac{79334586176}{1091475}\gamma\zeta(3) + \frac{1209920}{21}\zeta(5) + \frac{189559817152}{467775}\zeta(3)\log(2) - \frac{3947937408}{13475}\zeta(3)\log(3) \\
&\quad - \frac{55918518949617438556735975663717584848969}{39479445767967357415052250000} - \frac{31820709089016321579091597087}{3222266766564102353125}\gamma - \frac{230884798395817567208}{2214659558986875}\gamma^2 \\
&\quad + \frac{19560921811488}{11345882625}\gamma^3 + \frac{26832629713415329697937454609374713}{7378921020161733959680000}\pi^2 - \frac{48902305452872}{2269176525}\gamma\pi^2 \\
&\quad + \frac{197506910967667598805030278403159}{3775154997722749093888000}\pi^4 + \frac{3037644237389156207824805}{53198770598313984}\pi^6 - \frac{5990948040507941}{549755813888}\pi^8 \\
&\quad - \frac{61457225667104}{138929175}\log^3(2) + \frac{155944342152}{5187875}\log^3(3) + \frac{242362228261971549865288}{112947637508330625}\log^2(2) - \frac{4035505222260896}{11345882625}\gamma\log^2(2) \\
&\quad + \frac{467833026456}{5187875}\log^2(2)\log(3) - \frac{308594519722437276357}{367253406520000}\log^2(3) + \frac{467833026456}{5187875}\gamma\log^2(3) \\
&\quad + \frac{467833026456}{5187875}\log(2)\log^2(3) + \frac{299718641201171875}{794739097152}\log^2(5) + \frac{14180966230199741}{307181160000}\log^2(7) \\
&\quad - \frac{205476770552879570318960688943}{46952445859850549143125}\log(2) + \frac{2333171461995431294768}{3227075357380875}\gamma\log(2) - \frac{73182403279456}{1620840375}\gamma^2\log(2) \\
&\quad + \frac{18295600819864}{972504225}\pi^2\log(2) + \frac{14090055998662708077346193027}{1519890856400204288000}\log(3) - \frac{308594519722437276357}{183626703260000}\gamma\log(3) \\
&\quad + \frac{467833026456}{5187875}\gamma^2\log(3) - \frac{38986085538}{1037575}\pi^2\log(3) - \frac{409010222195260682949}{183626703260000}\log(2)\log(3) + \frac{935666052912}{5187875}\gamma\log(2)\log(3) \\
&\quad - \frac{933945255836406040673828125}{14800747916648231296}\log(5) + \frac{299718641201171875}{397369548576}\gamma\log(5) + \frac{299718641201171875}{397369548576}\log(2)\log(5) \\
&\quad - \frac{2447069882207180299994701}{19614031164389376000}\log(7) + \frac{14180966230199741}{153590580000}\gamma\log(7) + \frac{14180966230199741}{153590580000}\log(2)\log(7), \\
c_{13}^{\ln} &= -\frac{39667293088}{1091475}\zeta(3) - \frac{31837810312556420711589661087}{6444535333128204706250} - \frac{231202291990193925608}{2214659558986875}\gamma + \frac{97804610905744}{3781960875}\gamma^2 \\
&\quad - \frac{24451152726436}{2269176525}\pi^2 - \frac{2017752611130448}{11345882625}\log^2(2) + \frac{233916513228}{5187875}\log^2(3) + \frac{1164811253436376604824}{3227075357380875}\log(2) \\
&\quad - \frac{73182403279456}{1620840375}\gamma\log(2) - \frac{308594519722437276357}{367253406520000}\log(3) + \frac{467833026456}{5187875}\gamma\log(3) + \frac{467833026456}{5187875}\log(2)\log(3) \\
&\quad + \frac{299718641201171875}{794739097152}\log(5) + \frac{14180966230199741}{307181160000}\log(7), \\
c_{13}^{\ln^2} &= -\frac{58168822370617659002}{2214659558986875} + \frac{48902305452872}{3781960875}\gamma - \frac{18295600819864}{1620840375}\log(2) + \frac{116958256614}{5187875}\log(3), \\
c_{13}^{\ln^3} &= \frac{24451152726436}{11345882625}, \\
c_{13.5} &= \frac{1166092488}{42875}\pi\zeta(3) - \frac{1187374613661695186615691845565290057}{2281975776845387078391936000000}\pi + \frac{245883449484395004266099}{1612272158942445000}\gamma\pi - \frac{751070271916}{121550625}\gamma^2\pi \\
&\quad - \frac{13163514596884821173}{178962388605000}\pi^3 + \frac{388697496}{42875}\gamma\pi^3 + \frac{562644568}{496125}\pi^5 + \frac{1381319157332}{121550625}\pi\log^2(2) - \frac{28829034}{2401}\pi\log^2(3) \\
&\quad + \frac{3081012717124731361878079}{8061360794712225000}\pi\log(2) - \frac{214793576}{324135}\gamma\pi\log(2) + \frac{48046504}{9261}\pi^3\log(2) + \frac{21333547868032053711}{98294294098000}\pi\log(3) \\
&\quad - \frac{57658068}{2401}\gamma\pi\log(3) + \frac{4435236}{343}\pi^3\log(3) - \frac{57658068}{2401}\pi\log(2)\log(3) - \frac{1688840218427734375}{11699027003664}\pi\log(5), \\
c_{13.5}^{\ln} &= \frac{245883449484395004266099}{3224544317884890000}\pi - \frac{751070271916}{121550625}\gamma\pi + \frac{194348748}{42875}\pi^3 - \frac{107396788}{324135}\pi\log(2) - \frac{28829034}{2401}\pi\log(3), \\
c_{13.5}^{\ln^2} &= -\frac{187767567979}{121550625}\pi, \\
c_{14} &= -\frac{25105689326437633143222302545119678455060078765034473}{44918728131563797834340291702753325000000} + \frac{5294485011363817767374}{1328795735392125}\zeta(3) - \frac{113555673327320608}{245827456875}\gamma\zeta(3) \\
&\quad - \frac{199803808}{55125}\gamma^2\zeta(3) + \frac{499725952}{33075}\pi^2\zeta(3) + \frac{18681344}{525}\zeta(3)^2 - \frac{89492704864}{70875}\zeta(5) - \frac{37362688}{525}\gamma\zeta(5) - \frac{349184}{5}\zeta(7) \\
&\quad - \frac{76204544}{525}\zeta(3)\log^2(2) - \frac{142268027251758368}{27314161875}\zeta(3)\log(2) - \frac{23998569472}{165375}\gamma\zeta(3)\log(2) + \frac{238553295129}{550550}\zeta(3)\log(3) \\
&\quad + \frac{943603515625}{764478}\zeta(3)\log(5) - \frac{224285696}{1575}\zeta(5)\log(2) + \frac{28465651655704059830901242446584177479}{4194696298784653172534930156250}\gamma \\
&\quad - \frac{149954059365283950864513030833}{144152246060944668421875}\gamma^2 - \frac{14862394284976579472}{33219893384803125}\gamma^3 + \frac{53470676864}{17364375}\gamma^4 \\
&\quad + \frac{1382576599003842137026984607581609563901342613}{792485353701787823840218316800000}\pi^2 + \frac{3715598571244144868}{6643978676960625}\gamma\pi^2 - \frac{26735338432}{3472875}\gamma^2\pi^2 \\
&\quad + \frac{17840935785412837870724226998135283471761}{87066550718668735126230269952000}\pi^4 + \frac{499725952}{826875}\gamma\pi^4 + \frac{161869698820876897586817129793}{7149914768413399449600}\pi^6
\end{aligned}$$

$$\begin{aligned}
& - \frac{2547114068232098727607}{791648371998720} \pi^8 + \frac{856314857344}{17364375} \log^4(2) + \frac{151607779358849976638576}{33219893384803125} \log^3(2) + \frac{5137575533056}{52093125} \gamma \log^3(2) \\
& - \frac{33855365577141}{787286500} \log^3(3) - \frac{145881103515625}{1967766372} \log^3(5) - \frac{2277262395801345716119706739413}{78254076433084248571875} \log^2(2) \\
& + \frac{1267756872949042315472}{316379936998125} \gamma \log^2(2) + \frac{4076943104}{55125} \gamma^2 \log^2(2) - \frac{1019235776}{33075} \pi^2 \log^2(2) - \frac{101566096731423}{787286500} \log^2(2) \log(3) \\
& + \frac{75421247572218176728578441}{33926135187504560000} \log^2(3) - \frac{101566096731423}{787286500} \gamma \log^2(3) - \frac{101566096731423}{787286500} \log(2) \log^2(3) \\
& - \frac{145881103515625}{655922124} \log^2(2) \log(5) + \frac{69917822132336320439453125}{50877570963478267008} \log^2(5) - \frac{145881103515625}{655922124} \gamma \log^2(5) \\
& - \frac{145881103515625}{655922124} \log(2) \log^2(5) - \frac{4542009473315817564229}{5357853792720000} \log^2(7) + \frac{86184302376552379542620466756226641423347}{1833082282568893436397764478281250} \log(2) \\
& - \frac{41360868951644100025764392413246}{2738892675157948700015625} \gamma \log(2) + \frac{10411999054067186375792}{11073297794934375} \gamma^2 \log(2) + \frac{1283923466752}{52093125} \gamma^3 \log(2) \\
& - \frac{2602999763516796593948}{6643978676960625} \pi^2 \log(2) - \frac{320980866688}{10418625} \gamma \pi^2 \log(2) + \frac{2999821184}{2480625} \pi^4 \log(2) \\
& - \frac{3837129087597300548202099012782283}{100288912523241479797760000} \log(3) + \frac{75421247572218176728578441}{16963067593752280000} \gamma \log(3) - \frac{101566096731423}{787286500} \gamma^2 \log(3) \\
& + \frac{33855365577141}{629829200} \pi^2 \log(3) + \frac{131731477811538857834428809}{16963067593752280000} \log(2) \log(3) - \frac{101566096731423}{393643250} \gamma \log(2) \log(3) \\
& - \frac{1452255334465885013333427526900390625}{1743425022700190479786142662656} \log(5) + \frac{69917822132336320439453125}{25438785481739133504} \gamma \log(5) - \frac{145881103515625}{655922124} \gamma^2 \log(5) \\
& + \frac{729405517578125}{7871065488} \pi^2 \log(5) + \frac{69917822132336320439453125}{25438785481739133504} \log(2) \log(5) - \frac{145881103515625}{327961062} \gamma \log(2) \log(5) \\
& + \frac{2248625818037574093829749927087227}{131141373768223806873600000} \log(7) - \frac{4542009473315817564229}{2678926896360000} \gamma \log(7) \\
& - \frac{4542009473315817564229}{2678926896360000} \log(2) \log(7) - \frac{81402749386839761113321}{2054356066344960000} \log(11), \\
c_{14}^{\ln} & = \frac{28462003489715167876845043737346977479}{8389392597569306345069860312500} - \frac{56777836663660304}{245827456875} \zeta(3) - \frac{1998903808}{55125} \gamma \zeta(3) - \frac{18681344}{525} \zeta(5) \\
& - \frac{11999284736}{165375} \zeta(3) \log(2) - \frac{14977095031794466937788930853}{14415224606944668421875} \gamma - \frac{7431197142488289736}{11073297794934375} \gamma^2 + \frac{106941353728}{17364375} \gamma^3 \\
& + \frac{1857799285622072434}{6643978676960625} \pi^2 - \frac{26735338432}{3472875} \gamma \pi^2 + \frac{249862976}{826875} \pi^4 + \frac{2568787766528}{52093125} \log^3(2) + \frac{633878436474521157736}{316379936998125} \log^2(2) \\
& + \frac{4076943104}{55125} \gamma \log^2(2) - \frac{101566096731423}{1574573000} \log^2(3) - \frac{145881103515625}{1311844248} \log^2(5) - \frac{20678006470941745421284906926623}{2738892675157948700015625} \log(2) \\
& + \frac{10411999054067186375792}{11073297794934375} \gamma \log(2) + \frac{641961733376}{17364375} \gamma^2 \log(2) - \frac{160490433344}{10418625} \pi^2 \log(2) \\
& + \frac{75421247572218176728578441}{33926135187504560000} \log(3) - \frac{101566096731423}{787286500} \gamma \log(3) - \frac{101566096731423}{787286500} \log(2) \log(3) \\
& + \frac{69917822132336320439453125}{50877570963478267008} \log(5) - \frac{145881103515625}{655922124} \gamma \log(5) - \frac{145881103515625}{655922124} \log(2) \log(5) \\
& - \frac{4542009473315817564229}{5357853792720000} \log(7), \\
c_{14}^{\ln^2} & = - \frac{150067369071353402594431110853}{576608984243778673687500} - \frac{499725952}{55125} \zeta(3) - \frac{3715598571244144868}{11073297794934375} \gamma + \frac{26735338432}{5788125} \gamma^2 - \frac{6683834608}{3472875} \pi^2 \\
& + \frac{1019235776}{55125} \log^2(2) + \frac{2602999763516796593948}{11073297794934375} \log(2) + \frac{320980866688}{17364375} \gamma \log(2) - \frac{101566096731423}{3149146000} \log(3) \\
& - \frac{145881103515625}{2623688496} \log(5), \\
c_{14}^{\ln^3} & = - \frac{1857799285622072434}{33219893384803125} + \frac{26735338432}{17364375} \gamma + \frac{160490433344}{52093125} \log(2), \\
c_{14}^{\ln^4} & = \frac{3341917304}{17364375}, \\
c_{14.5} & = - \frac{871515123500656}{11345882625} \pi \zeta(3) - \frac{5309850881930378361213063000400507073797099}{9009966035282625018582291963648000000} \pi - \frac{31697702965724519600778001907}{115321796848755734737500} \gamma \pi \\
& + \frac{2017887846520122448}{39313483295625} \gamma^2 \pi - \frac{960372800793516616313}{8031832000592400} \pi^3 - \frac{871515123500656}{34037647875} \gamma \pi^3 + \frac{125822671264}{147349125} \pi^5 \\
& - \frac{486929066270811952}{1572539331825} \pi \log^2(2) + \frac{166561812368496}{1997331875} \pi \log^2(3) + \frac{65792943231500199837619674637}{115321796848755734737500} \pi \log(2) \\
& - \frac{529898658421540832}{7862696659125} \gamma \pi \log(2) + \frac{795346539665488}{6807529575} \pi^3 \log(2) - \frac{24616880040022202752230447}{15623878046877100000} \pi \log(3) \\
& + \frac{333123624736992}{1997331875} \gamma \pi \log(3) - \frac{467833026456}{5187875} \pi^3 \log(3) + \frac{333123624736992}{1997331875} \pi \log(2) \log(3) \\
& + \frac{13713804796935830078125}{20286112824353376} \pi \log(5) + \frac{42358546129606626367}{509152772700000} \pi \log(7), \\
c_{14.5}^{\ln} & = - \frac{31799589853782602615359096307}{230643593697511469475000} \pi + \frac{2017887846520122448}{39313483295625} \gamma \pi - \frac{435757561750328}{34037647875} \pi^3 \\
& - \frac{264949329210770416}{7862696659125} \pi \log(2) + \frac{166561812368496}{1997331875} \pi \log(3), \\
c_{14.5}^{\ln^2} & = \frac{504471961630030612}{39313483295625} \pi, \\
c_{15} & = \frac{178540148394893454213385929700105204431435882059438183933}{6387987609740269795047242089727919825000000} + \frac{10732014117675454744748966}{2447198812680496875} \zeta(3) \\
& + \frac{331375078473130816}{81942485625} \gamma \zeta(3) - \frac{3353344}{9} \gamma^2 \zeta(3) + \frac{4191680}{27} \pi^2 \zeta(3) + \frac{1976320}{3} \zeta(3)^2 + \frac{550606278944}{606375} \zeta(5) - \frac{3952640}{3} \gamma \zeta(5) \\
& - 2240000 \zeta(7) - \frac{36038158592}{385875} \zeta(3) \log^2(2) - \frac{159668496}{343} \zeta(3) \log^2(3) + \frac{112364669601249621568}{4474059715125} \zeta(3) \log(2) \\
& - \frac{71908312576}{128625} \gamma \zeta(3) \log(2) + \frac{150907437076235841}{12274512250} \zeta(3) \log(3) - \frac{319336992}{343} \gamma \zeta(3) \log(3) - \frac{319336992}{343} \zeta(3) \log(2) \log(3) \\
& - \frac{868343017578125}{54108054} \zeta(3) \log(5) - \frac{12467597312}{11025} \zeta(5) \log(2) - \frac{73693152}{49} \zeta(5) \log(3)
\end{aligned}$$

$$\begin{aligned}
& + \frac{1444626847565977343847871701769271761693931}{150923774598172226263415942045156250} \gamma + \frac{743974276294437883505577844651591}{225502163588004442967953125} \gamma^2 - \frac{80654004101045801163952}{143952871334146875} \gamma^3 \\
& + \frac{322091264}{19845} \gamma^4 + \frac{21314370741582022799957915688053467588567574228273}{211577387480453633463649533501123200000} \pi^2 + \frac{20163501025261450290988}{28790574266829375} \gamma \pi^2 \\
& - \frac{161045632}{3969} \gamma^2 \pi^2 - \frac{3355147905662233730482198313851402974886711975903}{28975748079172955050009433840025600000} \pi^4 + \frac{838336}{135} \gamma \pi^4 \\
& - \frac{366576877431067297518135190630627}{32685324655604111769600} \pi^6 - \frac{73497544666194742468811117}{101330991615836160} \pi^8 - \frac{2448624107264}{24310125} \log^4(2) + \frac{57658068}{2401} \log^4(3) \\
& - \frac{1558801235217981659275472}{86371722800488125} \log^3(2) - \frac{7990785350656}{52093125} \gamma \log^3(2) + \frac{230632272}{2401} \log^3(2) \log(3) \\
& - \frac{221929572949046221}{2233961229500} \log^3(3) + \frac{230632272}{2401} \gamma \log^3(3) + \frac{230632272}{2401} \log(2) \log^3(3) + \frac{8444201092138671875}{8774270252748} \log^3(5) \\
& + \frac{19992914226655562220138901906319201}{24923923343937331701421875} \log^2(2) - \frac{18334489087109727004498544}{1007670099339028125} \gamma \log^2(2) - \frac{580251275776}{13505625} \gamma^2 \log^2(2) \\
& + \frac{145062818944}{8103375} \pi^2 \log^2(2) - \frac{128653457306652710253}{24573573524500} \log^2(2) \log(3) + \frac{691896816}{2401} \gamma \log^2(2) \log(3) \\
& + \frac{9851518877221197342156061983861}{746560025771577617600000} \log^2(3) - \frac{6657887258847138663}{2233961229500} \gamma \log^2(3) + \frac{345948408}{2401} \gamma^2 \log^2(3) \\
& - \frac{144145170}{2401} \pi^2 \log^2(3) - \frac{91708992333763253613}{24573573524500} \log(2) \log^2(3) + \frac{691896816}{2401} \gamma \log(2) \log^2(3) \\
& + \frac{345948408}{2401} \log^2(2) \log^2(3) + \frac{8444201092138671875}{2924756750916} \log^2(2) \log(5) - \frac{18043699048009895547239775390625}{703738561566831389254656} \log^2(5) \\
& + \frac{8444201092138671875}{2924756750916} \gamma \log^2(5) + \frac{8444201092138671875}{2924756750916} \log(2) \log^2(5) + \frac{2124911309544887559242617}{338787811021271040} \log^2(7) \\
& - \frac{5914802257134088557178479343028167512162443}{288127206051056068321066798449843750} \log(2) + \frac{21582307719896314698020411808946354}{430504130486190300211546875} \gamma \log(2) \\
& - \frac{542228830585444590986576}{91606372667184375} \gamma^2 \log(2) + \frac{12300964281344}{364651875} \gamma^3 \log(2) + \frac{135498760158289169941844}{54963823600310625} \pi^2 \log(2) \\
& - \frac{3075241070336}{72930375} \gamma \pi^2 \log(2) + \frac{8988539072}{1929375} \pi^4 \log(2) - \frac{32121328106137480468329118774308357987909}{888278500142161147403448064000000} \log(3) \\
& + \frac{37695796473493246706069582373039}{1493120051543155235200000} \gamma \log(3) - \frac{6657887258847138663}{2233961229500} \gamma^2 \log(3) + \frac{230632272}{2401} \gamma^3 \log(3) \\
& + \frac{221929572949046221}{1787168983600} \pi^2 \log(3) - \frac{288290340}{2401} \gamma \pi^2 \log(3) + \frac{13305708}{1715} \pi^4 \log(3) \\
& + \frac{518915434980801888780465029425029}{16424320566974707587200000} \log(2) \log(3) - \frac{91708992333763253613}{12286786762250} \gamma \log(2) \log(3) \\
& + \frac{691896816}{2401} \gamma^2 \log(2) \log(3) - \frac{288290340}{2401} \pi^2 \log(2) \log(3) + \frac{33544961407501498004901489998569392578125}{1507190932124314669775120331866112} \log(5) \\
& - \frac{18043699048009895547239775390625}{351869280783415694627328} \gamma \log(5) + \frac{8444201092138671875}{2924756750916} \gamma^2 \log(5) - \frac{42221005460693359375}{35097081010992} \pi^2 \log(5) \\
& - \frac{18043699048009895547239775390625}{351869280783415694627328} \log(2) \log(5) + \frac{8444201092138671875}{1462378375458} \gamma \log(2) \log(5) \\
& - \frac{10864198815859511930364238491875158331}{8097979830187820074448000000} \log(7) + \frac{2124911309544887559242617}{16939390510635520} \gamma \log(7) \\
& + \frac{2124911309544887559242617}{169393905510635520} \log(2) \log(7) + \frac{379462616391725675509769447}{33383286078105600000} \log(11), \\
c_{15}^{\ln} = & \frac{1443095427096991114707380066473385508493931}{301847549196344452526831884090312500} + \frac{165174494992853408}{81942485625} \zeta(3) - \frac{3353344}{9} \gamma \zeta(3) - \frac{1976320}{3} \zeta(5) \\
& - \frac{35954156288}{128625} \zeta(3) \log(2) - \frac{159668496}{343} \zeta(3) \log(3) + \frac{744221366722721348748916146091591}{225502163588004442967953125} \gamma - \frac{40327002050522900581976}{47984290444715625} \gamma^2 \\
& + \frac{644182528}{19845} \gamma^3 + \frac{10051135161735879628694}{28790574266829375} \pi^2 - \frac{161045632}{3969} \gamma \pi^2 + \frac{419168}{135} \pi^4 - \frac{3995392675328}{52093125} \log^3(2) + \frac{115316136}{2401} \log^3(3) \\
& - \frac{9165637237632884112617272}{1007670099339028125} \log^2(2) - \frac{580251275776}{13505625} \gamma \log^2(2) + \frac{345948408}{2401} \log^2(2) \log(3) - \frac{6657887258847138663}{4467922459000} \log^2(3) \\
& + \frac{345948408}{2401} \gamma \log^2(3) + \frac{345948408}{2401} \log(2) \log^2(3) + \frac{8444201092138671875}{5849513501832} \log^2(5) \\
& + \frac{10787494981703251910991270305345177}{430504130486190300211546875} \log(2) - \frac{542228830585444590986576}{91606372667184375} \gamma \log(2) + \frac{6150482140672}{121550625} \gamma^2 \log(2) \\
& - \frac{1537620535168}{72930375} \pi^2 \log(2) + \frac{37695796473493246706069582373039}{2986240103086310470400000} \log(3) - \frac{6657887258847138663}{2233961229500} \gamma \log(3) \\
& + \frac{345948408}{2401} \gamma^2 \log(3) - \frac{144145170}{2401} \pi^2 \log(3) - \frac{91708992333763253613}{24573573524500} \log(2) \log(3) + \frac{691896816}{2401} \gamma \log(2) \log(3) \\
& - \frac{18043699048009895547239775390625}{703738561566831389254656} \log(5) + \frac{8444201092138671875}{2924756750916} \gamma \log(5) + \frac{8444201092138671875}{2924756750916} \log(2) \log(5) \\
& + \frac{2124911309544887559242617}{338787811021271040} \log(7), \\
c_{15}^{\ln^2} = & \frac{73963968666061705837566915035591}{902008654352017771871812500} - \frac{838336}{9} \zeta(3) - \frac{20163501025261450290988}{47984290444715625} \gamma + \frac{161045632}{6615} \gamma^2 - \frac{40261408}{3969} \pi^2 \\
& - \frac{145062818944}{13505625} \log^2(2) + \frac{86487102}{2401} \log^2(3) - \frac{135411088926181203234644}{91606372667184375} \log(2) + \frac{3075241070336}{121550625} \gamma \log(2) \\
& - \frac{6657887258847138663}{8935844918000} \log(3) + \frac{172974204}{2401} \gamma \log(3) + \frac{172974204}{2401} \log(2) \log(3) + \frac{8444201092138671875}{11699027003664} \log(5), \\
c_{15}^{\ln^3} = & - \frac{10005212135393611353494}{143952871334146875} + \frac{161045632}{19845} \gamma + \frac{1537620535168}{364651875} \log(2) + \frac{28829034}{2401} \log(3), \\
c_{15}^{\ln^4} = & \frac{20130704}{19845}, \\
c_{15.5} = & - \frac{1508005897306749279377}{4429319117973750} \pi \zeta(3) - \frac{1283923466752}{17364375} \gamma \pi \zeta(3) + \frac{1199284736}{496125} \pi^3 \zeta(3) - \frac{1199284736}{165375} \pi \zeta(5) \\
& - \frac{8153886208}{55125} \pi \zeta(3) \log(2) + \frac{779612205571117022922409376424392382255594071444353}{130523323468423511462943301645984934400000000} \pi \\
& - \frac{43082431573686856939354806044793791281}{26566409892302803426054557656250} \gamma \pi - \frac{8415108861094479758422851}{1995186796691275687500} \gamma^2 \pi + \frac{68689905471232}{5469778125} \gamma^3 \pi
\end{aligned}$$

$$\begin{aligned}
& + \frac{34381109015313971640177957662077}{2921485520168478613350000} \pi^3 - \frac{1246004849001920813251}{9491398109943750} \gamma \pi^3 - \frac{641961733376}{52093125} \gamma^2 \pi^3 - \frac{22951877908904377}{1053546243750} \pi^5 \\
& - \frac{11999284736}{7441875} \gamma \pi^5 - \frac{224285696}{1488375} \pi^7 + \frac{183251379471616}{1823259375} \pi \log^3(2) + \frac{627254843717873122186935127}{181380617881025062500} \pi \log^2(2) \\
& + \frac{274860291018496}{1823259375} \gamma \pi \log^2(2) - \frac{2568787766528}{52093125} \pi^3 \log^2(2) - \frac{583328456918180289}{501501500500} \pi \log^2(3) - \frac{112766093017578125}{562781182392} \pi \log^2(5) \\
& - \frac{10173346862422521467785355165507761051}{759040282637222955030130218750} \pi \log(2) + \frac{43760718399005726327840159}{28502668524161081250} \gamma \pi \log(2) + \frac{436232912128}{5788125} \gamma^2 \pi \log(2) \\
& - \frac{2944607001937078417447}{1898279621988750} \pi^3 \log(2) - \frac{8153886208}{165375} \gamma \pi^3 \log(2) - \frac{76204544}{23625} \pi^5 \log(2) \\
& + \frac{589479369334612694245627996671}{146645719347988460600000} \pi \log(3) - \frac{583328456918180289}{2507507502500} \gamma \pi \log(3) + \frac{101566096731423}{787286500} \pi^3 \log(3) \\
& - \frac{583328456918180289}{2507507502500} \pi \log(2) \log(3) + \frac{18853121167308673319472568359375}{74024499944811076757224128} \pi \log(5) - \frac{112766093017578125}{281390591196} \gamma \pi \log(5) \\
& + \frac{729405517578125}{1967766372} \pi^3 \log(5) - \frac{112766093017578125}{281390591196} \pi \log(2) \log(5) - \frac{772796753078822991388807511}{506196631701703800000} \pi \log(7), \\
c_{15.5}^{\ln} & = - \frac{641961733376}{17364375} \pi \zeta(3) - \frac{42809347996564065353898277062033791281}{53132819784605606852109115312500} \pi - \frac{84151108861094479758422851}{1995186796691275687500} \gamma \pi \\
& + \frac{34344952735616}{1823259375} \gamma^2 \pi - \frac{1246004849001920813251}{18982796219887500} \pi^3 - \frac{641961733376}{52093125} \gamma \pi^3 - \frac{5999642368}{7441875} \pi^5 \\
& + \frac{137430145509248}{1823259375} \pi \log^2(2) + \frac{43760718399005726327840159}{57005337048322162500} \pi \log(2) + \frac{436232912128}{5788125} \gamma \pi \log(2) \\
& - \frac{4076943104}{165375} \pi^3 \log(2) - \frac{583328456918180289}{501501500500} \pi \log(3) - \frac{112766093017578125}{562781182392} \pi \log(5), \\
c_{15.5}^{\ln^2} & = - \frac{84151108861094479758422851}{7980747186765102750000} \pi + \frac{17172476367808}{1823259375} \gamma \pi - \frac{160490433344}{52093125} \pi^3 + \frac{109058228032}{5788125} \pi \log(2), \\
c_{15.5}^{\ln^3} & = \frac{8586238183904}{5469778125} \pi. \tag{C1}
\end{aligned}$$

Appendix D: Post-Newtonian expansion coefficients for $\Delta\lambda_1$

In this Appendix, we give the analytic post-Newtonian expansion coefficients for the tidal invariant $\Delta\lambda_1$ (see [8] for a definition) up to order $y^{15.5}$. We have also computed higher order coefficients up to order $y^{21.5}$, but they are too long to give here; instead, we make them available electronically [19].

$$\begin{aligned}
c_3 & = 2, \quad c_4 = 2, \quad c_5 = -\frac{19}{4}, \quad c_6 = \frac{227}{3} - \frac{593}{256} \pi^2, \quad c_7 = -\frac{71779}{4800} + \frac{768}{5} \gamma - \frac{719}{256} \pi^2 + \frac{1536}{5} \log(2), \quad c_7^{\ln} = \frac{384}{5}, \\
c_8 & = \frac{35629703}{100800} - \frac{17152}{105} \gamma - \frac{1008787}{24576} \pi^2 - \frac{5248}{7} \log(2) + \frac{2916}{7} \log(3), \quad c_8^{\ln} = -\frac{8576}{105}, \quad c_{8.5} = \frac{27392}{175} \pi, \\
c_9 & = -\frac{6746904013}{7257600} - \frac{5435624}{2835} \gamma + \frac{4692901483}{7077888} \pi^2 + \frac{2193373}{1048576} \pi^4 + \frac{877432}{2835} \log(2) - \frac{20898}{7} \log(3), \quad c_9^{\ln} = -\frac{2717812}{2835}, \\
c_{9.5} & = -\frac{254116}{1225} \pi, \\
c_{10} & = \frac{12288}{5} \zeta(3) - \frac{1964481413350639}{48898080000} + \frac{58241403128}{5457375} \gamma - \frac{219136}{175} \gamma^2 + \frac{113134518813241}{19818086400} \pi^2 - \frac{6653357405}{67108864} \pi^4 - \frac{876544}{175} \log^2(2) \\
& + \frac{6396680456}{5457375} \log(2) - \frac{876544}{175} \gamma \log(2) + \frac{6028101}{1120} \log(3) + \frac{9765625}{3168} \log(5), \\
c_{10}^{\ln} & = \frac{29120701564}{5457375} - \frac{219136}{175} \gamma - \frac{438272}{175} \log(2), \\
c_{10}^{\ln^2} & = -\frac{54784}{175}, \\
c_{10.5} & = -\frac{5977039346}{3274425} \pi, \\
c_{11} & = \frac{84608}{15} \zeta(3) - \frac{125723025691048615381}{366148823040000} + \frac{169740444817}{4729725} \gamma + \frac{39488}{315} \gamma^2 + \frac{385259238999617}{15854469120} \pi^2 + \frac{40341026981537}{128849018880} \pi^4 \\
& + \frac{159488704}{11025} \log^2(2) - \frac{227448}{49} \log^2(3) + \frac{12895333428521}{165540375} \log(2) + \frac{36056192}{3675} \gamma \log(2) + \frac{7181878122}{111475} \log(3) \\
& - \frac{454896}{49} \gamma \log(3) - \frac{454896}{49} \log(2) \log(3) - \frac{460937500}{11583} \log(5) + \frac{141087744}{17875} \log(6), \\
c_{11}^{\ln} & = \frac{170466930577}{9459450} + \frac{39488}{315} \gamma + \frac{18028096}{3675} \log(2) - \frac{227448}{49} \log(3), \\
c_{11}^{\ln^2} & = \frac{9872}{315}, \\
c_{11.5} & = \frac{6426556598284309}{524431908000} \pi - \frac{46895104}{18375} \gamma \pi + \frac{438272}{525} \pi^3 - \frac{93790208}{18375} \pi \log(2), \\
c_{11.5}^{\ln} & = -\frac{23447552}{18375} \pi, \\
c_{12} & = -\frac{98859104}{2835} \zeta(3) + \frac{53498906883627790209411067}{8373457434101760000} - \frac{53837173715700527}{442489422375} \gamma + \frac{169954100048}{9823275} \gamma^2 + \frac{6912901078249843141}{73247647334400} \pi^2 \\
& - \frac{81298839706820631}{10995116277760} \pi^4 - \frac{34346418841}{402653184} \pi^6 - \frac{1124359929776}{9823275} \log^2(2) + \frac{1630044}{49} \log^2(3) + \frac{84315513161325592}{442489422375} \log(2) \\
& - \frac{60665220064}{1964655} \gamma \log(2) - \frac{831114908742429}{1569568000} \log(3) + \frac{3260088}{49} \gamma \log(3) + \frac{3260088}{49} \log(2) \log(3) + \frac{11660541015625}{62270208} \log(5) \\
& + \frac{678223072849}{34749000} \log(7), \\
c_{12}^{\ln} & = -\frac{53463358651678127}{884978844750} + \frac{169954100048}{9823275} \gamma - \frac{30332610032}{1964655} \log(2) + \frac{1630044}{49} \log(3),
\end{aligned}$$

$$\begin{aligned}
c_{12}^{\ln^2} &= \frac{42488525012}{9823275}, \\
c_{12.5} &= \frac{425532494729325719}{14913532383750} \pi + \frac{427856752}{385875} \gamma \pi + \frac{16089104}{11025} \pi^3 + \frac{12561842768}{1157625} \pi \log(2) - \frac{2956824}{343} \pi \log(3), \\
c_{12.5}^{\ln} &= \frac{213928376}{385875} \pi, \\
c_{13} &= -\frac{2741094064}{5457375} \zeta(3) - \frac{7012352}{175} \gamma \zeta(3) - \frac{196608}{5} \zeta(5) - \frac{14024704}{175} \zeta(3) \log(2) + \frac{7136461453195733401088281131391999}{74095385081177017958400000} \\
&\quad - \frac{687851821144842957070451}{3011937000222150000} \gamma - \frac{3262516308400408}{49165491375} \gamma^2 + \frac{375160832}{55125} \gamma^3 + \frac{135867325661033176542256997}{234626863941550080000} \pi^2 - \frac{93790208}{11025} \gamma \pi^2 \\
&\quad - \frac{2398144603191276475096543}{2216615441596416000} \pi^4 + \frac{26783373945301}{51539607552} \pi^6 + \frac{3001286656}{55125} \log^3(2) + \frac{45668551753654888}{49165491375} \log^2(2) \\
&\quad + \frac{1500643328}{18375} \gamma \log^2(2) - \frac{1838920374351}{30830800} \log^2(3) - \frac{37744140625}{679536} \log^2(5) - \frac{11473878894172613656733927}{3011937000222150000} \log(2) \\
&\quad + \frac{14968695808903888}{49165491375} \gamma \log(2) + \frac{750321664}{18375} \gamma^2 \log(2) - \frac{187580416}{11025} \pi^2 \log(2) + \frac{54375724615556984499}{41971817888000} \log(3) \\
&\quad - \frac{1838920374351}{15415400} \gamma \log(3) - \frac{1838920374351}{15415400} \log(2) \log(3) + \frac{7781157422615234375}{11656173424896} \log(5) - \frac{37744140625}{339768} \gamma \log(5) \\
&\quad - \frac{37744140625}{339768} \log(2) \log(5) - \frac{3367765112736913}{9451728000} \log(7), \\
c_{13}^{\ln} &= -\frac{3506176}{175} \zeta(3) - \frac{672169095461400539470451}{6023874000444300000} - \frac{3262516308400408}{49165491375} \gamma + \frac{187580416}{18375} \gamma^2 - \frac{46895104}{11025} \pi^2 + \frac{750321664}{18375} \log^2(2) \\
&\quad + \frac{7484347904451944}{49165491375} \log(2) + \frac{750321664}{18375} \gamma \log(2) - \frac{1838920374351}{30830800} \log(3) - \frac{37744140625}{679536} \log(5), \\
c_{13}^{\ln^2} &= -\frac{815629077100102}{49165491375} + \frac{93790208}{18375} \gamma + \frac{187580416}{18375} \log(2), \\
c_{13}^{\ln^3} &= \frac{46895104}{55125}, \\
c_{13.5} &= -\frac{425577146707570254105031}{3212732800236960000} \pi + \frac{928193260264}{28014525} \gamma \pi - \frac{30834184}{2695} \pi^3 - \frac{80246336987576}{3094331625} \pi \log(2) + \frac{21190572}{343} \pi \log(3), \\
c_{13.5}^{\ln} &= \frac{464096630132}{28014525} \pi, \\
c_{14} &= \frac{100736677024996}{70945875} \zeta(3) - \frac{285620224}{1575} \gamma \zeta(3) - \frac{5848064}{15} \zeta(5) - \frac{104290304}{3675} \zeta(3) \log(2) - \frac{16376256}{49} \zeta(3) \log(3) \\
&\quad + \frac{14782927091165826490177755897290448751}{17157712607860053220992000000} + \frac{667577042987116745835126713}{247982813018290350000} \gamma - \frac{467801606965920698}{1065252313125} \gamma^2 + \frac{4226696704}{496125} \gamma^3 \\
&\quad - \frac{4755450053701762012976804979}{878442978597163499520000} \pi^2 - \frac{1056674176}{99225} \gamma \pi^2 - \frac{1052166887485742964118830609}{1276770494359535616000} \pi^4 - \frac{5695388196662513281}{103903848824832} \pi^6 \\
&\quad - \frac{28666494464}{165375} \log^3(2) + \frac{11827296}{343} \log^3(3) - \frac{9125991752151527542}{2033663506875} \log^2(2) - \frac{48218332672}{231525} \gamma \log^2(2) \\
&\quad + \frac{35481888}{343} \log^2(2) \log(3) - \frac{5598682936438608}{6137256125} \log^2(3) + \frac{35481888}{343} \gamma \log^2(3) + \frac{35481888}{343} \log(2) \log^2(3) \\
&\quad + \frac{3563046875000}{4969107} \log^2(5) + \frac{78947326245948789380775445087}{5207639073384097350000} \log(2) - \frac{63277612176600694372}{22370298575625} \gamma \log(2) - \frac{6737700352}{128625} \gamma^2 \log(2) \\
&\quad + \frac{1684425088}{77175} \pi^2 \log(2) + \frac{596058807449014872782742513}{81277585903754240000} \log(3) - \frac{11197365872877216}{6137256125} \gamma \log(3) + \frac{35481888}{343} \gamma^2 \log(3) \\
&\quad - \frac{14784120}{343} \pi^2 \log(3) - \frac{1329027049698832}{6137256125} \log(2) \log(3) + \frac{70963776}{343} \gamma \log(2) \log(3) - \frac{1298204231280352501953125}{103646694094175232} \log(5) \\
&\quad + \frac{7126093750000}{4969107} \gamma \log(5) + \frac{7126093750000}{4969107} \log(2) \log(5) + \frac{21396604377170305829}{81497954304000} \log(7), \\
c_{14}^{\ln} &= -\frac{142810112}{1575} \zeta(3) + \frac{674213554413595385800585913}{495965626036580700000} - \frac{467801606965920698}{1065252313125} \gamma + \frac{2113348352}{165375} \gamma^2 - \frac{528337088}{99225} \pi^2 \\
&\quad - \frac{24109166336}{231525} \log^2(2) + \frac{17740944}{343} \log^2(3) - \frac{31666818304007022386}{22370298575625} \log(2) - \frac{6737700352}{128625} \gamma \log(2) \\
&\quad - \frac{5598682936438608}{6137256125} \log(3) + \frac{35481888}{343} \gamma \log(3) + \frac{35481888}{343} \log(2) \log(3) + \frac{3563046875000}{4969107} \log(5), \\
c_{14}^{\ln^2} &= -\frac{235234718516611549}{2130504626250} + \frac{1056674176}{165375} \gamma - \frac{1684425088}{128625} \log(2) + \frac{8870472}{343} \log(3), \\
c_{14}^{\ln^3} &= \frac{528337088}{496125}, \\
c_{14.5} &= -\frac{750321664}{18375} \pi \zeta(3) - \frac{9637041144752939728799097230831}{233718841613478289068000000} \pi - \frac{4846441673897531348153}{29528794119825000} \gamma \pi + \frac{40142209024}{1929375} \gamma^2 \pi \\
&\quad + \frac{9374390487730897}{1966619655000} \pi^3 - \frac{750321664}{55125} \gamma \pi^3 - \frac{7012352}{7875} \pi^5 + \frac{160568836096}{1929375} \pi \log^2(2) + \frac{16831992759911954495957}{88586382359475000} \pi \log(2) \\
&\quad + \frac{160568836096}{1929375} \gamma \pi \log(2) - \frac{1500643328}{55125} \pi^3 \log(2) - \frac{17024692325983821}{154308154000} \pi \log(3) - \frac{29176220703125}{291520944} \pi \log(5), \\
c_{14.5}^{\ln} &= -\frac{4846441673897531348153}{59057588239650000} \pi + \frac{40142209024}{1929375} \gamma \pi - \frac{375160832}{55125} \pi^3 + \frac{80284418048}{1929375} \pi \log(2), \\
c_{14.5}^{\ln^2} &= \frac{10035552256}{1929375} \pi, \\
c_{15} &= \frac{821662588800605947}{189638323875} \zeta(3) + \frac{384897840256}{1403325} \gamma \zeta(3) - \frac{341588608}{405} \zeta(5) - \frac{39225871528064}{9823275} \zeta(3) \log(2) + \frac{117363168}{49} \zeta(3) \log(3) \\
&\quad - \frac{18422245917662946965713688497238514272871305051}{1131032022735707096154168066048000000} + \frac{195356603278656058756665560679851}{22537174012728263588700000} \gamma + \frac{27824356547133741211189}{96812260721426250} \gamma^2 \\
&\quad - \frac{1307323995299008}{14587563375} \gamma^3 + \frac{1271505627196870617621895639332984239}{2419231963056588277678080000} \pi^2 + \frac{326830998824752}{2917512675} \gamma \pi^2 \\
&\quad + \frac{632727847482480999735886759645493}{19415082845428842391142400} \pi^4 + \frac{96600643595949949145287}{11821949021847552} \pi^6 + \frac{47849384934497471}{9895604649984} \pi^8 \\
&\quad + \frac{83625371578984384}{20422588725} \log^3(2) - \frac{84762288}{343} \log^3(3) - \frac{12693821815837334753855293}{677685825049983750} \log^2(2) + \frac{121913594374637248}{34037647875} \gamma \log^2(2) \\
&\quad - \frac{254286864}{343} \log^2(2) \log(3) + \frac{2903575106583115821}{395108560000} \log^2(3) - \frac{254286864}{343} \gamma \log^2(3) - \frac{254286864}{343} \log(2) \log^2(3)
\end{aligned}$$

$$\begin{aligned}
& - \frac{5359327017958984375}{1589478194304} \log^2(5) - \frac{14180966230199741}{28798233750} \log^2(7) + \frac{23991851361324447286645878839586053}{631040872356391380483600000} \log(2) \\
& - \frac{2528027615481223322081309}{338842912524991875} \gamma \log(2) + \frac{23495190959122112}{34037647875} \gamma^2 \log(2) - \frac{5873797739780528}{20422588725} \pi^2 \log(2) \\
& - \frac{45919835559509188340293117947}{531430369370700800000} \log(3) + \frac{2903575106583115821}{197554280000} \gamma \log(3) - \frac{254286864}{343} \gamma^2 \log(3) + \frac{105952860}{343} \pi^2 \log(3) \\
& + \frac{51416702942634990153}{2568205640000} \log(2) \log(3) - \frac{508573728}{343} \gamma \log(2) \log(3) + \frac{75097296400459024163587890625}{1332067312498340081664} \log(5) \\
& - \frac{5359327017958984375}{794739097152} \gamma \log(5) - \frac{5359327017958984375}{794739097152} \log(2) \log(5) + \frac{439852610132865166823002613}{294210467465840640000} \log(7) \\
& - \frac{14180966230199741}{14399116875} \gamma \log(7) - \frac{14180966230199741}{14399116875} \log(2) \log(7), \\
c_{15}^{\ln} & = \frac{192448920128}{1403325} \zeta(3) + \frac{198076227935385570494604925311851}{45074348025456527177400000} + \frac{27316781481642589953589}{96812260721426250} \gamma - \frac{653661997649504}{4862521125} \gamma^2 \\
& + \frac{163415499412376}{2917512675} \pi^2 + \frac{60956797187318624}{34037647875} \log^2(2) - \frac{127143432}{343} \log^2(3) - \frac{2539376676711189532231709}{677685825049983750} \log(2) \\
& + \frac{23495190959122112}{34037647875} \gamma \log(2) + \frac{2903575106583115821}{395108560000} \log(3) - \frac{254286864}{343} \gamma \log(3) - \frac{254286864}{343} \log(2) \log(3) \\
& - \frac{5359327017958984375}{1589478194304} \log(5) - \frac{14180966230199741}{28798233750} \log(7), \\
c_{15}^{\ln^2} & = \frac{25596917755268555111989}{387249042885705000} - \frac{326830998824752}{4862521125} \gamma + \frac{5873797739780528}{34037647875} \log(2) - \frac{63571716}{343} \log(3), \\
c_{15}^{\ln^3} & = - \frac{163415499412376}{14587563375}, \\
c_{15.5} & = - \frac{19873715648}{128625} \pi \zeta(3) + \frac{22009514064102963901282098495898331237}{862079737919368451836953600000} \pi - \frac{83840515418574757567694}{111963344371003125} \gamma \pi + \frac{674951603104}{40516875} \gamma^2 \pi \\
& + \frac{3153187507668059882}{7456766191875} \pi^3 - \frac{19873715648}{385875} \gamma \pi^3 - \frac{1280364352}{165375} \pi^5 - \frac{8979249667168}{40516875} \pi \log^2(2) + \frac{230632272}{2401} \pi \log^2(3) \\
& - \frac{343304287588063111961138}{143952871334146875} \pi \log(2) - \frac{435962654912}{3472875} \gamma \pi \log(2) + \frac{45397696}{99225} \pi^3 \log(2) - \frac{2122714909893642552}{1228678676225} \pi \log(3) \\
& + \frac{461264544}{2401} \gamma \pi \log(3) - \frac{35481888}{343} \pi^3 \log(3) + \frac{461264544}{2401} \pi \log(2) \log(3) + \frac{2754235234375000}{2131746903} \pi \log(5), \\
c_{15.5}^{\ln} & = - \frac{41920257709287378783847}{111963344371003125} \pi + \frac{674951603104}{40516875} \gamma \pi - \frac{9936857824}{385875} \pi^3 - \frac{217981327456}{3472875} \pi \log(2) + \frac{230632272}{2401} \pi \log(3), \\
c_{15.5}^{\ln^2} & = \frac{168737900776}{40516875} \pi. \tag{D1}
\end{aligned}$$

Appendix E: Post-Newtonian expansion coefficients for $\Delta\lambda_2$

In this Appendix, we give the analytic post-Newtonian expansion coefficients for the tidal invariant $\Delta\lambda_2$ (see [8] for a definition) up to order $y^{15.5}$. We have also computed higher order coefficients up to order $y^{21.5}$, but they are too long to give here; instead, we make them available electronically [19].

$$\begin{aligned}
c_3 & = -1, \quad c_4 = -\frac{3}{2}, \quad c_5 = -\frac{23}{8}, \quad c_6 = \frac{1249}{1024} \pi^2 - \frac{2593}{48}, \quad c_7 = -\frac{362051}{3200} - \frac{256}{5} \gamma + \frac{1737}{1024} \pi^2 - \frac{512}{5} \log(2), \\
c_7^{\ln} & = -\frac{128}{5}, \quad c_8 = \frac{917879}{1280} + \frac{176}{7} \gamma - \frac{7637151}{65536} \pi^2 + \frac{16592}{105} \log(2) - \frac{729}{7} \log(3), \quad c_8^{\ln} = \frac{88}{7}, \quad c_{8.5} = -\frac{27392}{525} \pi, \\
c_9 & = \frac{35725395527}{2903040} + \frac{1193824}{2835} \gamma - \frac{2432795735}{14155776} \pi^2 + \frac{29225393}{2097152} \pi^4 + \frac{2368}{405} \log(2) + \frac{1215}{2} \log(3), \quad c_9^{\ln} = \frac{596912}{2835}, \quad c_{9.5} = \frac{58087}{1575} \pi, \\
c_{10} & = -\frac{4096}{5} \zeta(3) + \frac{14160351233504683}{130394880000} - \frac{6572909192}{1819125} \gamma + \frac{219136}{525} \gamma^2 - \frac{282633370752961}{26424115200} \pi^2 - \frac{56292563931}{536870912} \pi^4 + \frac{876544}{525} \log^2(2) \\
& - \frac{7034284984}{1819125} \log(2) + \frac{876544}{525} \gamma \log(2) - \frac{2838483}{3520} \log(3) - \frac{9765625}{19008} \log(5), \\
c_{10}^{\ln} & = -\frac{3286454596}{1819125} + \frac{219136}{525} \gamma + \frac{438272}{525} \log(2), \\
c_{10}^{\ln^2} & = \frac{54784}{525}, \\
c_{10.5} & = \frac{2672297839}{6548850} \pi, \\
c_{11} & = -\frac{57312}{35} \zeta(3) - \frac{4696484502278412099877}{5126083522560000} - \frac{4893706340371}{496621125} \gamma + \frac{931408}{11025} \gamma^2 - \frac{47818652586050411}{1109812838400} \pi^2 + \frac{1179941921594993}{85899345920} \pi^4 \\
& - \frac{34897328}{11025} \log^2(2) + \frac{56862}{49} \log^2(3) - \frac{361932668021}{23648625} \log(2) - \frac{3146144}{1575} \gamma \log(2) - \frac{13359835171323}{784784000} \log(3) \\
& + \frac{113724}{49} \gamma \log(3) + \frac{113724}{49} \log(2) \log(3) + \frac{8826171875}{1482624} \log(5), \\
c_{11}^{\ln} & = -\frac{4919133341971}{993242250} + \frac{931408}{11025} \gamma - \frac{1573072}{1575} \log(2) + \frac{56862}{49} \log(3), \\
c_{11}^{\ln^2} & = \frac{232852}{11025}, \\
c_{11.5} & = -\frac{1425524472919397}{349621272000} \pi + \frac{46895104}{55125} \gamma \pi - \frac{438272}{1575} \pi^3 + \frac{93790208}{55125} \pi \log(2), \\
c_{11.5}^{\ln} & = \frac{23447552}{55125} \pi, \\
c_{12} & = \frac{4433552}{567} \zeta(3) - \frac{100903879415147484641886367}{3044893612400640000} + \frac{341935703082793}{12872419560} \gamma - \frac{3437020472}{893025} \gamma^2 - \frac{18276670153689478799}{106542032486400} \pi^2 \\
& + \frac{145187213724599353117}{395824185999360} \pi^4 - \frac{3328032926399}{3221225472} \pi^6 + \frac{42570053816}{1964655} \log^2(2) - \frac{47385}{7} \log^2(3) - \frac{1564401033343}{31755240} \log(2)
\end{aligned}$$

$$\begin{aligned}
& + \frac{6794600272}{1403325} \gamma \log(2) + \frac{471959547237}{4928000} \log(3) - \frac{94770}{7} \gamma \log(3) - \frac{94770}{7} \log(2) \log(3) - \frac{341119140625}{13837824} \log(5) \\
& - \frac{678223072849}{277992000} \log(7), \\
c_{12}^{\ln} &= \frac{336663160031017}{25744839120} - \frac{3437020472}{893025} \gamma + \frac{3397300136}{1403325} \log(2) - \frac{47385}{7} \log(3), \\
c_{12}^{\ln^2} &= - \frac{859255118}{893025}, \\
c_{12.5} &= - \frac{2608988253558091529}{318155357520000} \pi - \frac{1940124}{42875} \gamma \pi - \frac{14576396}{33075} \pi^3 - \frac{2608166516}{1157625} \pi \log(2) + \frac{739206}{343} \pi \log(3), \\
c_{12.5}^{\ln} &= - \frac{970062}{42875} \pi, \\
c_{13} &= - \frac{49988601004}{1819125} \zeta(3) + \frac{7012352}{525} \gamma \zeta(3) + \frac{65536}{5} \zeta(5) + \frac{14024704}{525} \zeta(3) \log(2) - \frac{19849728645586798963670301395715143}{49396923387451345305600000} \\
& - \frac{1625662377940787050427}{55776611115225000} \gamma + \frac{144072014504954}{5462832375} \gamma^2 - \frac{375160832}{165375} \gamma^3 + \frac{316372978729180099591649107}{469253727883100160000} \pi^2 + \frac{93790208}{33075} \gamma \pi^2 \\
& + \frac{49196714267884383672303691}{13299692649578496000} \pi^4 + \frac{1224709581058837}{34359738368} \pi^6 - \frac{3001286656}{165375} \log^3(2) - \frac{1575142519778962}{16388497125} \log^2(2) \\
& - \frac{1500643328}{55125} \gamma \log^2(2) + \frac{77840476011}{8808800} \log^2(3) + \frac{37744140625}{4077216} \log^2(5) + \frac{267827958591244578422639}{501989500037025000} \log(2) \\
& + \frac{169787211215068}{16388497125} \gamma \log(2) - \frac{750321664}{55125} \gamma^2 \log(2) + \frac{187580416}{33075} \pi^2 \log(2) - \frac{27023001987617566479}{167887271552000} \log(3) \\
& + \frac{77840476011}{4404400} \gamma \log(3) + \frac{77840476011}{4404400} \log(2) \log(3) - \frac{18234546953814453125}{139874081098752} \log(5) + \frac{37744140625}{2038608} \gamma \log(5) \\
& + \frac{37744140625}{2038608} \log(2) \log(5) + \frac{43503165672743}{1050192000} \log(7), \\
c_{13}^{\ln} &= \frac{3506176}{525} \zeta(3) - \frac{1776762811069392010427}{111553222230450000} + \frac{144072014504954}{5462832375} \gamma - \frac{187580416}{55125} \gamma^2 + \frac{46895104}{33075} \pi^2 - \frac{750321664}{55125} \log^2(2) \\
& + \frac{84893605607534}{16388497125} \log(2) - \frac{750321664}{55125} \gamma \log(2) + \frac{77840476011}{8808800} \log(3) + \frac{37744140625}{4077216} \log(5), \\
c_{13}^{\ln^2} &= \frac{72036007252477}{10925664750} - \frac{93790208}{55125} \gamma - \frac{187580416}{55125} \log(2), \\
c_{13}^{\ln^3} &= - \frac{46895104}{165375}, \\
c_{13.5} &= \frac{336629234198810065383583}{1156583808053056000} \pi - \frac{84454061934086}{11345882625} \gamma \pi + \frac{25421917126}{9823275} \pi^3 + \frac{731692656242}{194500845} \pi \log(2) - \frac{616005}{49} \pi \log(3), \\
c_{13.5}^{\ln} &= - \frac{42227030967043}{11345882625} \pi, \\
c_{14} &= - \frac{198044268661346}{496621125} \zeta(3) + \frac{539634176}{11025} \gamma \zeta(3) + \frac{707072}{7} \zeta(5) + \frac{157460992}{11025} \zeta(3) \log(2) + \frac{4094064}{49} \zeta(3) \log(3) \\
& + \frac{1587976079797604814918786653278459573361}{85407280536903376033824000000} - \frac{8723412958458566087930441177}{10415278146768194700000} \gamma + \frac{2661520081340964401}{22370298575625} \gamma^2 - \frac{9525895936}{3472875} \gamma^3 \\
& - \frac{334704305890999854905574053879033}{3513771914388653998080000} \pi^2 + \frac{2381473984}{694575} \gamma \pi^2 + \frac{240872323127917332868816475237}{47666098456089329664000} \pi^4 \\
& - \frac{203477240692779353935}{138538465099776} \pi^6 + \frac{44532653824}{1157625} \log^3(2) - \frac{2956824}{343} \log^3(3) + \frac{4868496539064319883}{7456766191875} \log^2(2) \\
& + \frac{5181290096}{1157625} \gamma \log^2(2) - \frac{8870472}{343} \log^2(2) \log(3) + \frac{81604845977535927}{392784392000} \log^2(3) \\
& - \frac{8870472}{343} \gamma \log^2(3) - \frac{8870472}{343} \log(2) \log^2(3) - \frac{34113154296875}{318022848} \log^2(5) - \frac{13970634868229722249737557}{5063334052877100000} \log(2) \\
& + \frac{987397297378547014}{2033663506875} \gamma \log(2) + \frac{3640123136}{385875} \gamma^2 \log(2) - \frac{910030784}{231525} \pi^2 \log(2) - \frac{15913308806292853013647257}{9562068929853440000} \log(3) \\
& + \frac{81604845977535927}{196392196000} \gamma \log(3) - \frac{8870472}{343} \gamma^2 \log(3) + \frac{3696030}{343} \pi^2 \log(3) + \frac{91172409973474743}{196392196000} \log(2) \log(3) \\
& - \frac{17740944}{343} \gamma \log(2) \log(3) + \frac{774882301042051373046875}{414586776376700928} \log(5) - \frac{34113154296875}{159011424} \gamma \log(5) \\
& - \frac{34113154296875}{159011424} \log(2) \log(5) - \frac{504631202715118986059}{1792954994688000} \log(7), \\
c_{14}^{\ln} &= \frac{269817088}{11025} \zeta(3) - \frac{8873669383459120101460629977}{20830556293536389400000} + \frac{2661520081340964401}{22370298575625} \gamma - \frac{4762947968}{1157625} \gamma^2 + \frac{1190736992}{694575} \pi^2 \\
& + \frac{25906450048}{1157625} \log^2(2) - \frac{4435236}{343} \log^2(3) + \frac{494547503710687907}{2033663506875} \log(2) + \frac{3640123136}{385875} \gamma \log(2) \\
& + \frac{81604845977535927}{392784392000} \log(3) - \frac{8870472}{343} \gamma \log(3) - \frac{8870472}{343} \log(2) \log(3) - \frac{34113154296875}{318022848} \log(5), \\
c_{14}^{\ln^2} &= \frac{2680194891812081201}{89481194302500} - \frac{2381473984}{1157625} \gamma + \frac{910030784}{385875} \log(2) - \frac{2217618}{343} \log(3), \\
c_{14}^{\ln^3} &= - \frac{1190736992}{3472875}, \\
c_{14.5} &= \frac{750321664}{55125} \pi \zeta(3) - \frac{4247632379724880440936861021251}{54992668614936068016000000} \pi + \frac{3627715358766651040027}{59057588239650000} \gamma \pi - \frac{40142209024}{5788125} \gamma^2 \pi \\
& - \frac{12540743342866241}{1311079770000} \pi^3 + \frac{750321664}{165375} \gamma \pi^3 + \frac{7012352}{23625} \pi^5 - \frac{160568836096}{5788125} \pi \log^2(2) + \frac{239685078235585923331}{6561954248850000} \pi \log(2) \\
& - \frac{160568836096}{5788125} \gamma \pi \log(2) + \frac{1500643328}{165375} \pi^3 \log(2) + \frac{28590177065193}{1763521760} \pi \log(3) + \frac{29176220703125}{1749125664} \pi \log(5), \\
c_{14.5}^{\ln} &= \frac{3627715358766651040027}{118115176479300000} \pi - \frac{40142209024}{5788125} \gamma \pi + \frac{375160832}{165375} \pi^3 - \frac{80284418048}{5788125} \pi \log(2), \\
c_{14.5}^{\ln^2} &= - \frac{10035552256}{5788125} \pi, \\
c_{15} &= - \frac{3988878460574807099}{5309873068500} \zeta(3) - \frac{141597386368}{1964655} \gamma \zeta(3) + \frac{418238336}{2835} \zeta(5) + \frac{7588521025408}{9823275} \zeta(3) \log(2) - \frac{3411720}{7} \zeta(3) \log(3) \\
& + \frac{2414892567708773463979964883629243110584543483233}{15834448318299899346158352924672000000} - \frac{495857514022424850982475047313807}{315520436178195690241800000} \gamma
\end{aligned}$$

$$\begin{aligned}
& - \frac{253435635132530765761019}{2710743300199935000} \gamma^2 + \frac{416584131877696}{20422588725} \gamma^3 - \frac{725545905960663924782740410707463647}{172802283075470591267270000} \pi^2 - \frac{104146032969424}{4084517745} \gamma \pi^2 \\
& - \frac{695532337186146671394101506426105447}{1359055799180018967379968000} \pi^4 - \frac{1972817957393892394411583}{30399297484750848} \pi^6 + \frac{2451925837282700461}{19791209299968} \pi^8 \\
& - \frac{11744910335224384}{14587563375} \log^3(2) + \frac{2464020}{49} \log^3(3) + \frac{12426993372195597130915781}{2710743300199935000} \log^2(2) \\
& - \frac{23633623737624512}{34037647875} \gamma \log^2(2) + \frac{7392060}{49} \log^2(2) \log(3) - \frac{24210899307284295303}{19078099040000} \log^2(3) + \frac{7392060}{49} \gamma \log^2(3) \\
& + \frac{7392060}{49} \log(2) \log^2(3) + \frac{1409258865224609375}{3178956388608} \log^2(5) + \frac{14180966230199741}{230385870000} \log^2(7) \\
& - \frac{5847778524718005712851407467454953}{631040872356391380483600000} \log(2) + \frac{2631218093161754315652421}{1355371650099967500} \gamma \log(2) - \frac{4280895102076864}{34037647875} \gamma^2 \log(2) \\
& + \frac{1070223775519216}{20422588725} \pi^2 \log(2) + \frac{51234996291683954427554286951}{394776845818234880000} \log(3) - \frac{24210899307284295303}{9539049520000} \gamma \log(3) \\
& + \frac{7392060}{49} \gamma^2 \log(3) - \frac{3080025}{49} \pi^2 \log(3) - \frac{30860681711808573063}{9539049520000} \log(2) \log(3) + \frac{14784120}{49} \gamma \log(2) \log(3) \\
& - \frac{19411060079856302297634765625}{2664134624996680163328} \log(5) + \frac{1409258865224609375}{1589478194304} \gamma \log(5) + \frac{1409258865224609375}{1589478194304} \log(2) \log(5) \\
& - \frac{529932652475491438929787129}{1176841869863362560000} \log(7) + \frac{14180966230199741}{115192935000} \gamma \log(7) + \frac{14180966230199741}{115192935000} \log(2) \log(7), \\
c_{15}^{\ln} & = - \frac{70798693184}{1964655} \zeta(3) - \frac{517442198628498393725473546203407}{631040872356391380483600000} - \frac{248698267854613354023419}{2710743300199935000} \gamma + \frac{208292065938848}{6807529575} \gamma^2 \\
& - \frac{52073016484712}{4084517745} \pi^2 - \frac{11816811868812256}{34037647875} \log^2(2) + \frac{3696030}{49} \log^2(3) + \frac{2647623077895636290282821}{2710743300199935000} \log(2) \\
& - \frac{4280895102076864}{34037647875} \gamma \log(2) - \frac{24210899307284295303}{19078099040000} \log(3) + \frac{7392060}{49} \gamma \log(3) + \frac{7392060}{49} \log(2) \log(3) \\
& + \frac{1409258865224609375}{3178956388608} \log(5) + \frac{14180966230199741}{230385870000} \log(7), \\
c_{15}^{\ln^2} & = - \frac{230100400220601639975419}{10842973200799740000} + \frac{104146032969424}{6807529575} \gamma - \frac{1070223775519216}{34037647875} \log(2) + \frac{1848015}{49} \log(3), \\
c_{15}^{\ln^3} & = \frac{52073016484712}{20422588725}, \\
c_{15.5} & = \frac{2331205552}{55125} \pi \zeta(3) - \frac{17814262485036076084068117543498025079}{22167764689355188761521664000000} \pi + \frac{95947094778906688806999}{4606491882692700000} \gamma \pi - \frac{104717532296}{17364375} \gamma^2 \pi \\
& - \frac{451479164965426159}{3787563780000} \pi^3 + \frac{2331205552}{165375} \gamma \pi^3 + \frac{142842128}{70875} \pi^5 + \frac{5830228449352}{121550625} \pi \log^2(2) - \frac{57658068}{2401} \pi \log^2(3) \\
& + \frac{4347734456755030650576587}{1074841059616300000} \pi \log(2) + \frac{323272814608}{13505625} \gamma \pi \log(2) + \frac{8062785904}{3472875} \pi^3 \log(2) + \frac{777809311580363643621}{1965885881960000} \pi \log(3) \\
& - \frac{115316136}{2401} \gamma \pi \log(3) + \frac{8870472}{343} \pi^3 \log(3) - \frac{115316136}{2401} \pi \log(2) \log(3) - \frac{26369468271484375}{136431801792} \pi \log(5), \\
c_{15.5}^{\ln} & = \frac{95947094778906688806999}{9212983765385400000} \pi - \frac{104717532296}{17364375} \gamma \pi + \frac{1165602776}{165375} \pi^3 + \frac{161636407304}{13505625} \pi \log(2) - \frac{57658068}{2401} \pi \log(3), \\
c_{15.5}^{\ln^2} & = - \frac{26179383074}{17364375} \pi. \tag{E1}
\end{aligned}$$

Appendix F: Post-Newtonian expansion coefficients for $\Delta\lambda_3$

In this Appendix, we give the analytic post-Newtonian expansion coefficients for the tidal invariant $\Delta\lambda_3$ (see [8] for a definition) up to order $y^{15.5}$. We have also computed higher order coefficients up to order $y^{21.5}$, but they are too long to give here; instead, we make them available electronically [19].

$$\begin{aligned}
c_3 & = -1, \quad c_4 = -\frac{1}{2}, \quad c_5 = \frac{61}{8}, \quad c_6 = \frac{1123}{1024} \pi^2 - \frac{1039}{48}, \quad c_7 = \frac{1229711}{9600} - \frac{512}{5} \gamma + \frac{1139}{1024} \pi^2 - \frac{1024}{5} \log(2), \quad c_7^{\ln} = -\frac{256}{5}, \\
c_8 & = -\frac{431650697}{403200} + \frac{14512}{105} \gamma + \frac{30981749}{196608} \pi^2 + \frac{62128}{105} \log(2) - \frac{2187}{7} \log(3), \quad c_8^{\ln} = \frac{7256}{105}, \quad c_{8.5} = -\frac{54784}{525} \pi, \\
c_9 & = -\frac{165133169609}{14515200} + \frac{848360}{567} \gamma + \frac{14942182769}{14155776} \pi^2 - \frac{33612139}{2097152} \pi^4 - \frac{894008}{2835} \log(2) + \frac{33291}{14} \log(3), \\
c_9^{\ln} & = \frac{424180}{567}, \quad c_{9.5} = \frac{376087}{2205} \pi, \\
c_{10} & = -\frac{8192}{5} \zeta(3) - \frac{26765202393708937}{391184640000} - \frac{38522675552}{5457375} \gamma + \frac{438272}{525} \gamma^2 + \frac{395362037005919}{79272345600} \pi^2 + \frac{109519423171}{536870912} \pi^4 + \frac{1753088}{525} \log^2(2) \\
& + \frac{14706174496}{5457375} \log(2) + \frac{1753088}{525} \gamma \log(2) - \frac{112748841}{24640} \log(3) - \frac{48828125}{19008} \log(5), \\
c_{10}^{\ln} & = -\frac{19261337776}{5457375} + \frac{438272}{525} \gamma + \frac{876544}{525} \log(2), \\
c_{10}^{\ln^2} & = \frac{109568}{525}, \\
c_{10.5} & = \frac{3093926951}{2182950} \pi, \\
c_{10.5}^{\ln} & = -\frac{84064}{21} \zeta(3) + \frac{195654753392517961067}{155335864320000} - \frac{12929040365414}{496621125} \gamma - \frac{2313488}{11025} \gamma^2 + \frac{2316722872897469}{123312537600} \pi^2 - \frac{3620507818748053}{25769037760} \pi^4 \\
& - \frac{17798768}{1575} \log^2(2) + \frac{170586}{49} \log^2(3) - \frac{3889472783186}{55180125} \log(2) - \frac{86145568}{11025} \gamma \log(2) - \frac{43394903120133}{784784000} \log(3) \\
& + \frac{341172}{49} \gamma \log(3) + \frac{341172}{49} \log(2) \log(3) + \frac{16724609375}{494208} \log(5), \\
c_{11}^{\ln} & = -\frac{6489947184307}{496621125} - \frac{2313488}{11025} \gamma - \frac{43072784}{11025} \log(2) + \frac{170586}{49} \log(3),
\end{aligned}$$

$$\begin{aligned}
c_{11}^{\ln^2} &= -\frac{578372}{11025}, \\
c_{11.5} &= -\frac{8576539777810427}{1048863816000}\pi + \frac{93790208}{55125}\gamma\pi - \frac{876544}{1575}\pi^3 + \frac{187580416}{55125}\pi\log(2), \\
c_{11.5}^{\ln} &= \frac{46895104}{55125}\pi, \\
c_{12} &= \frac{76691344}{2835}\zeta(3) + \frac{89594704603211170223105769}{33493829736407040000} + \frac{336665071377836141}{3539915379000}\gamma - \frac{132146874856}{9823275}\gamma^2 + \frac{30145651479528925511}{390654119116800}\pi^2 \\
&\quad - \frac{115919631551153810401}{395824185999360}\pi^4 + \frac{3602804277127}{3221225472}\pi^6 + \frac{911509660696}{9823275}\log^2(2) - \frac{1298349}{49}\log^2(3) - \frac{500132500098693811}{3539915379000}\log(2) \\
&\quad + \frac{255763898416}{9823275}\gamma\log(2) + \frac{1361591585894889}{3139136000}\log(3) - \frac{2596698}{49}\gamma\log(3) - \frac{2596698}{49}\log(2)\log(3) \\
&\quad - \frac{20251009765625}{124540416}\log(5) - \frac{4747561509943}{277992000}\log(7), \\
c_{12}^{\ln} &= \frac{335124500204895341}{7079830758000} - \frac{132146874856}{9823275}\gamma + \frac{127881949208}{9823275}\log(2) - \frac{1298349}{49}\log(3), \\
c_{12}^{\ln^2} &= -\frac{33036718714}{9823275}, \\
c_{12.5} &= -\frac{2772444986000367347}{136352296080000}\pi - \frac{58627948}{55125}\gamma\pi - \frac{4812988}{4725}\pi^3 - \frac{368654676}{42875}\pi\log(2) + \frac{2217618}{343}\pi\log(3), \\
c_{12.5}^{\ln} &= -\frac{29313974}{55125}\pi, \\
c_{13} &= \frac{152706897076}{5457375}\zeta(3) + \frac{14024704}{525}\gamma\zeta(3) + \frac{131072}{5}\zeta(5) + \frac{28049408}{525}\zeta(3)\log(2) + \frac{45276263030368930088834341924361431}{148190770162354035916800000} \\
&\quad + \frac{77563758955364545793509}{3011937000222150000}\gamma + \frac{1965868177855822}{49165491375}\gamma^2 - \frac{750321664}{165375}\gamma^3 - \frac{588107630051246452676163101}{469253727883100160000}\pi^2 + \frac{187580416}{33075}\gamma\pi^2 \\
&\quad - \frac{34807846648736724821724433}{1329962649578496000}\pi^4 - \frac{4209796222167113}{103079215104}\pi^6 - \frac{6002573312}{165375}\log^3(2) - \frac{40943124194318002}{49165491375}\log^2(2) \\
&\quad - \frac{3001286656}{55125}\gamma\log^2(2) + \frac{125318296665}{2466464}\log^2(3) + \frac{188720703125}{4077216}\log^2(5) + \frac{9866911142625146186198093}{3011937000222150000}\log(2) \\
&\quad - \frac{15478057442549092}{49165491375}\gamma\log(2) - \frac{1500643328}{55125}\gamma^2\log(2) + \frac{375160832}{33075}\pi^2\log(2) - \frac{1600671398946305643}{1410817408000}\log(3) \\
&\quad + \frac{125318296665}{1233232}\gamma\log(3) + \frac{125318296665}{1233232}\log(2)\log(3) - \frac{75139342117568359375}{139874081098752}\log(5) + \frac{188720703125}{2038608}\gamma\log(5) \\
&\quad + \frac{188720703125}{2038608}\log(2)\log(5) + \frac{1488118310841113}{4725864000}\log(7), \\
c_{13}^{\ln} &= \frac{7012352}{525}\zeta(3) + \frac{768114287259147708033509}{6023874000444300000} + \frac{1965868177855822}{49165491375}\gamma - \frac{375160832}{55125}\gamma^2 + \frac{93790208}{33075}\pi^2 - \frac{1500643328}{55125}\log^2(2) \\
&\quad - \frac{7739028721274546}{49165491375}\log(2) - \frac{1500643328}{55125}\gamma\log(2) + \frac{125318296665}{2466464}\log(3) + \frac{188720703125}{4077216}\log(5), \\
c_{13}^{\ln^2} &= \frac{982934088927911}{98330982750}\gamma - \frac{187580416}{55125}\gamma - \frac{375160832}{55125}\log(2), \\
c_{13}^{\ln^3} &= -\frac{93790208}{165375}, \\
c_{13.5} &= \frac{459787882287862634382511}{4448399261866560000}\pi - \frac{291464208472834}{11345882625}\gamma\pi + \frac{86968683554}{9823275}\pi^3 + \frac{754663492020986}{34037647875}\pi\log(2) - \frac{16878537}{343}\pi\log(3), \\
c_{13.5}^{\ln} &= -\frac{145732104236417}{11345882625}\pi, \\
c_{14} &= \frac{507112470513626}{496621125}\zeta(3) + \frac{1459707392}{11025}\gamma\zeta(3) + \frac{30330368}{105}\zeta(5) + \frac{31081984}{2205}\zeta(3)\log(2) + \frac{12282192}{49}\zeta(3)\log(3) \\
&\quad - \frac{2091453605020733601868714521492257200697}{7686655248321303843004416000000} - \frac{19314822847000337237144880769}{10415278146768194700000}\gamma + \frac{7162313664943370257}{22370298575625}\gamma^2 - \frac{247666432}{42875}\gamma^3 \\
&\quad + \frac{336606486091214661953625961098949}{35137719143886539980000}\pi^2 + \frac{61916608}{8575}\gamma\pi^2 + \frac{455832122014651213374859602497}{142998295368267988992000}\pi^4 + \frac{633213274864988114929}{415615395299328}\pi^6 \\
&\quad + \frac{156132807424}{1157625}\log^3(2) - \frac{8870472}{343}\log^3(3) + \frac{85780419656473843313}{22370298575625}\log^2(2) + \frac{21030973696}{128625}\gamma\log^2(2) \\
&\quad - \frac{26611416}{343}\log^2(2)\log(3) + \frac{55342172390906997}{78556878400}\log^2(3) - \frac{26611416}{343}\gamma\log^2(3) - \frac{26611416}{343}\log(2)\log^2(3) \\
&\quad - \frac{64640615234375}{106007616}\log^2(5) - \frac{5166282262717961603753629417}{41661125870727788000}\log(2) + \frac{52416241905436677218}{22370298575625}\gamma\log(2) + \frac{3314595584}{77175}\gamma^2\log(2) \\
&\quad - \frac{828648896}{46305}\pi^2\log(2) - \frac{921591365191051244333481657}{162555171807508480000}\log(3) + \frac{55342172390906997}{39278439200}\gamma\log(3) - \frac{26611416}{343}\gamma^2\log(3) \\
&\quad + \frac{11088090}{343}\pi^2\log(3) + \frac{334116245930167881}{196392196000}\log(2)\log(3) - \frac{53222832}{343}\gamma\log(2)\log(3) + \frac{210377839241874220703125}{19742227446509568}\log(5) \\
&\quad - \frac{64640615234375}{53003808}\gamma\log(5) - \frac{64640615234375}{53003808}\log(2)\log(5) - \frac{1400878031194209247393}{597651664896000}\log(7), \\
c_{14}^{\ln} &= \frac{729853696}{11025}\zeta(3) - \frac{1944329901911886102163978369}{20830556293536389400000} + \frac{7162313664943370257}{22370298575625}\gamma - \frac{371499648}{42875}\gamma^2 + \frac{30958304}{8575}\pi^2 \\
&\quad + \frac{10515486848}{128625}\log^2(2) - \frac{13305708}{343}\log^2(3) + \frac{26226795763189455409}{22370298575625}\log(2) + \frac{3314595584}{77175}\gamma\log(2) \\
&\quad + \frac{55342172390906997}{78556878400}\log(3) - \frac{26611416}{343}\gamma\log(3) - \frac{26611416}{343}\log(2)\log(3) - \frac{64640615234375}{106007616}\log(5), \\
c_{14}^{\ln^2} &= \frac{7199663285885603857}{89481194302500} - \frac{185749824}{42875}\gamma + \frac{828648896}{77175}\log(2) - \frac{6652854}{343}\log(3), \\
c_{14}^{\ln^3} &= -\frac{30958304}{42875}, \\
c_{14.5} &= \frac{1500643328}{55125}\pi\zeta(3) + \frac{12306435003814969601235891809399}{103875040717101461808000000}\pi + \frac{673907554336490184031}{6561954248850000}\gamma\pi - \frac{80284418048}{5788125}\gamma^2\pi \\
&\quad + \frac{18873449053136929}{3933239310000}\pi^3 + \frac{1500643328}{165375}\gamma\pi^3 + \frac{14024704}{23625}\pi^5 - \frac{321137672192}{5788125}\pi\log^2(2) - \frac{40135482632184728921851}{177172764718950000}\pi\log(2) \\
&\quad - \frac{321137672192}{5788125}\gamma\pi\log(2) + \frac{3001286656}{165375}\pi^3\log(2) + \frac{29046103665558867}{308616308000}\pi\log(3) + \frac{145881103515625}{1749125664}\pi\log(5),
\end{aligned}$$

$$\begin{aligned}
c_{14.5}^{\ln} &= \frac{673907554336490184031}{13123908497700000} \pi - \frac{80284418048}{5788125} \gamma \pi + \frac{750321664}{165375} \pi^3 - \frac{160568836096}{5788125} \pi \log(2), \\
c_{14.5}^{\ln^2} &= -\frac{20071104512}{5788125} \pi, \\
c_{15} &= -\frac{19017674025842159417}{5309873068500} \zeta(3) - \frac{1986297949952}{9823275} \gamma \zeta(3) + \frac{394576384}{567} \zeta(5) + \frac{31637350502656}{9823275} \zeta(3) \log(2) - \frac{93481128}{49} \zeta(3) \log(3) \\
&\quad - \frac{2156981124861492206459973244667903910764345212519}{15834448318299899346158352924672000000} - \frac{2239134931878759971610842802204107}{315520436178195690241800000} \gamma \\
&\quad - \frac{525646348187213988152273}{2710743300199935000} \gamma^2 + \frac{7068347307704576}{102112943625} \gamma^3 + \frac{8886137056252424329336470110571506819}{24192319630565588277678080000} \pi^2 - \frac{1767086826926144}{20422588725} \gamma \pi^2 \\
&\quad + \frac{651241387862373001412589433250920937}{135905799180018967379968000} \pi^4 + \frac{12070914117030147676265915}{212795082393255936} \pi^6 - \frac{2547624607151695403}{19791209299968} \pi^8 \\
&\quad - \frac{335912485548351232}{102112943625} \log^3(2) + \frac{67514148}{343} \log^3(3) + \frac{348620853559431080409581}{246431209109085000} \log^2(2) - \frac{8934542785182976}{3094331625} \gamma \log^2(2) \\
&\quad + \frac{202542444}{343} \log^2(2) \log(3) - \frac{811932090874103080377}{133546693280000} \log^2(3) + \frac{202542444}{343} \gamma \log^2(3) + \frac{202542444}{343} \log(2) \log^2(3) \\
&\quad + \frac{3103131723564453125}{1059652129536} \log^2(5) + \frac{99266763611398187}{230385870000} \log^2(7) - \frac{181440728366064415737944713721311}{6310408723563913804836000} \log(2) \\
&\quad + \frac{1496178473752627794534563}{271074330019993500} \gamma \log(2) - \frac{19214295857045248}{34037647875} \gamma^2 \log(2) + \frac{4803573964261312}{20422588725} \pi^2 \log(2) \\
&\quad + \frac{2029186475052690112702362124587}{27634379207276441600000} \log(3) - \frac{811932090874103080377}{66773346640000} \gamma \log(3) + \frac{202542444}{343} \gamma^2 \log(3) - \frac{84392685}{343} \pi^2 \log(3) \\
&\quad - \frac{1120809504525849732537}{66773346640000} \log(2) \log(3) + \frac{405084888}{343} \gamma \log(2) \log(3) - \frac{6883343827424302422607421875}{140217611841930534912} \log(5) \\
&\quad + \frac{3103131723564453125}{529826064768} \gamma \log(5) + \frac{3103131723564453125}{529826064768} \log(2) \log(5) - \frac{1229477788055969228362223323}{1176841869863362560000} \log(7) \\
&\quad + \frac{99266763611398187}{115192935000} \gamma \log(7) + \frac{99266763611398187}{115192935000} \log(2) \log(7), \\
c_{15}^{\ln} &= -\frac{993148974976}{9823275} \zeta(3) - \frac{225562499246689959318995408162507}{63104087235639138048360000} - \frac{516171613631379164677073}{2710743300199935000} \gamma + \frac{3534173653852288}{34037647875} \gamma^2 \\
&\quad - \frac{883543413463072}{20422588725} \pi^2 - \frac{4467271392591488}{3094331625} \log^2(2) + \frac{101271222}{343} \log^2(3) + \frac{1501976725789824367728803}{542148660039987000} \log(2) \\
&\quad - \frac{19214295857045248}{34037647875} \gamma \log(2) - \frac{811932090874103080377}{133546693280000} \log(3) + \frac{202542444}{343} \gamma \log(3) + \frac{202542444}{343} \log(2) \log(3) \\
&\quad + \frac{3103131723564453125}{1059652129536} \log(5) + \frac{99266763611398187}{230385870000} \log(7), \\
c_{15}^{\ln^2} &= -\frac{486613296926917903160273}{10842973200799740000} + \frac{1767086826926144}{34037647875} \gamma - \frac{4803573964261312}{34037647875} \log(2) + \frac{50635611}{343} \log(3), \\
c_{15}^{\ln^3} &= \frac{883543413463072}{102112943625}, \\
c_{15.5}^{\ln} &= \frac{8660541616}{77175} \pi \zeta(3) - \frac{15968906809329459860858879418922575689}{912790310738154831356774400000} \pi + \frac{17429771806026061957846879}{32245443178848900000} \gamma \pi - \frac{258366416648}{24310125} \gamma^2 \pi \\
&\quad - \frac{72458812852556068207}{238616518140000} \pi^3 + \frac{8660541616}{231525} \gamma \pi^3 + \frac{568239632}{99225} \pi^5 + \frac{21107520552152}{121550625} \pi \log^2(2) - \frac{172974204}{2401} \pi \log^2(3) \\
&\quad + \frac{63856957049461045127565151}{32245443178848900000} \pi \log(2) + \frac{12349237590448}{121550625} \gamma \pi \log(2) - \frac{1072411696}{385875} \pi^3 \log(2) \\
&\quad + \frac{2618534544249464439579}{1965885881960000} \pi \log(3) - \frac{345948408}{2401} \gamma \pi \log(3) + \frac{26611416}{343} \pi^3 \log(3) - \frac{345948408}{2401} \pi \log(2) \log(3) \\
&\quad - \frac{49967195576171875}{45477267264} \pi \log(5), \\
c_{15.5}^{\ln} &= \frac{17429771806026061957846879}{64490886357697800000} \pi - \frac{258366416648}{24310125} \gamma \pi + \frac{4330270808}{231525} \pi^3 + \frac{6174618795224}{121550625} \pi \log(2) - \frac{172974204}{2401} \pi \log(3), \\
c_{15.5}^{\ln^2} &= -\frac{64591604162}{24310125} \pi. \tag{F1}
\end{aligned}$$

Appendix G: Post-Newtonian expansion coefficients for $\Delta\lambda^B$

In this Appendix, we give the analytic post-Newtonian expansion coefficients for the tidal invariant $\Delta\lambda^B$ (see [8] for a definition) up to order $y^{15.5}$. We have also computed higher order coefficients up to order $y^{21.5}$, but they are too long to give here; instead, we make them available electronically [19].

$$\begin{aligned}
c_{3.5} &= 2, \quad c_{4.5} = 3, \quad c_{5.5} = \frac{59}{4}, \quad c_{6.5} = \frac{2761}{24} - \frac{41}{16} \pi^2, \quad c_{7.5} = \frac{1618039}{2880} + \frac{1808}{15} \gamma - \frac{112919}{3072} \pi^2 + 240 \log(2), \quad c_{7.5}^{\ln} = \frac{904}{15}, \\
c_{8.5} &= \frac{491047651}{201600} + \frac{2756}{105} \gamma - \frac{565685}{3072} \pi^2 - \frac{4492}{21} \log(2) + \frac{3645}{14} \log(3), \quad c_{8.5}^{\ln} = \frac{1378}{105}, \quad c_9 = \frac{856}{7} \pi, \\
c_{9.5} &= -\frac{454873888681}{50803200} - \frac{3881396}{2835} \gamma + \frac{7377893735}{3538944} \pi^2 - \frac{26691349}{524288} \pi^4 - \frac{1992212}{2835} \log(2) - \frac{200961}{140} \log(3), \quad c_{9.5}^{\ln} = -\frac{1940698}{2835},
\end{aligned}$$

$$\begin{aligned}
c_{10} &= -\frac{69473}{22050} \pi, \\
c_{10.5} &= \frac{28736}{15} \zeta(3) - \frac{423235951437871681}{1760330880000} + \frac{83360241649}{10914750} \gamma - \frac{1537376}{1575} \gamma^2 + \frac{42496203125923}{2477260800} \pi^2 + \frac{89531499967}{100663296} \pi^4 - \frac{6139232}{1575} \log^2(2) \\
&\quad + \frac{828894847697}{10914750} \log(2) - \frac{2047552}{525} \gamma \log(2) + \frac{1412559}{1232} \log(3) + \frac{9765625}{7128} \log(5), \\
c_{10.5}^{\ln} &= \frac{83360241649}{21829500} - \frac{1537376}{1575} \gamma - \frac{1023776}{525} \log(2),
\end{aligned}$$

$$\begin{aligned}
c_{10.5}^{\ln^2} &= -\frac{384344}{1575}, \\
c_{11} &= -\frac{5843221973}{4365900} \pi, \\
c_{11.5} &= \frac{583232}{105} \zeta(3) - \frac{21309701350511477421907}{9397819791360000} + \frac{42734893209857}{1324323000} \gamma - \frac{10248496}{11025} \gamma^2 + \frac{41783113230548567}{554906419200} \pi^2 + \frac{995995846414723}{64424509440} \pi^4 \\
&\quad + \frac{55366352}{11025} \log^2(2) - \frac{142155}{49} \log^2(3) + \frac{66996912132433}{1324323000} \log(2) + \frac{4649248}{2205} \gamma \log(2) + \frac{8818395978069}{196196000} \log(3) \\
&\quad - \frac{284310}{49} \gamma \log(3) - \frac{284310}{324324} \log(2) \log(3) - \frac{5041015625}{324324} \log(5), \\
c_{11.5}^{\ln} &= \frac{42972211891457}{2648646000} - \frac{10248496}{11025} \gamma + \frac{2324624}{2205} \log(2) - \frac{142155}{49} \log(3), \\
c_{11.5}^{\ln^2} &= -\frac{2562124}{11025}, \\
c_{12} &= \frac{177773734055963}{20170458000} \pi - \frac{109544032}{55125} \gamma \pi + \frac{1023776}{1575} \pi^3 - \frac{656897824}{165375} \pi \log(2), \\
c_{12}^{\ln} &= -\frac{54772016}{55125} \pi, \\
c_{12.5} &= -\frac{61736408}{2835} \zeta(3) + \frac{650842678174698441560847239}{31101413326663680000} - \frac{1009884112621826107}{14159661516000} \gamma + \frac{115048067276}{9823275} \gamma^2 + \frac{2612085785441191481}{6975966412800} \pi^2 \\
&\quad - \frac{14375375047759450747}{49478023249920} \pi^4 + \frac{1594697066963}{402653184} \pi^6 - \frac{2526608396}{56133} \log^2(2) + \frac{433572021}{26950} \log^2(3) + \frac{1647998244938492453}{14159661516000} \log(2) \\
&\quad - \frac{27159862376}{9823275} \gamma \log(2) - \frac{496811505579201}{2158156000} \log(3) + \frac{433572021}{13475} \gamma \log(3) + \frac{433572021}{13475} \log(2) \log(3) + \frac{288888671875}{4790016} \log(5) \\
&\quad + \frac{678223072849}{101088000} \log(7), \\
c_{12.5}^{\ln} &= -\frac{993028451553179707}{28319323032000} + \frac{115048067276}{9823275} \gamma - \frac{13579931188}{9823275} \log(2) + \frac{433572021}{26950} \log(3), \\
c_{12.5}^{\ln^2} &= \frac{28762016819}{9823275}, \\
c_{13} &= \frac{5157596639147063}{180360180000} \pi - \frac{14606534}{11025} \gamma \pi + \frac{1495618}{945} \pi^3 + \frac{106137118}{385875} \pi \log(2) - \frac{1848015}{343} \pi \log(3), \\
c_{13}^{\ln} &= -\frac{7303267}{11025} \pi, \\
c_{13.5} &= \frac{6520649816}{202125} \zeta(3) - \frac{49113856}{1575} \gamma \zeta(3) - \frac{459008}{15} \zeta(5) - \frac{6546688}{105} \zeta(3) \log(2) + \frac{137738077427722761383939335398968819}{222286155243531053875200000} \\
&\quad - \frac{192574199072389690922867}{3011937000222150000} \gamma - \frac{2572458931724062}{49165491375} \gamma^2 + \frac{2627591296}{496125} \gamma^3 - \frac{3242997919731208736780905997}{1055820887736975360000} \pi^2 - \frac{656897824}{99225} \gamma \pi^2 \\
&\quad - \frac{51226131330048617152601737}{9974769487183872000} \pi^4 - \frac{148094221748880223}{1623497637888} \pi^6 + \frac{259388544}{6125} \log^3(2) + \frac{506021443260742}{1820944125} \log^2(2) \\
&\quad + \frac{10505968768}{165375} \gamma \log^2(2) - \frac{203748051807}{15415400} \log^2(3) - \frac{37744140625}{1528956} \log^2(5) - \frac{935831561675894643798323}{602387400044430000} \log(2) \\
&\quad + \frac{31405756367204}{1966619655} \gamma \log(2) + \frac{350247808}{11025} \gamma^2 \log(2) - \frac{87561952}{6615} \pi^2 \log(2) + \frac{1517581031980000347}{5246477236000} \log(3) \\
&\quad - \frac{203748051807}{7707700} \gamma \log(3) - \frac{203748051807}{7707700} \log(2) \log(3) + \frac{79529650673427734375}{209811121648128} \log(5) - \frac{37744140625}{764478} \gamma \log(5) \\
&\quad - \frac{37744140625}{764478} \log(2) \log(5) - \frac{12722592845553577}{113420736000} \log(7), \\
c_{13.5}^{\ln} &= -\frac{24556928}{1575} \zeta(3) - \frac{172840217327848466762867}{6023874000444300000} - \frac{2572458931724062}{49165491375} \gamma + \frac{1313795648}{165375} \gamma^2 - \frac{328448912}{99225} \pi^2 + \frac{5252984384}{165375} \log^2(2) \\
&\quad + \frac{15702878183602}{1966619655} \log(2) + \frac{350247808}{11025} \gamma \log(2) - \frac{203748051807}{15415400} \log(3) - \frac{37744140625}{1528956} \log(5), \\
c_{13.5}^{\ln^2} &= -\frac{1286229465862031}{98330982750} + \frac{656897824}{165375} \gamma + \frac{87561952}{11025} \log(2), \\
c_{13.5}^{\ln^3} &= \frac{328448912}{496125}, \\
c_{14} &= -\frac{182312652332925353457079}{2224199630933280000} \pi + \frac{261156926572103}{11345882625} \gamma \pi - \frac{72277933843}{9823275} \pi^3 + \frac{7448963901653}{34037647875} \pi \log(2) + \frac{311318752347}{10375750} \pi \log(3), \\
c_{14}^{\ln} &= \frac{261156926572103}{22691765250} \pi, \\
c_{14.5} &= \frac{226437359033}{210210} \zeta(3) - \frac{229157312}{1575} \gamma \zeta(3) - \frac{4140608}{15} \zeta(5) - \frac{904209472}{11025} \zeta(3) \log(2) - \frac{10235160}{49} \zeta(3) \log(3) \\
&\quad + \frac{8717230186879021394846309680393737429919}{133339937981083842174566400000} + \frac{26420013359615317979764911787}{1190317502487793680000} \gamma - \frac{4548539361797409137}{12783027757500} \gamma^2 + \frac{1769521504}{165375} \gamma^3 \\
&\quad - \frac{341456877370199774633224097417}{3431417885145169920000} \pi^2 - \frac{442380376}{33075} \gamma \pi^2 - \frac{2563963105871968704720413161}{63838524717976780800} \pi^4 - \frac{11091687187004415235}{6493990551552} \pi^6 \\
&\quad - \frac{2162255392}{33075} \log^3(2) + \frac{7392060}{343} \log^3(3) - \frac{155965565348317143767}{89481194302500} \log^2(2) - \frac{25355744864}{385875} \gamma \log^2(2) \\
&\quad + \frac{22176180}{343} \log^2(2) \log(3) - \frac{53641337092064217}{98196098000} \log^2(3) + \frac{22176180}{343} \gamma \log^2(3) + \frac{22176180}{343} \log(2) \log^2(3) \\
&\quad + \frac{15194814453125}{54108054} \log^2(5) + \frac{62687419667570338818465670693}{9258025019349506400000} \log(2) - \frac{829912983765218981}{596541295350} \gamma \log(2) - \frac{194147936}{385875} \gamma^2 \log(2) \\
&\quad + \frac{48536984}{231525} \pi^2 \log(2) + \frac{37064754389379245573111253}{81277585903754240000} \log(3) - \frac{53641337092064217}{49098049000} \gamma \log(3) + \frac{22176180}{343} \gamma^2 \log(3) \\
&\quad - \frac{9240075}{343} \pi^2 \log(3) - \frac{12026722532147397}{9819609800} \log(2) \log(3) + \frac{44352360}{343} \gamma \log(2) \log(3) - \frac{4794041153062144818359375}{967369144878968832} \log(5) \\
&\quad + \frac{15194814453125}{27054027} \gamma \log(5) + \frac{15194814453125}{27054027} \log(2) \log(5) + \frac{661364683359445043153}{896477497344000} \log(7), \\
c_{14.5}^{\ln} &= -\frac{114578656}{1575} \zeta(3) + \frac{26816721352469623226670102187}{2380635004975587360000} - \frac{4548539361797409137}{12783027757500} \gamma + \frac{884760752}{55125} \gamma^2 - \frac{221190188}{33075} \pi^2 \\
&\quad - \frac{12677872432}{385875} \log^2(2) + \frac{11088090}{343} \log^2(3) - \frac{830908973657011877}{1193082590700} \log(2) - \frac{194147936}{385875} \gamma \log(2)
\end{aligned}$$

$$\begin{aligned}
& - \frac{53641337092064217}{98196098000} \log(3) + \frac{22176180}{343} \gamma \log(3) + \frac{22176180}{343} \log(2) \log(3) + \frac{15194814453125}{54108054} \log(5), \\
c_{14.5}^{\ln^2} &= - \frac{4569882002335828337}{5113211030000} + \frac{442380376}{55125} \gamma - \frac{48536984}{385875} \log(2) + \frac{5544045}{343} \log(3), \\
c_{14.5}^{\ln^3} &= \frac{221190188}{165375}, \\
c_{15} &= - \frac{350247808}{11025} \pi \zeta(3) + \frac{5339130148856440616477543938057}{93487536645391315627200000} \pi - \frac{374731983268181645111}{2952879411982500} \gamma \pi + \frac{18738257728}{1157625} \gamma^2 \pi \\
&+ \frac{229453971195409}{17878360500} \pi^3 - \frac{350247808}{33075} \gamma \pi^3 - \frac{3273344}{4725} \pi^5 + \frac{13877287104}{214375} \pi \log^2(2) - \frac{2139817700265597128761}{44293191179737500} \pi \log(2) \\
&+ \frac{1124138658176}{17364375} \gamma \pi \log(2) - \frac{10505968768}{496125} \pi^3 \log(2) - \frac{1940642256399057}{77154077000} \pi \log(3) - \frac{29176220703125}{655922124} \pi \log(5), \\
c_{15}^{\ln} &= - \frac{374731983268181645111}{5905758823965000} \pi + \frac{18738257728}{1157625} \gamma \pi - \frac{175123904}{33075} \pi^3 + \frac{562069329088}{17364375} \pi \log(2), \\
c_{15}^{\ln^2} &= \frac{4684564432}{1157625} \pi, \\
c_{15.5} &= \frac{6202424414638085951}{26549363534250} \zeta(3) + \frac{1780141198336}{9823275} \gamma \zeta(3) - \frac{1316562304}{2835} \zeta(5) - \frac{18782726706176}{9823275} \zeta(3) \log(2) \\
&+ \frac{15608592756}{13475} \zeta(3) \log(3) - \frac{13274137299499961392016982771705466784182009781147}{15042725902384904352784384000000} + \frac{199145605807824782900827181923163}{40877141529158955820800000} \gamma \\
&+ \frac{42790957420641639646681}{208518715399995000} \gamma^2 - \frac{604688630600768}{102112943625} \gamma^3 + \frac{14216496541215185765925039372537482329}{4838463926113176555356160000} \pi^2 + \frac{1511722157650192}{20422588725} \gamma \pi^2 \\
&+ \frac{85771577477966663370703907387338853}{339763949795004741844992000} \pi^4 + \frac{2170911676656317357689133}{53198770598313984} \pi^6 - \frac{2392749397956998243}{4947802324992} \pi^8 \\
&+ \frac{4021004634733176}{20422588725} \log^3(2) - \frac{622637504694}{5187875} \log^3(3) - \frac{32926195046864358119449531}{2710743300199935000} \log^2(2) + \frac{55640766180961216}{34037647875} \gamma \log^2(2) \\
&- \frac{1867912514082}{5187875} \log^2(2) \log(3) + \frac{456376186270608529383}{146901362608000} \log^2(3) - \frac{1867912514082}{5187875} \gamma \log^2(3) \\
&- \frac{1867912514082}{5187875} \log(2) \log^2(3) - \frac{96693640009765625}{88304344128} \log^2(5) - \frac{14180966230199741}{83776680000} \log^2(7) \\
&+ \frac{14195853596778147050357617416713711}{53140283987906425670400000} \log(2) - \frac{6903734693281690276174139}{1355371650099967500} \gamma \log(2) + \frac{8773912142318528}{34037647875} \gamma^2 \log(2) \\
&- \frac{2193478035579632}{20422588725} \pi^2 \log(2) - \frac{5014469439425452168758965467887}{15198908564002042880000} \log(3) + \frac{456376186270608529383}{73450681304000} \gamma \log(3) \\
&- \frac{1867912514082}{5187875} \gamma^2 \log(3) + \frac{311318752347}{2075150} \gamma^2 \log(3) + \frac{296613302205799233411}{367253406520000} \log(2) \log(3) \\
&- \frac{3735825028164}{5187875} \gamma \log(2) \log(3) + \frac{47489036363197548687095703125}{2664134624996680163328} \log(5) - \frac{96693640009765625}{44152172064} \gamma \log(5) \\
&- \frac{96693640009765625}{44152172064} \log(2) \log(5) + \frac{82461965144461117073077709}{53492812266516480000} \log(7) - \frac{14180966230199741}{41888340000} \gamma \log(7) \\
&- \frac{14180966230199741}{41888340000} \log(2) \log(7), \\
c_{15.5}^{\ln} &= \frac{890070599168}{9823275} \zeta(3) + \frac{205456888221800274077211649430363}{81754283058317911641600000} + \frac{42097718879672354936281}{208518715399995000} \gamma - \frac{3023444315300384}{34037647875} \gamma^2 \\
&+ \frac{755861078825096}{20422588725} \pi^2 + \frac{27820383090480608}{34037647875} \log^2(2) - \frac{933956257041}{5187875} \log^2(3) - \frac{6938515922161787047246139}{2710743300199935000} \log(2) \\
&+ \frac{8773912142318528}{34037647875} \gamma \log(2) + \frac{456376186270608529383}{146901362608000} \log(3) - \frac{1867912514082}{5187875} \gamma \log(3) - \frac{1867912514082}{5187875} \log(2) \log(3) \\
&- \frac{96693640009765625}{88304344128} \log(5) - \frac{14180966230199741}{83776680000} \log(7), \\
c_{15.5}^{\ln^2} &= \frac{38836915123602398840281}{834074861599980000} - \frac{1511722157650192}{34037647875} \gamma + \frac{2193478035579632}{34037647875} \log(2) - \frac{933956257041}{10375750} \log(3), \\
c_{15.5}^{\ln^3} &= - \frac{755861078825096}{102112943625}. \tag{G1}
\end{aligned}$$

-
- [1] L. Blanchet, S. L. Detweiler, A. Le Tiec, and B. F. Whiting, Phys.Rev. **D81**, 064004 (2010), arXiv:0910.0207.
- [2] L. Barack and N. Sago, Phys.Rev.Lett. **102**, 191101 (2009), arXiv:0902.0573 [gr-qc].
- [3] T. Damour, Phys.Rev. **D81**, 024017 (2010), arXiv:0910.5533 [gr-qc].
- [4] L. Blanchet, S. Detweiler, A. Le Tiec, and B. F. Whiting, Fundam.Theor.Phys. **162**, 415 (2011), arXiv:1007.2614.
- [5] L. Blanchet, S. L. Detweiler, A. Le Tiec, and B. F. Whiting, Phys.Rev. **D81**, 084033 (2010), arXiv:1002.0726.
- [6] L. Barack, T. Damour, and N. Sago, Phys.Rev. **D82**, 084036 (2010), arXiv:1008.0935 [gr-qc].
- [7] S. R. Dolan, N. Warburton, A. I. Harte, A. Le Tiec, B. Wardell, *et al.*, Phys.Rev. **D89**, 064011 (2014), arXiv:1312.0775.
- [8] S. R. Dolan, P. Nolan, A. C. Ottewill, N. Warburton, and B. Wardell, Phys.Rev. **D91**, 023009 (2015), arXiv:1406.4890.
- [9] A. Le Tiec, A. H. Mroue, L. Barack, A. Buonanno, H. P. Pfeiffer, *et al.*, Phys.Rev.Lett. **107**, 141101 (2011), arXiv:1106.3278.
- [10] S. Bernuzzi, A. Nagar, T. Dietrich, and T. Damour, (2014), arXiv:1412.4553 [gr-qc].
- [11] S. Mano, H. Suzuki, and E. Takasugi, Prog.Theor.Phys. **96**, 549 (1996), arXiv:gr-qc/9605057.
- [12] A. G. Shah and A. Pound, (2015), arXiv:1503.02414 [gr-qc].
- [13] N. K. Johnson-McDaniel, A. G. Shah, and B. F. Whiting, (2015), arXiv:1503.02638 [gr-qc].
- [14] A. G. Shah, Private communication.

- [15] D. Bini and T. Damour, Phys.Rev. **D87**, 121501 (2013), arXiv:1305.4884 [gr-qc].
- [16] D. Bini and T. Damour, Phys.Rev. **D89**, 064063 (2014), arXiv:1312.2503.
- [17] D. Bini and T. Damour, Phys.Rev. **D90**, 024039 (2014), arXiv:1404.2747.
- [18] D. Bini and T. Damour, Phys.Rev. **D90**, 124037 (2014), arXiv:1409.6933.
- [19] “Electronic archive of post-newtonian coefficients,” <http://www.barrywardell.net/research/code>.
- [20] C. W. Misner, K. Thorne, and J. Wheeler, *Gravitation* (Freeman, San Francisco, 1973).
- [21] F. Zerilli, Phys.Rev. **D2**, 2141 (1970).
- [22] M. Sasaki and H. Tagoshi, Living Rev.Rel. **6**, 6 (2003), arXiv:gr-qc/0306120.
- [23] M. Casals and A. C. Ottewill, “High-order tail in schwarzschild space-time,” (2015), in preparation.
- [24] A. Castro, J. M. Lapan, A. Maloney, and M. J. Rodriguez, Class.Quant.Grav. **30**, 165005 (2013), arXiv:1304.3781 [hep-th].
- [25] L. Barack and A. Ori, Phys. Rev. **D67**, 024029 (2003), arXiv:gr-qc/0209072 [gr-qc].
- [26] S. L. Detweiler and B. F. Whiting, Phys. Rev. **D67**, 024025 (2003), arXiv:gr-qc/0202086 [gr-qc].
- [27] S. L. Detweiler, Phys.Rev. **D77**, 124026 (2008), arXiv:0804.3529 [gr-qc].
- [28] A. G. Shah, J. L. Friedman, and B. F. Whiting, Phys.Rev. **D89**, 064042 (2014), arXiv:1312.1952 [gr-qc].
- [29] D. Bini and T. Damour, Phys.Rev. **D89**, 104047 (2014), arXiv:1403.2366 [gr-qc].
- [30] D. Bini and T. Damour, (2015), arXiv:1502.02450 [gr-qc].
- [31] D. Bini and T. Damour, (2015), arXiv:1503.01272 [gr-qc].
- [32] E. Barausse, A. Buonanno, and A. Le Tiec, Phys.Rev. **D85**, 064010 (2012), arXiv:1111.5610 [gr-qc].
- [33] A. Le Tiec, L. Blanchet, and B. F. Whiting, Phys.Rev. **D85**, 064039 (2012), arXiv:1111.5378 [gr-qc].
- [34] A. Le Tiec, E. Barausse, and A. Buonanno, Phys.Rev.Lett. **108**, 131103 (2012), arXiv:1111.5609 [gr-qc].
- [35] P. Nolan, C. Kavanagh, S. R. Dolan, A. C. Ottewill, N. Warburton, and B. Wardell, (2015), arXiv:1505.04447 [gr-qc].
- [36] A. G. Shah, Phys. Rev. D **90**, 044025 (2014), arXiv:1403.2697 [gr-qc].
- [37] R. Fujita, Progress of Theoretical Physics **128**, 971 (2012), arXiv:1211.5535 [gr-qc].
- [38] N. K. Johnson-McDaniel, Phys. Rev. **D90**, 024043 (2014), arXiv:1405.1572 [gr-qc].
- [39] B. Wardell and A. Gopakumar, *Proceedings, 524th WE-Heraeus-Seminar: Equations of Motion in Relativistic Gravity (EOM 2013)*, Fund. Theor. Phys. **179**, 487 (2015), arXiv:1501.07322 [gr-qc].